



CATALOGUE OUR CONTACT

Address: No. 944/l Nguyen Thi Minh Khai Street, Tan Thang Quarter, Tan Dong Hiep Ward, Ho Chi Minh City, Vietnam. Tel: (+84) 902 505 544 Office: (+84) 274 373 9448 Email: sales@ausavina.com





a profile

Material Handling Solutions for STONE & GLASS INDUSTRIES

Since 2009, AUSAVINA Joint Stock Company specializes in designing and manufacturing professional equipment for the STONE and GLASS industries

www.ausavina.com

ill

ABOUT COMPANY





SOLUTIONS TO YOUR ACTUAL NEEDS

The Company track record shows their never-ending commitment to the best possible "Customer Satisfaction".

AUSAVINA people firmly believe the Valued Clients are the most important asset to the Company. That is why their dedication is strong and stable.

Products are distributed all over the world with a significant presence in Europe, Asia, Pacific Area.

AUSAVINA R&D team is always available to contribute finding the best reply to any professional request.





CUSTOMIZATION SERVICE











• We provide customization service for products to meet diverse customer demands



YELL	WO	ORA	NGE	BL	UE	MATTE	BLACK
OTHERS							





TABLE OF CONTENTS

- Slab Lifting Clamps & Vacuum Cups
- Forklift Attachments
- Spreader Lifting Bars
- **04** Hand Transportation Clamps & Suction Cups
- Countertop Tools-Equipment
- Working Tables and Stands
- Slab Transportation
- Slab Storage A-Frames & Racks
- Specialized Machinery
- Accessories & Other



1. SLAB LIFTING CLAMPS & VACUUM CUPS

Ausavina Little Giant Lifter Automatic	
Ausavina Little Giant Lifter	
Ausavina Sky Rider Lifter Automatic	1
Ausavina Super Multi Material Lifter Automatic	
Ausavina Bison Lifter	1
Ausavina Bison Lifter Automatic	1
Ausavina Falcon Lifter	
Ausavina Falcon Lifter Automatic	
Ausavina Stone Crab Lifter Automatic	
	17
Ausavina Barrier Heavy Lifter	1
Ausavina Multi Material Lifter Automatic	
Ausavina Glass Lifter	2
Ausavina Pro-Glass Lifter	2
Ausavina Rotary Motor Shackle	-
Ausavina Mylift "Portable Electric Vacuum Lifter"	2
Ausavina Dual Pump Vacuum Lifter	1
	24
Ausavina Qli Vacuum Lifter	2
Ausavina Stone Vacuum Lifter (SVL25)	2
Ausavina Stone Vacuum Lifter (SVL50)	2
Ausavina Stone Vacuum Lifter (SVL75)	2
Ausavina Stone Vacuum Lifter (SVL100)	
Ausavina Multi Stone Vacuum Lifter	
Ausavina Vacuum Lifter (DVL400)	
Ausavina Vacuum Lifter (AVL480)	;
Ausavina Vacuum Lifter (DVL480)	3
Ausavina Vacuum Lifter (AVL500)	1
Ausavina Vacuum Lifter (DVL500)	2
Ausavina Vacuum Lifter (DVL1000)	2
Ausavina Vacuum Lifter (AVL600)	2
Ausavina Vacuum Lifter (CVL600)	1
Ausavina Rotary Vacuum Lifter	2
Ausavina Forklift Power Vacuum Lifter	
Ausavina Manual Vacuum Grip Lifter	4
Ausavina Bag Gripper Automatic	4
Ausavina Round Material Lifter Automatic	4



2. FORKLIFT ATTACHMENTS

PAGE

Ausavina Forklift Boom AFJ25-B	45
Ausavina Smart Forklift Boom ASFJ27	45
Ausavina Forklift Boom AFJ35	40
Ausavina Swing-Arm Forklift Boom	40
Ausavina Telescopic Forklift Boom	4'
Ausavina Pivot Forklift Boom	48
Ausavina Tps Forklift Boom 3 In 1	49
Ausavina Container Bundle Slab Loader	50
Ausavina Container Bundle Slab Load - Unloader Pro	5
Ausavina Forklift Extensions	52



3. SPREADER LIFTING BARS

Ausavina Spreader Bar M1	53
Ausavina Spreader Bar M4	54
Ausavina Spreader Bar M6	54
Ausavina Spreader Bar M7	55
Ausavina Spreader Bar M9	55
Ausavina Easy Adjustable Crane	56



55

54

56

4. HAND TRANSPORTATION CLAMPS & SUCTION CUPS

Ausavina Single Handed Carry Clamps	
Ausavina Double Handed Carry Clamps	
Ausavina Double Handed Giant Carry Clamps	
Ausavina Double Handed Carry Clamps	
Ausavina Hand Held Suction Cup	
Ausavina Battery Multi Material Vacuum Suction Cup	1
Ausavina Hand Pump Vacuum Suction Cup	
Ausavina Double / Triple Suction Lifter	

PAGE



5. COUNTERTOP TOOLS-EOUIPMENT

Ausavina Ratchet Seam Setter M2
Ausavina Qli Seam Setter With Suction Cups
Ausavina Ez-pro Battery Seam Setter
Ausavina 90 Degree Pro Seam Setter
Ausavina 90 Degree Clamp
Ausavina Countertop Slab Saver
Ausavina Miter Fit Clamp
Ausavina Miter Set Clamp
Ausavina Sink Lock



6. WORKING **TABLES AND STANDS**

Ausavina Power Kitchen Processing Table. 71 Ausavina Power Kitchen Installation Cart.... 72 Ausavina Dual Polished Flip Table..... 73 Ausavina Tilt Glass Cutting Table.. 74 Ausavina Working Table..... 74 Ausavina Flexible Work Table..... 75 Ausavina Flexible Work Table - 4 Wheels.. 75 Ausavina Easy Adjustable Fabrication Stand/Seni..... 76 Ausavina Fabrication Stand..... 77 Ausavina Qli Foldable Table..... 77 Ausavina Edge Polishing Stand - Auto Lock...... 78



PAGE

PAGE

53

PAGE

7. SLAB TRANSPORTATION

PAGE


Ausavina Slab Dolly		
Ausavina 3 Wheel Slab Dolly		
Ausavina 3 Wheel Giant Dolly		
Ausavina 4 Wheel Giant Dolly		1
Ausavina 4 Wheel Slab Dolly		1
Ausavina Self-Locking Trolley		8
Ausavina Safety Slab Dolly		;
Ausavina Self-Locking Dolly		;
Ausavina Tug Dolly		1
Ausavina Easy Moving Dolly		;
Ausavina Ez-Pro Winch Cart		;
Ausavina V-Cart		;
Ausavina Qli Drywall Cart 039		;
Ausavina Nesting Dual Drywall Cart		;
Ausavina Slab Rack Dolly		;
Ausavina Folding Trolley Frame		;
Ausavina Smart Slab Buggy		
Ausavina Double Sided Slab Buggy		9
Ausavina Slab Buggy		1
Ausavina Qli Slab Buggy		5
Ausavina Qli Double Sided Slab Bug	av	5
Ausavina Universal Slab Buggy		1
Ausavina Flexible Transport Cart		1
Ausavina Oversized Glass Transport		1
Ausavina Heavy Duty Multi-Utility Tra		9
Ausavina Heavy Multi-Purpose Trans	port Trailer	1
Ausavina Flat Stacking Cart		1
Ausavina Nesting Single Sided Cart		1
Ausavina Heavy Duty Folding One St		1
Ausavina Folding One-Stop A-Frame		103
Ausavina One Stop A-Frame		1
Ausavina Demountable Frame		1
Ausavina One Stop High A-Frame		1
Ausavina One Stop Single Sided A-Fi	ame	1
Ausavina Smart One Stop A-Frame		1
Ausavina One Stop A-Frame Pro		1
Ausavina One Stop A-Frame		110
Ausavina Bi-Level A-Frame		1
Ausavina One Stop A-Frame		113
Ausavina Multi Adjustable Dropside		1
· · · · · · · · · · · · · · · · · · ·		



8. SLAB STORAGE A-FRAMES & RACKS

PAGE

Ausavina Heavy Duty Display Stand Rack	116
Ausavina Triple Side Folding Truck A-Frame	117
Ausavina Folding Adjustable Giant A-Frame	118
Ausavina Single Sided A-Frame	119
Ausavina Single Sided Truck A-Frame	119
Ausavina Standard A-Frame	120
Ausavina Truck A-Frame	120
Ausavina Heavy Duty Truck A-Frame	12
Ausavina Qli Truck A-Frame 060	122
Ausavina Qli Truck A-Frame Seni 060	122
Ausavina Qli Standard A-Frame 060	123
Ausavina Qli Truck A-Frame 074	124
Ausavina Qli Truck A-Frame Seni 074	124
Ausavina Qli Folding Truck A-Frame 060	125
Ausavina Qli Folding Truck A-Frame Juni/Seni 060	125



8. SLAB STORAGE A-FRAMES & RACKS

PAGE

Ausavina Qli Folding Truck A-Frame 074	12
Ausavina Qli Folding Truck A-Frame Seni/Juni 074	12
Ausavina Easy Load A-Frame	12
Ausavina Adjustable Giant Truck A-Frame	12
Ausavina Heavy Duty Single Side A-Frame	12
Ausavina Heavy Duty Double Side A-Frame	13
Ausavina Universal A-Frame	1
Ausavina Heavy-Duty Multi-Material Bundle Rack	13
Ausavina Bundle Slab Rack	1
Ausavina Slab Rack	13
Ausavina Qli Universal Bundle Slab Rack	1.
Ausavina Rhino Slab Rack	1
Ausavina Qli Bundle Slab Rack	13
Ausavina Remnant Slab Rack	13
Ausavina Spare Poles	13



9. SPECIALIZED MACHINERY

Ausavina Sludge Dehydrator Machine.....

Ausavina Air Polishing Machine	139
Ausavina Stone Saw MODS1	140
Ausavina Stone Saw MODS2	141
Ausavina Rail Machine 5 In 1	142
Ausavina Column Articulate Crane (Jib Crane)	143
Ausavina Mortar Mixer	143
Ausavina Dehydrator (Sludge Filter)	144
Ausavina Collapsible Dumpster (Tilt Dumpster)	145
Ausavina Drop Bottom Dumpster	146



10. ACCESSORIES & OTHER

D	Λ	C	2	
		10		

PAGE

147

Ausavina Ez-Pro Level Extender	14
Ausavina Bundle Securing Bar	14
Ausavina Drilling Guide M2	14
Ausavina Drilling Guide M3	14
Ausavina Multi Slab Safeguard Sling	150
Ausavina Safety Corner Slab Rack Wedge	15
Ausavina Slab Wedge	15
Ausavina Swivel Hook	152
Ausavina Swivel Shackle	15
Ausavina Cable Connect Sling	15
Ausavina Bow Shackle	154
Ausavina Stonemason Sleeves	154
Ausavina Stone Mason Apron	154
•	



AUSAVINA LITTLE GIANT LIFTER AUTOMATIC

- A new upgrading product designed to lift and move slabs in various workplaces.

- Provides an Opening and Closing mechanism of clamp plate with fully automatic ensures safety and convenience for users during operation.

- Suitable for natural and artificial stones with a grip range from 5 to 75 mm.

- Clamp Plates are covered by rubber pads to prevent from damage and scratches.





NOTE Swivel shackle included

CE

- Available in Black (-B) and White (-W) rubber

- The lifter can combine with AMSS85 for transporting multi slabs at once safely and efficiently



Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
ALG40A	8 ⁷ / ₁₆ (214)	6 ¹³ / ₁₆ (173)	15 ¾ (385)	³ / ₁₆ ~ 1 ⁹ / ₁₆ (5 ~ 40)	52.8 (24)	2860 (1300)
ALG50A	8 ⁷ / ₁₆ (214)	7 ¼ (184)	15 ¾ (385)	³ / ₈ ~ 1 ¹⁵ / ₁₆ (10 ~ 50)	52.8 (24)	2860 (1300)
ALG60A	8 ⁷ / ₁₆ (214)	8 ½ (206)	16 ¾ (425)	¹³ / ₁₆ ~ 2 ³ / ₈ (20 ~ 60)	63.8 (29)	3300 (1500)
ALG75A	8 ⁷ / ₁₆ (214)	8 ½ (216)	16 ¾ (425)	1 ³ / ₁₆ ~ 2 ¹⁵ / ₁₆ (30 ~ 75)	64.9 (29.5)	3300 (1500)


AUSAVINA LITTLE GIANT LIFTER

- An ideal tool designed to lift and move slabs ensures safety and convenience for users during operation.

- Suitable for natural and artificial stones with a grip range from 10 to 75 mm.

- Clamp Plates are covered by rubber pads to prevent from damage and scratches.

- The smart clamping system provide effective and safe slab lifting.



CE

NOTE Swivel shackle included

ALG₃₀

- Available in Black (-B) and White (-W) rubber

- The lifter can combine with AMSS85 for transporting multi slabs at once safely and efficiently

ALG50



VERSATILITY

The Ausavina Lifters are ideal for construction jobs. The clamping mechanism is located at the front of the slab, enabling close positioning of slabs against walls.



CONVENIENCE

The compact design enables smooth operation in confined spaces. To lift multiple slabs, always use Ausavina Multi Slab Safeguard Sling. ALG60, ALG75



SAFLIT

Intelligent and compact design provides maximum protection for users.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
ALG30	7 % (200)	5 ¹¹ ⁄16 (144)	12 13/16 (326)	³ ⁄ ₈ ~ 1 ³ ⁄ ₁₆ (10 ~ 30)	34.1 (15.5)	2200 (1000)
ALG50	8 5⁄16 (211)	7 ¾16 (183)	14 %16 (370)	³ ⁄8 ~ 1 ¹⁵ ⁄16 (10 ~ 50)	50.6 (23)	2860 (1300)
ALG60	8 ½ (216)	7 ¹⁵ ⁄16 (202)	15 % (403)	¹³ / ₁₆ ~ 2 ³ / ₈ (20 ~ 60)	61.6 (28)	3300 (1500)
ALG75	8 ½ (216)	8 7⁄16 (214)	15 7⁄8 (403)	1 ³ ⁄ ₁₆ ~ 2 ¹⁵ ⁄ ₁₆ (30 ~ 75)	61.6 (28)	3300 (1500)

AUSAVINA SKY RIDER LIFTER AUTOMATIC

- Two models, two grip ranges, super large surfaces and natural rubber-coated clamp plate to easily/safely handle stone, granite, marble, porcelain slabs or glass sheets.

- Patented auto-lock mechanism and included swivel shackle allow 360° slab rotation.
- Mainly made of aluminum for lightweight and high durability purposes.



NOTE Swivel shackle included

CE

- Available in Black (-B) and White (-W) rubber
- ASL30A can combine with AMSS85 for transporting multi slabs at once safely and efficiently



The Opening and Closing mechanism of clamp plate is fully automatic.



Improve gripping force and protect large fragile slab from damage and breakage.



VERSATILE

Enhance grip on both natural and artificial stone slabs of various thicknesses.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
ASL20A	12 7⁄16 (316)	4 ¹³ ⁄16 (122)	10 5⁄16 (262)	0 ~ 13/16 (0 ~ 20)	19.8 (9)	1100 (500)
ASL30A	19 5⁄16 (490)	5 %16 (138)	13 ¹³ ⁄16 (351)	0 ~ 1 ¾16 (0 ~ 30)	59.4 (27)	2200 (1000)

AUSAVINA SUPER MULTI MATERIAL LIFTER AUTOMATIC

- Designed to clamp, lift and move material slabs in various workplaces.


- Provides an Opening and Closing mechanism of clamp plate with fully automatic ensures safety and convenience for users during operation.

- Three models with different grip ranges and work load limit to handle various material slabs.

- Compact design with high-quality natural rubber pads to safely operate in narrow places.

NOTE Swivel shackle included (ASVL20A, ASVL30A-M2), Swivel Hook included (ASVL50A-M2) - Available in Black (-B) and White (-W) rubber

- The lifter can combine with AMSS85 for transporting multi slabs at once safely and efficiently



Model	In (mm)	In (mm)	In (mm)	In (mm)	lbs (kg)	lbs (kg)
ASVL20A	9 ¹³ ⁄16 (250)	5 ¹³ ⁄16 (147)	12 11/16 (322)	0 ~ ¹³ ⁄ ₁₆ (0 ~ 20)	19.8 (9)	660 (300)
ASVL30A-M2	13 ¾ (350)	5 ¹³ ⁄16 (147)	15 ¾16 (386)	0 ~ 1 ¾16 (0 ~ 30)	34.1 (15.5)	1100 (500)
ASVL50A-M2	19 ¹¹ ⁄ ₁₆ (500)	7 5⁄16 (185)	18 ¾ (477)	0 ~ 1 ¹⁵ ⁄ ₁₆ (0 ~ 50)	59.4 (27)	1540 (700)

AUSAVINA BISON LIFTER

- A heavy-duty lifter designed to lift and move stone slabs or other materials with a grip range up to 150 mm. Clamp Plates are covered by rubber pads to prevent damage and scratches during operation. A swivel shackle helps to rotate slab 360° easily. Two models includes:

* ABL150 with smart clamping system

CE

* ABL150A with PATENTED automatic clamping system



NOTE Swivel shackle included

- Available in Black (-B) and White (-W) rubber
- The lifter can combine with AMSS160 for transporting multi slabs at once safely and efficiently



Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
ABL150	15 7⁄16 (392)	8 ¼ (210)	18 1⁄8 (459)	³ ⁄16 ~ 5 % (5~150)	74.8 (34)	3960 (1800)
ABL150A	15 7⁄16 (392)	8 ¼ (210)	18 1⁄8 (459)	³ ⁄16 ~ 5 % (5 ~ 150)	76 (34.5)	3960 (1800)

CE

- The Ausavina Falcon Lifter is designed to lift and move stone slabs quickly and safely.
- The lifter is mainly made of steel for strength and durability in harsh environments.
- Two clamp plates are covered by rubber pads to protect the stone slabs during operation and transportation.
- The lifter can clamp many types of stone slab with different thickness from ¹3/₁₆" (20 mm) to 2 %₁₆" (65mm).

NOTE Swivel shackle included

- Available in Black (-B) and White (-W) rubber
- The lifter can combine with AMSS85 for transporting multi slabs at once safely and efficiently



Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
AFL65	8 % (226)	8 7⁄16 (214)	16 ¾ (426)	¹³ ⁄16 ~ 2 %16 (20 ~ 65)	73.7 (33.5)	2200 (1000)
AFL65A	8 % (226)	8 %16 (214)	16 ¾ ₁₆ (411)	¹³ ⁄16 ~ 2 %16 (20 ~ 65)	74.8 (34)	2200 (1000)

- A special design with durable structure to resist strong impact and ability to change grip range flexibly for easy slabs moving with different thicknesses.

- It features a swivel hook and a steel cable to make slab operations easy.

CE







NOTE Available in Black (-B) and White (-W) rubber



Model	Length	Width	Height	Grip Range	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
ASCL50A	8 %16 (217)	7 ⁵⁄a (194)	22 ¼ (565)	%16 ~ 1 ¹⁵ ⁄16 (15 ~ 50)	56.1 (25.5)	2640 (1200)

- Ausavina Scissor Clamp is an invaluable tool for lifting slabs, barriers, curbs, median walls and tombstones. The jaws of the lifter are covered with long-lasting and fully vulcanized natural rubber pads to ensure safe and non-marking grip.

SC100AL-M2: Clamps are gravity-controlled, open automatically in idle conditions and close when lifted.





Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
SC100	21 ⁵ ⁄16 (542)	7 ¼16 (180)	15 ¾ (400)	³ ⁄8 ~ 3 ¹⁵ ⁄16 (10 ~ 100)	47.3 (21.5)	2860 (1300)
SC100AL-M2	21 5⁄16 (542)	7 ¼16 (180)	15 ¾ (400)	³ / ₈ ~ 3 ¹⁵ / ₁₆ (10 ~ 100)	47.3 (21.5)	2860 (1300)
SC150	23 ¼ (590)	9 ¹³ ⁄16 (250)	18 ¼16 (458)	1 ¾16 ~ 5 1⁄8 (30 ~ 150)	77 (35)	3300 (1500)
SC350	22 5⁄8 (575)	9 ¹³ ⁄16 (250)	20 13/16 (528)	5 % ~ 13 ¾ (150 ~ 350)	112.2 (51)	3520 (1600)
SC400	27 15/16 (710)	9 ¹³ ⁄ ₁₆ (250)	20 ½ (520)	7 % ~ 15 ¾ (200 ~ 400)	114.4 (52)	2420 (1100)

CE

- Scissor Clamp is an invaluable lifting equipment for slabs, barriers, curbs, median walls and tombs stones.




Model	Length	Width	Height	Grip Range	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
SC300	31 ½ (800)	21 %16 (548)	39 ¼ (997)	3 ¹⁵ ⁄16 ~ 11 ¹³ ⁄16 (100 ~ 300)	479.6 (218)	3520 (1600)

AUSAVINA BARRIER HEAVY LIFTER

- Ausavina Barrier Heavy Lifter (ABHL3200) is an ideal solution to safely lift, move, lower big size barriers, slabs, blocks made of stone. Vulcanized rubber and extended clamp plates protect material from damage and increase gripping force during clamping. This lifter operates with gravity-controlled mechanism, automatically opening when idle and closing when lifted.

BIG LOAD: The work load limit is up to 7040 lbs (3200 kg).

NOTE Swivel shackle included - Available in Black (-B) and White (-W) rubber



Model	Length	Width	Height	Grip Range	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
ABHL3200	27 %16 (700)	33 ³ ⁄16 (843)	26 ¼ (667)	3 ¹⁵ ⁄ ₁₆ ~ 11 ¹³ ⁄ ₁₆ (100 ~ 300)	358.6 (163)	7040 (3200)

AUSAVINA MULTI MATERIAL LIFTER AUTOMATIC

- Ausavina Multi Material Lifter Automatic is mainly designed to clamp and lift the material slabs.
- Clamping mechanism is fully automatic.
- The large surface of clamp plates is covered by rubber to prevent damage when moving in any direction.

- Two guide shafts ensure precise lifter positioning, while the wheel system enables smooth movement and secures the slab between the clamping jaws.





AUTOMATIC CLAMP

The clamping mechanism is fully automatic.



SAFE RUBBER PAD

The contact surface of lifter is covered by rubber pads to prevent damage or crack when lifting.



GUIDE SHAFT

Two guide shafts lead the lifter into the correct position.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
APL20	30 11/16 (780)	10 7⁄16 (265)	22 ¼ (565)	³ /16 ~ ¹³ /16 (4 ~ 20)	51.7 (23.5)	660 (300)
APL20-M2	21 1⁄18 (536)	6 ¹⁵ ⁄16 (176)	16 ¹¹ ⁄ ₁₆ (424)	0 ~ 13⁄16 (0 ~ 20)	25.3 (11.5)	880 (400)

AUSAVINA GLASS LIFTER

- No electricity or compressed air is required, as the grip and release operations are fully automatic and mechanically controlled.

- Ausavina Glass Lifter is designed to safely and securely handle glass sheets.

- The fully automatic clamps with an extended grip surface minimize labor requirement.

- Two guide shafts ensure precise lifter positioning, while the wheel system enables smooth movement and secures the slab between the clamping jaws.

- The vulcanized rubber on the clamp provides additional grip and extra protection for handling the glass.

- Compact design for easy storage and transportation.

AUSAVINA GLASS LIFTER





Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
AGL28	23 %16 (598)	8 %16 (218)	25 ³ ⁄16 (640)	³ ∕16 ~ 1 ⅓ (4 ~ 28)	63.8 (29)	1760 (800)

AUSAVINA PRO-GLASS LIFTER

APGL40





Model	Length	Width	Height	Grip Range	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
APGL40	29 ¼16 (738)	9 7⁄16 (240)	26 % (683)	³ ⁄16 ~ 1 %16 (4 ~ 40)	79.2 (36)	3080 (1400)

AUSAVINA ROTARY MOTOR SHACKLE

- Engineered for seamless integration with Ausavina stone and glass lifters, forklifts or hoists, this solution excels in slab transportation.

- The wireless remote control allows operators to safely lift, rotate and position slabs directly from the forklift - enhancing both efficiency and worksite safety.







Model	Length	Width	Height	Net Weight	Battery	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Powered	Ibs (kg)
ARMS1200	9 ¼16 (231)	7 ¼16 (180)	17 ¾ (450)	34.1 (15.5)	24V, 10Ah	2640 (1200)

AUSAVINA MYLIFT "PORTABLE ELECTRIC VACUUM LIFTER"

- Portable Electric Vacuum Lifter is a hand-held tool designed to lift and move small and medium-sized sheets of material in workshops or construction sites.





FEATURES	PVL100	PVL100PRO
WIDE APPLICATION: Use for variety of surface materials.	×	<
HAND PUMP MODE: Alternative mode when battery run out.	~	 Image: A set of the set of the
WARNING SYSTEM: An audible-visual alarm system provides safety during lifting and moving material.	×	~
AUTOMATIC MECHANISM: The vacuum is activated and re-pump automatically.	×	~

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
PVL100	11 5⁄8 (295)	6 ½ (165)	4 ¹⁵ ⁄16 (126)	3.74 (1.7)	220 (100)
PVL100PRO	11 5⁄8 (295)	6 ½ (165)	4 ¹⁵ ⁄16 (126)	3.96 (1.8)	220 (100)

CE

AUSAVINA DUAL PUMP VACUUM LIFTER

- Ausavina Dual Pump Vacuum Lifter (ADPVL250) is designed for lifting / lowering and transporting stone slabs within the allowable work load limit. It is typically combined with a hoist to lift stone slabs onto a working table or to move them within a warehouse or workshop.

- The standout feature of the ADPVL250 is its dual operation: it can utilize compressed air - if available in the workshop - to generate suction, or it can operate manually using the built-in hand pump.

- The suction force is consistently maintained throughout the working process.

- The suction cups are made of soft rubber, enhancing adhesion to the stone slab while preventing contact damage.

- To avoid operation under low pressure, a dual audio-visual alarm system is integrated for added safety.

- The compact design ensures easy transport and storage.



WARNING SYSTEM





rail line allows easy integration with the pneumatic components. Designed for lifting/lowering and transporting stone slabs or other non-porous materials within the allowable work load limit.

Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
ADPVL250	21 ¼16 (534)	11 ⁵ ⁄16 (287)	7 5⁄16 (186)	44 (20)	550 (250)

to create a vacuum.

AUSAVINA VACUUM MULTILIFT PRO

- A portable lifter enables effortless transportation of materials across various work environments.

- Ausavina Vacuum Multilift Prois designed to lift material slabs safely and efficiently, handling loads of up to 550 lbs (250 kg).





Model	Length In (mm)	Width In (mm)	Height In (mm)	Battery	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
AVMP250	15 ¾ (400)	9 ¹³ ⁄16 (250)	7 ¾16 (182)	18V	16.7 (7.6)	550 (250)

AUSAVINA VACUUM MULTILIFT PRO

A portable lifter enables effortless transportation of materials across various work environments.
 Ausavina Vacuum Multilift Prois designed to lift material slabs safely and efficiently, handling loads of up to 440 lbs (200 kg).








AUSAVINA QLI VACUUM LIFTER

- Ausavina Qli Vacuum Lifter is a powerful tool for handling glass sheet and stone slab with a maximum weight of 440 pounds. Due to its simple modular design, each lifter component can be detached for easy transportation and maintenance.



SLAB LIFTING CLAMPS & VACUUM CUPS

AUSAVINA STONE VACUUM LIFTER (SVL25)

- Ausavina Stone Vacuum Lifter (SVL25) is designed to lift smooth-surface stone slabs and is powered by compressed air, with a lifting capacity of 550 lbs (250 kg). It features robust construction and the ability to lift and tilt the stone slab.



Model	Length In (mm)	Width In (mm)	Height In (mm)		Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
SVL25	36 ¹³ ⁄16 (935)	25 ¾ (654) 39 ¹⁵ ⁄ ₁₆ (1014)		1014)	118.8 (54)	550 (250)
Number of Vacu	um Minimum S	Slab		Vacu	um Pressure	Compressed Air Source

Number of Vacuum Pads	Minimum Slab Dimensions - In (mm)	Tilt Angle	Vacuum Pressure (kg/cm²)	Compressed Air Source (kg/cm²)
1 pc	24 ⅔16 x 16 5⁄16 (620 x 415)	0° ~ 90°	- 0.7 ~ - 0.8	6 ~ 8

CE

(E AUSAVINA STONE VACUUM LIFTER (SVL50)

- Ausavina Stone Vacuum Lifter (SVL50) is designed to lift smooth-surface stone slabs and is powered by compressed air, with a lifting capacity of 1100 lbs (500 kg). It features robust construction and the ability to lift and incline the stone slab.



The integrated audible and visual alarm system, powered by 9V battery, ensures safe operation for the user



The vacuum pads can be manually rotated 90 degrees








This trolley is included with product

Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
SVL50	41 7⁄16 (1053)	55 ½ (1410)	61 5⁄8 (1566)	200.2 (91)	1100 (500)

Number of Vacuum Pads	Minimum Slab Dimensions - In (mm)	Tilt Angle	Vacuum Pressure (kg/cm²)	Compressed Air Source (kg/cm²)
2 pcs	44 ¼ x 24 1/16 (1120 x 620)	0° ~ 90°	- 0.7 ~ - 0.8	6~8

AUSAVINA STONE VACUUM LIFTER (SVL75)

- Ausavina Stone Vacuum Lifter (SVL75) is designed to lift smooth-surface stone slabs and is powered by compressed air, with a lifting capacity of 1650 lbs (750 kg). It features robust construction and the ability to lift and incline the stone slab.







This trolley is included with product

Model	Length In (mm)		/idth (mm)	Heigl In (mi		Net Weight Ibs (kg)	: Work Load Limit Ibs (kg)	
SVL75	37 ½ (943)	71	71 ½ (1806) 62 ¼ (1		581) 213.4 (97)		1650 (750)	
Number of Vacu Pads	Number of Vacuum Minimum S Pads Dimensions I		Tilt A	Angle		um Pressure (kg/cm²)	Compressed Air Source (kg/cm²)	
3 pcs 51 ¹⁵ / ₁₆ x 24 (1320 x 62			0° ~	90°	- 0.7 ~ - 0.8		6~8	



CE

CE AUSAVINA STONE VACUUM LIFTER (SVL100)

- Ausavina Stone Vacuum Lifter (SVL100) is designed to lift smooth-surface stone slabs and is powered by compressed air, with a lifting capacity up to 2200 lbs (1000 kg). It features robust construction and the ability to lift and tilt the stone slab.



The integrated audible and visual alarm system, powered by 9V battery, ensures safe operation for the user



The vacuum pads can be manually rotated 90 degrees







This trolley is included with product


Model		Length In (mm)		/idth (mm)	Heigl In (mi		Net Weight Ibs (kg)	t	Work Load Limit Ibs (kg)
SVL100	/L100 52 ¹⁵ /16 (1344)		55 ¹	½ (1410) 61 5⁄8 (156		566)	330 (150)		2200 (1000)
Number of Vacuum Minimum Pads Dimensions - I			Tilt 4	Angle		um Pressure (kg/cm²)	Со	mpressed Air Source (kg/cm²)	
4 pcs 5] ¹⁵ / ₁₆ x 3 (1320 x 80		. =	0° ~	, 90°	- 0.7 ~ - 0.8			6~8	

AUSAVINA MULTI STONE VACUUM LIFTER

- Multi Stone Vacuum Lifter (AMSVL100) is a powerful tool for transporting large-size slabs. It is typically used with a hoist to lift stone slabs onto a processing table or to move them within a warehouse or workshop.



The product is equipped with trolley to move and store stone slabs easily



Model	Lengt In (mn		Width In (mm)		nt n)	Net Weight Ibs (kg)		Work Load Limit Ibs (kg)
AMSVL100	52 ¹⁵ ⁄16 (1	345) 86 7	86 7⁄8 (2206)		566)	330 (150)		2200 (1000)
Number of Vacu Pads		imum Slab sions - In (mm)	Tilt 4	Angle		um Pressure (kg/cm²)	Co	mpressed Air Source (kg/cm²)


Paus			(Kg/cill)	(kg/cm-)
4 pcs	90 %16 x 25 ¾6 (2300 x 640)	0° ~ 90°	- 0.7 ~ - 0.8	6~8

CE

AUSAVINA VACUUM LIFTER (DVL400)

- For large material slabs up to 880 lbs (400 kg).
- Strong vacuum force and excellent maneuverability in all directions.
- Powered by a battery system for greater versatility and operation in any area.





W.L.L.: Work Load Limit

220V-AC

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)		Net Weight Ibs (kg)		'.L.L. ; (kg)	Diameter of Vacuum Pads - In (mm)
DVL400	65 %16 (1662)	11 ¹³ ⁄16 (300)	10 ½ (267)	137 (62	2)	880	(400)	11 ¹³ ⁄16 (300)
Number of Vacuum Pade	Minimum Material Sla Dimension In (mm)	ab Rotate ns Angle	Tilt Angle	Voltage		ttery bacity	Po	ower Charger
(13 ¾ x 39 ¾	/8	0.00	10) (D C	10) (10.41	USA	INTERNATIONAL

90°

12V-DC

12V, 18Ah


180°

(350 x 1000)


110V-AC

4 pcs

- For large material slabs up to 1056 lbs (480kg). Features superior vacuum force and maneuverability in all directions.







W.L.L.: Work Load Limit

CE


Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Ibs (kg)	W.L.L. Ibs (kg)	Diameter of Vacuum Pads-In (mm)
AVL480 (Electric Powered)	59 ¼16 (1500)	68 5⁄16 (1735)	12 ¼16 (305)	158.4 (72)	1056 (480)	9 ¹³ ⁄16 (250)


Number of Vacuum Pads	Minimum Material Slab Dimensions In (mm)	Rotate Angle	Tilt Angle	Power Charger	
6 pcs	6 pcs 70 % x 39 % Left: 90° 90°		USA	INTERNATIONAL	
o pes	(1800 x 1000)	Right: 90°	50*	110V-AC	220V-AC

SLAB LIFTING CLAMPS & VACUUM CUPS

AUSAVINA VACUUM LIFTER (DVL480)

- For large material slabs up to 1056 lbs (480 kg). Features superior vacuum force and maneuverability in all directions.





W.L.L.: Work Load Limit

Model	Length In (mm)	Width In (mm)	Height Net Weight W.L.L In (mm) Ibs (kg) Ibs (kg			Diameter of Vacuum Pads- In (mm)			
DVL480 (Battery Powered)	59 ¼16 (1500)	68 ⁵ ⁄16 x 84 ¹ ⁄16 (1735 x 2135)	12 ¼16 (305)	160.6 (7	73)	1056	1056 (480)		¹³ ⁄16 (250)
Number of Vacuum Pads	Minimum Material Sl Dimension In (mm)	ab Rotate ns Angle	Tilt Angle	Voltage		ttery bacity	Pc	ower	Charger
6 pcs	70		90°	12V-DC	12V/	/18Ah	USA 110V-A	-	INTERNATIONAL

SLAB LIFTING CLAMPS & VACUUM CUPS

- Designed for large material slabs up to 1100 lbs (500 kg).

- Provides superior vacuum force and 360-degree maneuverability.







W.L.L.: Work Load Limit

CE

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Ibs (kg)	W.L.L. Ibs (kg)	Diameter of Vacuum Pads - In (mm)
AVL500 (AC Electric Powered)	66 ⁵ ∕16 (1685)	51 %16 (1310)	12 5⁄8 (320)	160.6 (73)	1100 (500)	11 ¹³ ⁄16 (300)

Number of Vacuum Pads	Minimum Material Slab Dimensions In (mm)	Rotate Angle	Tilt Angle	Power	Charger
4 pcs	4 pcs 33 7/ ₁₆ x 35 7/ ₁₆ Left: 90° 90°		USA	INTERNATIONAL	
- pc3	(850 x 900)	Right: 90°	90*	110V-AC	220V-AC

(E AUSAVINA VACUUM LIFTER (DVL500)

- Designed for large material slabs up to 1100 lbs (500 kg).
- Provides superior vacuum force and 360-degree maneuverability.



Optional trolley (sold separately) can be attached for easy movement & storage

For battery-powered only:

- Battery charging time: 6 hrs 30 mins
- A full charge provides approximately 150 vacuum-release cycles





W.L.L.: Work Load Limit

Model	Length	Width	Height	Net Weight	W.L.L.	Diameter of Vacuum
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)	Pads - In (mm)
DVL500 (Battery Powered)	66 5⁄16 (1685)	51 %16 (1310)	12 5⁄8 (320)	172.7 (78.5)	1100 (500)	11 ¹³ ⁄16 (300)

Number of Vacuum Pads	Minimum Material Slab Dimensions In (mm)	Rotate Angle	Tilt Angle	Voltage	Battery Capacity	Power	Charger
4 pcs	33 7⁄16 x 35 7⁄16	360°	90°	12V-DC	12V/18Ah	USA	INTERNATIONAL
- pc3	(850 x 900)	300*	90*	12V-DC	121/10411	110V-AC	220V-AC

AUSAVINA VACUUM LIFTER (DVL1000)

- Designed for effortlessly and smoothly lifting and installing large material slabs.

- The battery-powered system enables convenient and flexible operation in warehouses, factories and construction sites, without the need for electricity or compressed air.



AUSAVINA VACUUM LIFTER (AVL600)


- An ideal solution used for lifting and moving various material slabs.
- Soft rubber vacuum pads provide high adhesion while protecting the surface of the slabs.
- Wide-length level arms securely lift slabs up to 122 $\frac{5}{8}$ " (3115 mm).



						•	visua by a	al alarm sy	d audible and rstem, powered y, ensures safe he user
					Stone Gla		lass	Porcelain	
FLEXIB	LE TILT FROM	0º ТО 9	000		FLEXIBLE USE FOR DIFFERENT MATERIAL SLABS				
Model	Length In (mm)	Wie In (r	dth nm)		Heig In (m		Net Weigh Ibs (kg)	t Wo	ork Load Limit Ibs (kg)
AVL600	122 5⁄8 (3115)	55 ½	(1400)	38	38 11/16 (982) 261.8 (119)			1320 (600)	
Number of Vacuum Pads	Minimum Sheet Dimensions Tilt An In (mm)		Angl	gle Vacuum Pr 		ım Pressure		ctric Supply C (I phase)	
8 pcs		6 ¹⁵ / ₁₆ x 23 ⁵ / ₈ (1700 x 600)		90°	,0		-0.8	11	0V - 220V


AUSAVINA VACUUM LIFTER (CVL600)

- A powerful tool for transporting large material sheets.
- Stable vacuum force ensures the sheets remain securely in place during operation.
- Soft rubber vacuum pads enhance adhesion and prevent scratches on the material surface.



AUSAVINA ROTARY VACUUM LIFTER

- The perfect solution for lifting, moving and installing large material slabs.
- Powered by a LiFePO4 battery for enhanced performance, greater efficiency and faster charging.
- Adjustable vacuum pads allow easy handling of various slab sizes.



AUSAVINA FORKLIFT POWER VACUUM LIFTER



Battery operated

- Designed to be used with a forklift truck to assist in lifting, moving and installing material slabs.

- The lifter includes a main frame and four vacuum pads to enhance productivity and efficiency.

- Fully battery-operated and can be recharge instantly when power is low.

 Vacuum pads in 4 directions
 Va

 Minimum slab size
 23 \$/8" x 31 1/2" (600 x 800 mm)
 15 3/

Vacuum pads in a straight line Minimum slab size 15 ³/₄" x 62 ¹⁵/₁₆" (400 x 1600 mm)

Maximum slab size 62 ¹⁵/₁₆" x 94 ¹/₂" (1600 x 2400 mm)





FLEXIBLE

The device can be easily tilted from horizontal to vertical and vice versa, enabling effective slab handling

EASY TO USE

Vacuum pads can be adjusted to the appropriate positions for securely vacuuming and lifting slabs of various sizes

Model	Length	Width	Height	Battery	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Capacity	Ibs (kg)	Ibs (kg)
AFPVL300	98 ¾ (2509)	45 11⁄16 (1160)	23 1⁄8 (588)	12 VDC (100Ah)	418 (190)	660 (300)

AUSAVINA MANUAL VACUUM GRIP LIFTER

- Designed for the easy and safe mounting and handling of materials such as glass sheets, windows or thin stone slabs.





lowering the counterweight to ensure high stability

to attach the glass sheet


the left or right

Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
MVGL150	68 %16 (1742)	37 ⁵ ∕8 (955)	78 7⁄16 (1993)	418 (190)	330 (150)

AUSAVINA BAG GRIPPER AUTOMATIC

- Designed to grip and move various types of bags, such as cement bags, rice bags, etc.
- Constructed from high-quality steel for a sturdy structure with a lifting capacity of up to 100 kg.





AUSAVINA ROUND MATERIAL LIFTER AUTOMATIC


- Compactly designed to lift and move various round materials such as steel, plastic and more.
- Constructed from durable steel with a high working load limit of up to 330 lbs (150 kg).
- Simple structure allows for easy assembly, disassembly and convenient transport.






AUSAVINA FORKLIFT BOOM AFJ25-B

- Offers versatility and maximum efficiency for lifting and moving goods.
- When fully extended, the beam reaches up to 103 $\frac{7}{8}$ " (2634 mm).



AUSAVINA SMART FORKLIFT BOOM ASFJ27


- The ASFJ27 is a forklift attachment designed to work with lifter equipment for transporting stone slabs and other hanging applications. Ideal for use in confined spaces, the forklift beam features a telescopic design for adjustable length. It is easy to store, package and transport.



CE

AUSAVINA FORKLIFT BOOM AFJ35

- Offers versatility and maximum efficiency for the operator.
- The telescopic design allows for adjustable length to accommodate various load capacities.



CE

CE

AUSAVINA SWING-ARM FORKLIFT BOOM


- Ausavina Swing-Arm Forklift Boom is an ideal solution for handling hard-to-reach slabs, especially during load and unload operations in closed-top containers or compact factory spaces. It is designed for precision in tight environments.

- Swing arm features 4 lock points and multiple angle settings.

35 7/16 (900)

- Extendable length up to 109 $7\!\!\prime_{16}$ " (2780 mm).

71 7/8 (1825)



16 %16 (420)

1540 (700)


286 (130)

6160 (2800)

AFJS25

- Ausavina Telescopic Forklift Boom is designed with a pipe-cage-style structure, this boom adjusts easily to accommodate different load requirements.

- The device can reach 138 ¹/₈" (3508 mm) when fully extended.





Model	Length In (mm)	Width In (mm)	Height In (mm)	Max Load When Fully Extended Ibs (kg)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
ATFB25	82 5⁄8 ~ 142 7⁄16 (2098 ~ 3618)	25 15/16 (660)	14 5⁄8 (371)	1540 (700)	358.6 (163)	6380 (2900)

FORKLIFT ATTACHMENTS

CE


AUSAVINA PIVOT FORKLIFT BOOM

- Ausavina Pivot Forklift Boom specifically designed for lifting, loading and unloading goods with enhanced flexibility.

- Constructed from reinforced steel for exceptional strength and long-lasting durability.

- Adjustable lifting angle allows forklift operators to reach various heights and positions efficiently, boosting productivity.





Position	W.L.L Ibs (kg)	X In (mm)	Y In (mm)			
1	1540 (700)	170 1⁄16 (4320)	23 1/16 (585)			
2	2310 (1050)	134 5/16 (3411)	23 1/16 (585)			
3	4400 (2000)	87 1/8 (2213)	23 1/16 (585)			
4	1760 (800)	164 11/16 (4183)	53 ¼ (1353)			
5	1870 (850)	153 3/16 (3891)	81 11/16 (2075)			
6	1980 (900)	136 1/16 (3455)	107 1/8 (2721)			
7	2310 (1050)	113 15/16 (2894)	128 7/16 (3263)			
W.L.L: Work Load Limit						





Model	PFB400
Length - In (mm)	88 ¾ ~ 171 5⁄16 (2245 ~ 4352)
Width - In (mm)	21 1⁄3 (536)
Height - In (mm)	30 ¹³ / ₁₆ (782)
Net Weight - lbs (kg)	578.6 (263)

AUSAVINA TPS FORKLIFT BOOM 3 IN 1

- Designed to be used with a forklift truck for transporting material slabs within warehouses, factories and similar environments.

- Smoothly adjustable lifting angle for enhanced convenience and efficiency.

- Constructed from solid steel for superior durability and strength.





EASY TO SWING (LEFT, RIGHT)

The boom can swing up to 30° in both directions, allowing easy operation in narrow spaces such as trucks and small warehouses.



EASY TO EXTEND

It can also extend up to 140 $^{1}\!/_{8}"$ for efficient loading and unloading of slabs deep inside containers.



ADJUSTABLE LIFT ANGLES

Easy to adjust the lift angle up to 30° for loading/unloading heavy-duty materials in height-restricted areas.



The handwheel allows for smooth and quick lifting or lowering of the load. Crane direction can be easily adjusted left or right using the roller.

Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
ATPSF35	92 5∕ 8 (2353)	40 ¹⁵ ⁄16 (1040)	22 13/16 (580)	569.8 (259)	770 - 8800 (350 - 4000)

(E AUSAVINA CONTAINER BUNDLE SLAB LOADER

ACBSL5T-M2








The boom can extend up to 235 ¹/₄" (5975 mm). Two hooks at the front end help move bundle slabs closer to the container door easily and safely, allowing operators to work efficiently without needing to enter the container.



Easily load and unload slab bundles from containers, with a load capacity of up to **11000 lbs (5000 kg)**







Easily and safely handle inclined slabs deep inside containers when used in combination with the ACBSL5T-PK lifter.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Distance Between 2 Tubes In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)	Battery
ACBSL5T-M2	135 5⁄8 (3445)	39 ¾16 (996)	43 %16 (1107)	3 ¹⁵ ⁄ ₁₆ ~ 23 ⁵ ⁄ ₈ (100 ~ 600)	1980 (900)	11000 (5000)	18V

AUSAVINA CONTAINER BUNDLE SLAB LOAD - UNLOADER PRO

ACBSL5T-PRO AUSAVINA ACBSL5T-PK



The ACBSL5T-PK, in combination with the ACBSL5T-PRO and ACBSL5T-M2, enables efficient loading and unloading of slabs from inclined slab bundles out of the container.



The reach extends up to 235 ¼" (5975). Two wheeled pusher legs and front-end hooks on the boom help move slab bundles closer to the container door easily and safely, allowing operators to work efficiently without entering deep inside.



Allow easy loading and unloading of slab bundles from containers, with a load capacity of up to 11000 lbs (5000 ka)

Model	Length In (mm)	Width In (mm)	Height In (mm)	Distance Between 2 Tubes In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
ACBSL5T-PRO	155 ½ (3950)	39 ¾16 (996)	43 %16 (1107)	3 ¹⁵ / ₁₆ ~ 23 ⁵ / ₈ (100 ~ 600)	2367.2 (1076)	11000 (5000)






Easily and safely load/unload the deep-inside inclined slabs out of the container when combined with ACBSL5T-PK lifter.

Model	Length	Width	Height	Grip Range	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
ACBSL5T-PK	23 ¾ (604)	12 ½ (317)	18 ¼ ₁₆ (459)	1 %16 - 3 ¼8 (40 - 80)	75.9 (34.5)	2646 (1200)

AUSAVINA FORKLIFT EXTENSIONS

- Convenient and ideal for extending the range of your forklift operations. - Easily connects to forklift trucks to maximize operational reach.



SOLD IN PAIRS



Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Per Pair - Ibs (kg)	Ibs (kg)
AFE083	86 ¼ (2190)	7 ¾16 (182)	2 ¾ (70)	162.8 (74)	5500 (2500)

AUSAVINA SPREADER BAR

AUSAVINA SPREADER BAR M1

ASB056M1

- Ausavina Spreader Bar M1 is specifically designed for the stone industry. When used with endless slings, it allows for easy slab rolling. The slings are suspended on aluminum rollers, enabling smooth slab rotation. Adjustable sling span from 17 $^{5}/_{16}$ " (440 mm) to 56 $^{7}/_{16}$ " (1440 mm).

This spreader bar is equipped with a swivel shackle, allowing for full 360° slab rotation









Model	Length	Width	Height	Net Weight	W.L.L of Sling Belts	Hangers Distance
	In (mm)	In (mm)	In (mm)	Ibs (kg)	(set of 2) - lbs (kg)	Range - In (mm)
ASB056M1	59 7⁄16 (1510)	4 5⁄16 (110)	36 5⁄8 (930)	99 (45)	6600 (3000)	17 ⁵ ⁄16 - 56 ¹¹ ⁄16 (440 - 1440)

*W.L.L : Work Load Limid

(E) AUSAVINA SPREADER BAR

- Ausavina Spreader Bar can be combined with a forklift boom to move a large slabs safely and efficiently. Features a Chain System designed for secure and convenient operation. Adjustable spread accommodates various load sizes.





* The Scissor clamps and chains are not included



*Straps are included



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)	Length Range In (mm)
ASB056M4	55 %16 (1408)	3 ¾ (85)	13 ¼ (337)	52.8 (24)	9900 (4500)	30 ¹¹ ⁄ ₁₆ - 49 ⁵ ⁄ ₈ (780 - 1260)
ASB106M6	106 5⁄8 (2708)	4 ¾16 (112)	15 ¾ (390)	113.3 (51.5)	7700 - 9900 (3500 - 4500)	57 ½ - 104 ¾ (1460 - 2660)


CE

AUSAVINA SPREADER BAR M7

ASB106M7

- Ausavina Spreader Bar M7 is an efficient support tool for maneuvering large slabs. Its sleeve structure allows quick adjustment to three different widths for versatile slab handling and retracts neatly when not in use. Constructed from high-quality steel for exceptional strength and durability.





AUSAVINA SPREADER BAR M9

ASB84M9





Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
ASB106M7	106 5⁄16 (2700)	9 ¹³ ⁄16 (250)	14 ¹⁵ ⁄16 (379)	209 (95)	5940 - 13200 (2700 - 6000)
ASB84M9	84 ¼ (2140)	4 ¹⁵ ⁄16 (125)	24 5⁄16 (618)	352 (160)	17600 (8000)

(E) AUSAVINA EASY ADJUSTABLE CRANE

- Engineered with a hoist system for quick and efficient material handling across diverse workspaces.
- Features a simple structure with exceptional safety for flexible transport of heavy-duty bundled materials.
- An ideal solution for both indoor and outdoor operations, enhancing productivity and reducing labor costs.



Optional: Use a manual chain hoist (1 ton) or 500kg battery hoist based on customer requirements.



Length Width Height Net Weight Work Load Limit Model Hoist In (mm) In (mm) In (mm) lbs (kg) lbs (kg) **98** 7⁄16 - **141** 3⁄4 Chain hoist, AEAC500 118 1/8 (3000) 55 %16 (1412) 420.2 (191) 1100 (500) Battery hoist (2500 - 3600) 100 3/8 - 143 11/16 AEAC1000 118 1/8 (3000) 55 %16 (1412) 440 (200) Chain hoist 2200 (1000) (2550 - 3650)

for easy and secure mobility.

1100 lbs (500 kg).

AUSAVINA SINGLE HANDED CARRY CLAMPS

- Ausavina Single Handed Carry Clamps are designed for safely lifting and transporting stone slabs in an upright position using only one hand per person. Allows two people to easily lift and maneuver heavy slabs. It is portable, safe and easy to use on job sites or in workshops. Features vulcanized rubber-padded jaws for enhanced grip and slab protection against scratches.





Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Per Pair Ibs (kg)	Work Load Limit Per Piece - Ibs (kg)
SHC25	7 15/16 (201)	4 ¾ (120)	7 % (200)	0 ~ 15/16 (0 ~ 25)	6.6 (3)	220 (100)
SHC40	9 ¾ (238)	4 ¾ (120)	7 % (200)	³ ⁄16 ~ 1 %16 (5 ~ 40)	6.6 (3)	220 (100)

AUSAVINA DOUBLE HANDED CARRY CLAMPS

- Ausavina Double Handed Carry Clamps are designed for the safe, manual lifting and transport of stone slabs-no forklift required. Equipped with fully vulcanized rubber pads for superior grip and to protect slabs from damage.



Net Weight Length Width **Grip Range** Work Load Limit Height Model Per Pair Per Piece - Ibs (kg) In (mm) In (mm) In (mm) In (mm) lbs (kg) ACC40 11 5/16 (288) 5 1/8 (130) 9 7/16 (240) 0~1%16 (0~40) 12.1 (5.5) 550 (250) 0~23/8 (0~60) 550 (250) ACC60 13 11/16 (348) 5 ³/₁₆ (132) 9 7/16 (240) 12.1 (5.5)

AUSAVINA DOUBLE HANDED GIANT CARRY CLAMPS

- The Ausavina Double Handed Giant Carry Clamps (ADHGC100) are a convenient tool for manually lifting and transporting small to medium-sized stone slabs-no forklift or additional equipment required.

- Rubber-padded clamp jaws ensure strong gripping force while protecting the slab surface from scratches and damage.





The fully vulcanized rubber pads provide enhanced grip and prevent damage to the slab

SOLD IN PAIRS

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Per Pair Ibs (kg)	Work Load Limit Per Piece - Ibs (kg)
ADHGC100	20 13/16 (528)	5 ¾ (136)	11 7⁄16 (290)	0 ~ 3 15/16 (0 ~ 100)	20.9 (9.5)	440 (200)

AUSAVINA DOUBLE HANDED CARRY CLAMPS

- Double Handed Carry Clamps are designed for the safe, manual lifting and transport of stone slabs no forklift truck required.

-Fully vulcanized rubber pads provide enhanced grip and protect the slab surface from damage.

- Eliminating the need for a forklift increases efficiency and flexibility on the job site.

- Multiple Carry Clamps can be used together to move larger slabs with ease.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Per Pair Ibs (kg)	Work Load Limit Per Pair - Ibs (kg)
ACC100	15 ½ (394)	11 ¼ (286)	7 ¹ 1⁄16 (196)	0 ~ 4 5⁄16 (0 ~ 110)	28.6 (13)	440 (200)

AUSAVINA HAND HELD SUCTION CUP

- Designed for lifting and moving flat, smooth surface materials such as glass and furniture, etc.

- Compact, light-weight and durable ideal for handling heavy items with ease.
- Attaches firmly to surfaces and releases quickly without leaving marks.
- Suction cups are easily removable for convenient cleaning and maintenance.

This product is the best for stone and glass.

Model	Length	Width	Height	Diameter	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
VC200P	8 1⁄8 (206)	8 ¼8 (206)	3 1⁄8 (79)	8 1⁄/8 (206)	1.76 (0.8)	176 (80)

AUSAVINA BATTERY MULTI MATERIAL VACUUM SUCTION CUP

- A brand-new vacuum suction cup designed for lifting and moving various materials, including glass, stone, metal and plastic, with a capacity of up to 176 lbs (80 kg).

- Features an automatic design with enhanced airtightness, providing superior strength compared to traditional models for easy and efficient operation.





High-quality rubber pad suction cup with strong grip power, various applications and long-lasting durability.




Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
AMVC200	7 % (200)	7 % (200)	3 ¾ (85)	3.74 (1.7)	176 (80)

AUSAVINA HAND PUMP VACUUM SUCTION CUP

- The Hand Pump Vacuum Suction Cup is an ideal tool for lifting and moving flat-surfaced materials such as glass, stone, metal, plastic, etc.

- Featuring a hand pump design for quick, easy operation that saves time and effort.





Made of high-quality rubber with a 200 mm diameter, the suction cup delivers strong gripping force and quick adhesion to material surfaces



Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
AHVC200	7 % (200)	7 % (200)	3 %16 (90)	3.3 (1.5)	176 (80)

AUSAVINA DOUBLE/TRIPLE SUCTION LIFTER

- Designed for moving large stone, glass and heavy slabs.
- Strong vacuum is generated by two large suction cups for easy and reliable handling.
- Aluminum alloy handle provides both lightweight convenience and high resistance.



AUSAVINA RATCHET SEAM SETTER M2

- The Ausavina Ratchet Seam Setter M2 ensures countertops are perfectly joined and leveled. Equipped with two 8 inch (203 mm) diameter suction cups for strong and reliable performance.

- Features two leveling points to prevent slippage and maintain precision during installation.




Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	Net Weight Ibs (kg)	Cup Diameter In (mm)
ARSS2	15 ¹⁵ ⁄16 ~ 19 ⁵ ⁄16 (405 ~ 490)	10 % (276)	8 % (225)	13.2 (6)	8 (203)

AUSAVINA QLI SEAM SETTER WITH SUCTION CUPS

- Ausavina Qli Seam Setter (2x8 or 4x5 Suction Cups) is a new model in the Seam Setter series, designed to boost productivity and ease of use. All suction cups are equipped with lever controls instead of traditional turn-knobs, enabling quick and effortless vacuum activation. Features a knurled roller that allows the operator to easily align slab gaps with precision.

AUSAVINA QLI SEAM SETTER WITH 2X8 SUCTION CUPS



AUSAVINA QLI SEAM SETTER WITH 4X5 SUCTION CUPS

AQSSW4x5

Lightweight, compact, easy to transport.







Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Ibs (kg)
AQSSW2x8	22 ¼ (565)	9 ¹³ ⁄16 (250)	3 %16 (90)	12.1 (5.5)
AQSSW4x5	15 ¾ (400)	12 ¾ (315)	3 7⁄16 (87)	9.9 (4.5)

AUSAVINA EZ-PRO BATTERY SEAM SETTER

- Ausavina EZ-Pro Battery Seam Setter (AEBSS12V-M2) is designed for easy adjustment, helping to position and align two slabs by their edges before gluing.

- Features two rectangular suction cups made from soft rubber material, enhancing firm adhesion between the slabs and the suction cups.

- Fully operated by a battery system, with control buttons for Power, Vacuum, Release and Movement functions.











CONTROL PANEL


Fully operated by battery power via a push-button system

PULLING MOTOR

The pulling motor allows independent movement of the two suction cups or the ability to fix their position using the lever adjustment

LEVELING SCREWS

Enable precise fine-tuning of the seam for accurate height alignment



After


AUSAVINA 90 DEGREE PRO SEAM SETTER

- Designed to position and join two stone slabs either horizontally or perpendicularly.

- The Seam Setter can be operated using a vacuum pump kit or a hand pump for secure suction on stone surfaces.

- Equipped with a series of turn-knobs to ensure accurate and precise seam alignment.





Model	Length	Width	Height	Net Weight	Rotated
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Angle
A90PSS	27 1⁄8 (689)	10 ¾16 (259)	5 (127)	27.5 (12.5)	0° - 45° - 90°

AUSAVINA 90 DEGREE CLAMP

- Designed to quickly and securely position and join two stone slabs perpendicularly with mitered or 90° edges before gluing.

- Constructed from durable aluminum with a compact, lightweight design for easy handling and efficient attachment of slabs.





SOLD IN PAIRS





Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair - Ibs (kg)	Max. Material Height - In (mm)	Max. Material Thickness - In (mm)
A90CM3	9 7⁄16 (240)	5 ¾ (136)	13 %16 (345)	12.1 (5.5)	10 ¼16 (255)	1 %16 (40)

COUNTERTOP TOOLS-EQUIPMENT

AUSAVINA COUNTERTOP SLAB SAVER

- With this saver, the kitchen top with sink hole and the thin fragile slab like porcelain can be handled and transported easily.





Model	Length In (mm)	Width In (mm)	Height In (mm)	Number Of Aluminum Bars - (pcs)	Number Of Suction Cups - (pcs)	Net Weight Ibs (kg)
ACS83	82 11/16 (2100)	12 15/16 (330)	3 1⁄8 (79)	2	8	44 (20)

AUSAVINA MITER FIT CLAMP

- An ideal tool for positioning, joining and gluing the two stone slabs perpendicularly.

- Can be easily mounted to any working table.

- AMFC200 consists of three main parts: Sliding rail, Adjustable clamping assembly and Clamp & Suction cups set.

- Knurled knobs accurately position slab and apron.
- Simple to operate, easy to disassemble for storage or transportation.

AMFC200



TABLE IS OPTIONAL






Flexibly combined with many different working table sizes which are

CLAMP &


FLEXIBLE



available at workshop.



ADJUSTABLE CLAMPING ASSEMBLY Flexibly designed for many different slab sizes.





RUBBER STRIP Prevent the stone slabs from damage or scratches.

Model	Length	Width	Height	Net weight
	In (mm)	In (mm)	In (mm)	Ibs (kg)
AMFC200	84 5⁄8 (2150)	15 5⁄8 (397)	13 ½ (333)	48.4 (22)

AUSAVINA MITER SET CLAMP

- It features three main components: Table frame, Adjustable Clamping Pads and Suction Cups.
- Ideal to position, join, glue a mitered slab and a front apron.
- Fits different size slabs and features an extended front apron.
- Slabs contact points have rubber strips for maximum protection.

AMSC120







To join and glue the fascia with the large height.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net weight Ibs (kg)	Max. Material Height in (mm)	Max. Material Thickness in (mm)	Adjustable Clamping Pads and Suction Cups
AMSC120	47 ¼ (1200)	23 5⁄8 (600)	40 % (1039)	88 (40)	19 11/16 (500)	2 3⁄8 (60)	4 - 2
AMSC150	59 ¼16 (1500)	23 5⁄8 (600)	40 % (1039)	103.4 (47)	19 11/16 (500)	2 3⁄8 (60)	4 - 2
AMSC200	78 ¾ (2000)	23 5⁄8 (600)	40 % (1039)	123.2 (56)	19 11/16 (500)	2 3⁄8 (60)	4 - 2

AUSAVINA SINK LOCK

- Ausavina Sink Lock is specifically designed for positioning and gluing of sink to the countertop. It ensures absolute positioning and secures the work.

- Sink Lock securely supports your sink while the glue is curing and features a quick release lock for easy removal. - It includes carrying case.

SLS24







SLD48





Model	Length In (mm)	Width In (mm)	Height In (mm)	Depth Cap In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
SLS24	24 ¼ (616)	5 % (150)	20 %16 (523)	14 ¼ (362)	5.28 (2.4)	660 (300)
SLD48	48 ¹¹ ⁄ ₁₆ (1236)	5 % (150)	20 %16 (523)	14 ¼ (362)	9.9 (4.5)	660 (300)

COUNTERTOP TOOLS-EQUIPMENT

AUSAVINA POWER KITCHEN PROCESSING TABLE


PKPT6340-PRO



- Made of high-quality aluminum with a high load capacity, it is ideal for moving, lifting and lowering the slabs during the kitchen installation.

- The advanced design features a removable battery and additional support legs, enhancing convenience while optimizing safety for both user and slab.





CONVENIENCE

Use a wireless remote to lift and lower slabs quickly at a safe distance. Easily flip the slab from vertical to horizontal.



SMOOTH MOVEMENT

Male rod ends on the surface support to move slabs out of the table more quickly and effortlessly.



SECURE SUPPORT LEGS

Easily adjust the support legs to secure the table, ensuring safer operation when flipping or rotating large stone slabs.



SAFETY

The stone holders secure the slabs to the table during movement, while the plastic strips on the base prevent slipping and damage.

Model	Length In (mm)	Width In (mm)			Maximum Slab Size - In (mm)		Work Load Limit Ibs (kg)
PKPT6340-PRO	62 15/16 (1600)	33 ¼ ₁₆ (840)	32 ¹¹ ⁄ ₁₆ - 40 ⁹ ⁄ ₁₆ (830 -1030)	7	47 ¼ x 86 % (1200 x 2200)	195.8 (89)	660 (300)

AUSAVINA POWER KITCHEN INSTALLATION CART

APKIC7040-PRO



- Made of durable, lightweight aluminum, weighing only 266.2 lbs. It is easy to move and lift materials, making it ideal for kitchen installation.

- Using a removable battery for enhancing flexibility and convenience, ensuring more efficient operation of the cart.






CONVENIENT

Use wireless remote for lifting, lowering and tilting slabs quickly at a safe distance.





EASY MOVEMENT

Edge sliders support handle slab with raise more easily, reducing labor effort while enhancing material transportation efficiency.



SAFE SUPPORT LEGS

Easily adjust the support legs to secure the cart, ensuring safer operation when flipping or rotating large stone slabs.



EFFECTIVE

Support bars keep balance and help to move large slabs more efficiently.

Model	Length In (mm)	Width In (mm)			Maximum Slab Size - In (mm)		Work Load Limit Ibs (kg)
APKIC7040-PRO	70 % (1800)	36 ¾16 (919)	33 ¼ ~ 41 ⅓ (845 ~ 1045)	7	51 ¾16 x 118 ⅛ (1300 x 3000)	266.2 (121)	1100 (500)

AUSAVINA DUAL POLISHED FLIP TABLE



- Flip slabs easily, quickly and safely for more productivity and time - saving.

- The countertop tilts easily to various angles.

- Rubber strips help protect the slabs from damage.



39 1/8 (994)

468.6 (213)

440 (200)

74 13/16 (1900)

53 ½16 (1348)


APFT7422

1100 (500)

AUSAVINA TILT GLASS CUTTING TABLE

- This table is engineered for easy handling, cutting and operation of large-sized glass, making it ideal for mass production lines.

- It operates smoothly and cost-effectively. With a tilting angle of up to 78°, it functions quietly during tilt operations.





Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
TGCT9878	98 7⁄16 (2500)	78 1⁄78 (2004)	35 13/16 (910)	554.4 (252)	1100 (500)

AUSAVINA WORKING TABLE

- Used to securely hold stone slabs during grinding, polishing and drilling processes.
- Ideally designed for flexible assembly to accommodate the shape and size of each stone slab.
- Can be disassembled into components for easy packing and transport.



The design is convenient and efficient, can be assembled to suit the shape and size of the stone slab.

Model	Length In (mm)	Width In (mm)	Height - In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
AWT7523	75 % (1927)	23 15/16 (608)	37 ¹⁵ ⁄16 ~ 40 %16 (965 ~ 1030)	162.8 (74)	4840 (2200)
AWT7523C	75 ¹³ ⁄16 (1925)	23 ¾ (604)	37 ¹⁵ ⁄16 ~ 40 %16 (965 ~ 1030)	184.8 (84)	4840 (2200)

WORKING TABLES AND STANDS

AUSAVINA FLEXIBLE WORK TABLE

- Ausavina Flexible Work Table is designed to support slabs during polishing, sharpening, cutting and various other tasks.

- Linking hooks are designed to create multi-way layouts such as Straight, L-shaped, U-shaped suit the shape and size of the stone slabs.

- The top is covered with rubber to protect slabs from being damaged.

- Ausavina Flexible Work Table is easy to assemble and disassemble for transport.

AUSAVINA FLEXIBLE WORK TABLE

AFWT8328





AUSAVINA FLEXIBLE WORK TABLE-4 WHEELS

AFWT8328-4W



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
AFWT8328	83 7⁄8 (2130)	28 %16 (725)	37 ¹⁵ / ₁₆ ~ 40 ⁹ / ₁₆ (965 ~ 1030)	145.2 (66)	660 (300)
AFWT8328-4W	84 ¹⁵ ⁄16 (2158)	30 11/16 (780)	39 ¼16 (992)	112.2 (51)	880 (400)

AUSAVINA EASY ADJUSTABLE FABRICATION STAND/SENI

- The Ausavina Easy Adjustable Fabrication Stand and new Seni version are designed to support slabs during cutting, polishing, sharpening and/or various other tasks.

- The top stand bar is covered by rubber strips to prevent slab surfaces from scratching and chipping.

- The design is versatile and compact so that it can be easily stored or transported.



SOLD IN PAIRS





Support legs can be folded easily for storage and transportation





Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
AEAFS3143	25 ¹⁵ ⁄16 (660)	23 15/16 (609)	32 ¼ - 43 ¾ (819 - 1107)	57.2 (26)	1430 (650) Per Piece 2860 (1300) Per Set
AEAFS3143S	26 ¼16 (662)	23 13/16 (605)	32 ³ ⁄16 - 43 ⁹ ⁄16 (818 - 1106)	40.7 (18.5)	660 (300) Per Piece 1320 (600) Per Set

AUSAVINA FABRICATION STAND

- Ausavina Fabrication Stand is designed to support slabs during cutting, polishing, sharpening and/or various other tasks. Height is adjustable from 31 $\frac{1}{2}$ " (800 mm) to 39 $\frac{3}{8}$ " (1000 mm) for super long slabs it may be advisable to use more than 2 stands to sustain the weight in the middle. The top is covered with rubber to protect slabs from being damaged. It is folded easily for transporting from one place to another.



Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
AFS3139	26 ¼16 (662)	18 ¾16 (462)	31 ½ ~ 39 ¾ (800 ~ 1000)	61.6 (28)	1430 (650) Per Piece 2860 (1300) Per Set

AUSAVINA QLI FOLDABLE TABLE

- Ausavina Qli Foldable Table is used for supporting the slabs during machining, cutting, grinding, polishing or drilling. The height is adjustable from $32 \, {}^{13}\!_{16}$ " (833 mm) to $44 \, {}^{1}\!_{8}$ " (1121 mm). Articulated connecting links make it possible to adjust the table width exactly to fit to the variations of your slabs.




Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
AQFT792	(330 ~ 2000)	25 %16 (650)	32 ¹³ ⁄ ₁₆ ~ 44 ¹ ⁄ ₈ (833 ~ 1121)	92.4 (42)	3080 (1400)

AUSAVINA EDGE POLISHING STAND - AUTO LOCK

- EPS60AL is designed for upright slab polishing, helping polishers work more easily and comfortably with better visibility. It delivers efficient results in less time without compromising quality. Featuring double-jaw auto clamping, its rubber-coated clamps provide a strong grip to securely hold even large slabs.





Model	Length	Width	Height	Max Jaw Opening	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
EPS60AL	24 ⁷ / ₈ ~ 39 ¹³ / ₁₆ (632 ~ 1012)	21 ¼ (540)	25 ⁹ ⁄16 ~ 30 ¹¹ ⁄16 (650 ~ 780)	2 3⁄8 (60)	66 (30)	1650 (750)

WORKING TABLES AND STANDS

AUSAVINA SLAB DOLLY

- With the compact design, the dolly can move smoothly and easily in narrow working places or over uneven surfaces. The 8" dolly has solid rubber tires and the 11" dolly has pneumatic tires. Rubber vulcanized pad protects slabs from chipping and scratching.

AUSAVINA 8" SLAB DOLLY



SD008 - Solid Rubber Tires 8"

AUSAVINA 11" SLAB DOLLY



SD011 - Pneumatic Tires 11"

Model	Length In (mm)	Width In (mm)	Height In (mm)	Channel Width In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
SD008	20 ¼16 (510)	9 ¹³ ⁄ ₁₆ (250)	8 ¼16 (205)	3 1⁄8 (80)	19.8 (9)	660 (300)
SD011	20 ¼16 (510)	12 1⁄8 (308)	10 5⁄8 (270)	3 1⁄8 (80)	19.8 (9)	660 (300)

AUSAVINA 3 WHEEL SLAB DOLLY

- Designed to facilitate slab handling and transporting in work places. Rubber vulcanized pad protect slabs from chipping and scratching. The dolly comes with pneumatic tires and a swivel caster with heavy duty locking brake to provide additional stability and maneuverability in confined spaces.

AUSAVINA 3 WHEEL SLAB DOLLY

AUSAVINA 3 WHEEL GIANT DOLLY



SD013 - Pneumatic Tires 13"







Model	Length In (mm)	Width In (mm)	Height In (mm)	Channel Width In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
SD013	27 ¹⁵ ⁄16 (710)	13 3⁄8 (340)	13 ³ ⁄16 (335)	3 1⁄8 (80)	37.4 (17)	1430 (650)
GD013	27 15/16 (710)	14 15/16 (380)	13 ³ ⁄16 (335)	4 ¾ (120)	35.2 (16)	1430 (650)

SLAB TRANSPORTATION

AUSAVINA 4 WHEEL SLAB DOLLY

- The 4 Wheel Slab Dolly is designed to move stone slabs efficiently around warehouses, construction sites and other work areas. Dolly is equipped with 2 solid rubber tires and 2 swivel casters to operate in a small workspace. Rubber U-shaped vulcanized pad protects slabs from chipping and scratching during transportation.

AUSAVINA 4 WHEEL GIANT DOLLY

GDS003 - Solid Rubber Tires 8"





AUSAVINA 4 WHEEL SLAB DOLLY

SDS003 - Solid Rubber Tires 8"





Model	Length In (mm)	Width In (mm)	Height In (mm)	Channel Width In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
GDS003	19 11/16 (500)	13 7⁄16 (342)	8 ¼16 (205)	6 ¹¹ ⁄16 (170)	30.8 (14)	800 (400)
SDS003	20 ¼16 (510)	9 13/16 (250)	8 ¼16 (205)	3 1⁄8 (80)	26.4 (12)	800 (400)

AUSAVINA SELF-LOCKING TROLLEY

- These Self-Locking Trolleys are built for heavy-duty use. Vulcanized rubber pads on the V-channel and clamping jaws help prevent damage to the slab. The structure features detachable components, making the trolley easy to disassemble and reassemble for convenient transportation and packaging.

SLT13M2



SLT13M3





Pneumatic Tires and A Kickstand

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
SLT13M2	26 ¾ (670)	22 ³ ⁄16 (563)	19 ⁵⁄ ₁₆ (490)	³ / ₈ ~ 3 ¹⁵ / ₁₆ (10 ~ 100)	70.4 (32)	1100 (500)
SLT13M3	20 15/16 (533)	22 ³ ⁄ ₁₆ (563)	19 ⁵ ⁄16 (490)	³ / ₈ ~ 3 ¹⁵ / ₁₆ (10 ~ 100)	61.6 (28)	1100 (500)

SLAB TRANSPORTATION

AUSAVINA SELF-LOCKING TROLLEY

- Ausavina Self-Locking Trolley is ideal for transporting both small and large slabs (stone, granite, marble, etc.) in warehouses, workshops and construction sites.


- Rubber pads on the clamp plate and V-channel prevent contact damage and keep the slab securely centered on the Self Locking Trolley.

- The gripping force is evenly divided on both sides of the trolley, enhancing the ability securely tighten and hold the slab.

SLT13M6



Easy to take the handle rod out of the trolley.



Model	Length	Width	Height	Grip Range	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
SLT13M6	59 ¾16 (1504)	20 5⁄16 (516)	20 5⁄16 (516)	³ ⁄8 ~ 3 ¹⁵ ⁄16 (10 ~ 100)	112.2 (51)	1100 (500)

AUSAVINA SAFETY SLAB DOLLY

- This dolly allows safe in-outdoor transportation with its lever extending slab side support.

- With a lever supporting the material from the base to the top, this dolly can move an object in a safe manner.
- $\ensuremath{\mathsf{Pneumatic}}$ tires are designed to with stand vibration and prevent breakage.



SSD35 - Pneumatic Tires 13"

AUSAVINA SELF-LOCKING DOLLY

- Pneumatic tires withstand vibrations, prevent damage and provide easy transportation.
- Built-in self-gripping, compact design, rubber coated contact surfaces for safe in-outdoor operations.

	Model	SLT60		
	Length - In (mm) 12 5/8 (320)			
	Width - In (mm)	11 ½ (293)		
	Height - In (mm) 12 ¾ (314)			
	Grip Range - In (mm)	0 ~ 2 3⁄8 (0 ~ 60)		
	Net Weight - Ibs (kg)	19.8 (9)		
	Work Load Limit - lbs (kg)	550 (250)		

AUSAVINA TUG DOLLY

- These dollies with their compact structure, are well suited for working in narrow spaces or on rough surfaces.
- Made of aluminum for lightweight with a capacity of up to 990lbs (450kg).
- 4 large solid wheels provide sturdy support and make it easy to handle slabs .

AUSAVINA TUG DOLLY - ATD19



AUSAVINA TUG DOLLY - ATD25



AUSAVINA TUG DOLLY - ATD60






Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
ATD19	24 ¼16 (610)	12 % (327)	12 ¼16 (307)	0 ~ 2 % (0 ~ 73)	34.1 (15.5)	990 (450)
ATD25	27 15/16 (710)	15 ¼16 (382)	12 ¼16 (307)	0 ~ 5 1⁄8 (0 ~ 130)	35.2 (16)	990 (450)
ATD60	60 (1524)	21 ½ (546)	23 1⁄8 (588)	0 ~ 2 ³ / ₄ (0 ~ 70)	72.6 (33)	990 (450)

AUSAVINA EASY MOVING DOLLY

- The compact design makes it convenient to transport and store stone slabs in confined spaces, effectively optimizing time and labor costs. Constructed from high-grade steel for enhanced durability and sturdiness. Its foldable tube poles allow flexible placement of stone slabs both vertically and horizontally.





Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
AEMD400	30 ¼16 (762)	17 ¼ (438)	38 ³ ⁄16 (970)	39.6 (18)	880 (400)

AUSAVINA EZ-PRO WINCH CART

- AEWC450-M2 is an effective tool for material slabs handling in any working place.

- Vertical moving mechanism features an electric winch and the cart is equipped with a remote control to enhance safety.

- All contact surfaces are rubber coated to secure stability and avoid slabs damage.

- This cart can handle the material slabs weighing up to 990 lbs (450 kg).



Model	Length Width In (mm) In (mm)			Height In (mm)		Veight (kg)	Work Load Limit Ibs (kg)
AEWC450-M2	34 ^₅ ⁄⁄8 (880)	17 ¼16 (432)	67 ¼16 - 101 ½16 (1704 - 2574)		110	(50)	990 (450)
Battery Powered		Maximum Liftir Height - In (mn		Maximum Stor Width - In (mr			ximum Stone kness - In (mm)
2x18V / 4Ah		40 ³ ⁄16 (1020)		55 ½8 (1400)			2 ¾ (70)

AUSAVINA V-CART

- Ausavina V-Cart is a utility cart designed for storing and transporting slabs/glass sheets easily. Its compact structure is designed with 4 heavy duty swivel casters for easy maneuvering in narrow areas. Ausavina V-Cart enables precise positioning of slabs in any direction for various applications. The rubber-striped poles can be repositioned in the rubber-striped base to meet the customers' needs. The rubber strip will protect the material from scratching and chipping. Its durable construction adds stability when handling heavier loads.



Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
AVC3747	37 ¾ (950)	36 ¼ (920)	47 13/16 (1214)	154 (70)	2200 (1000)

AUSAVINA QLI DRYWALL CART 039

- A compact design to fit confined spaces.
- Rubber strips protect the materials from sliding and chipping.
- Two swivel casters allow easy movement in any direction.
- Casters with safe brakes prevent the cart from moving.
- The optimized tilt angle ensures safe and efficient operation.



W.L.L. : Work Load Limit

SLAB TRANSPORTATION

AUSAVINA NESTING DUAL DRYWALL CART 049

- Designed for easy maneuvering and storing of stone slabs on both sides.
- The rubber strips on the base frame keep the slabs from slipping and chipping.
- The optimized tilt angle ensures safe and efficient operation.
- Creative design allows the carts to be quickly nested into a row when not in use.





AUSAVINA SLAB RACK DOLLY

- Designed for storing and transporting stone slabs or glass sheets easily and quickly.

- A solid base frame allows for dealing with bundle slabs.

- Six poles can be inserted into the base in various layouts to accommodate different slab sizes and can be neatly removed when not in use.

- A removable handle helps with traction and direction.

- The rubber strip on the base protects the material from scratching and chipping.



Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
ASRD39	43 5⁄16 (1100)	25 ¹³ ⁄16 (655)	48 ¹¹ ⁄16 (1237)	112.2 (51)	2200 (1000)

AUSAVINA FOLDING TROLLEY FRAME

- A compact design that fits through any doorway while ensuring maximum stability. Both the A-Frame and the base are fully lined with rubber strips to protect slabs from chipping and slipping.

- Swivel casters with brakes make it easy to maneuver in any directions.



Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
AFTF4332	43 5⁄16 (1100)	23 5⁄8 (600)	40 ¼ ₁₆ (1016)	85.8 (39)	880 (400)

AUSAVINA SMART SLAB BUGGY

- Ideal compact buggy for moving slabs in confined spaces.

- 2 large wheels allow for easy movement on uneven surfaces and two casters with brakes provide smooth movement in multiple directions while ensuring stationary positioning when needed.

- For additional safety the buggy has a bar fixed on one side in the middle of the frame to keep slabs steady and plenty of rubber strips to avoid contact damage.





Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
ASSBG4736P	46 % (1184)	24 13/16 (630)	45 11/16 (1160)	83.6 (38)	1155 (525)
ASSBG4736S	45 ¹¹ ⁄16 (1160)	23 15/16 (609)	45 ½ (1155)	92.4 (42)	1155 (525)

P= Pneumatic Back Tires / S = Solid Back Tires

AUSAVINA DOUBLE SIDED SLAB BUGGY

- The Slab Buggy features a large weight for maximum security for materials, all within a compact design.


- Pneumatic wheels easily move on rough surfaces.

- Casters with safety brakes allow for easy movement in multiple directions and ensure stationary positioning when needed.

- Rubber strips on the frame protect and prevent damage to the stone slab.







Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
DSBG1320P	53 ¹¹ ⁄16 (1363)	32 ⁵ ⁄16 (820)	47 ¼ ₁₆ (1195)	36 ¼ (917)	6 ¼ (159)	143 (65)	880 (400) Per Side 1760 (800) Total
DSBG1320S	53 ¹¹ ⁄16 (1363)	31 ¹⁵ ⁄16 (812)	45 ¹⁵ ⁄16 (1167)	36 1⁄/8 (917)	6 ¼ (159)	169.4 (77)	1320 (600) Per Side 2640 (1200) Total
EDSBG1320P	42 3⁄8 (1076)	29 ¹⁵ ⁄16 (760)	45 ¹⁵ ⁄16 (1168)	36 ¾16 (919)	6 5⁄16 (160)	101.2 (46)	660 (300) Per Side 1320 (600) Total
EDSBG1320S	42 3⁄8 (1076)	29 1⁄8 (740)	46 ¼ (1175)	36 ¾16 (919)	6 5⁄16 (160)	107.8 (49)	880 (400) Per Side 1760 (800) Total

* Solid Rubber Tire (S) * Pneumatic tires (P)

AUSAVINA DOUBLE SIDED SLAB BUGGY


- Designed to transport slabs in warehouses, especially in confined spaces with maximum stability.

Equipped with two large wheels for easy movement on uneven surfaces (especially P models) and two casters with brakes for smooth movement in multiple directions, as well as stationary positioning when needed.
For added safety, the 2640 models feature four bars fixed on both sides in the middle of the frame to secure

slabs, along with plenty of rubber strips to prevent any contact damage.







Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
DSBG2640P	53 11/16 (1363)	30 ¹³ ⁄16 (782)	45 ¹³ ⁄16 (1164)	36 ¼16 (916)	6 ½ (165)	198 (90)	1320 (600) Per Side 2640 (1200) Total
DSBG2640S	53 ¹¹ ⁄16 (1363)	31 ¾ (806)	46 ½ (1172)	36 ¼16 (916)	6 ½ (165)	222.2 (101)	1320 (600) Per Side 2640 (1200) Total

* Solid Rubber Tire (S) * Pneumatic tires (P)

AUSAVINA SLAB BUGGY

- The Slab Buggy is made of steel for sturdy and durable. The structure of two A-Frames parallel on both sides to transport stone slabs firmly and securely.

Equipped with two large wheels for easy movement on uneven surfaces (easier with pneumatic tires) and two casters with brakes for smooth movement in multiple directions, as well as stationary positioning when needed.
For additional safety, Model 2640 features two bars fixed on one side in the middle of the frame to keep slabs steady, along with plenty of rubber strips to avoid contact damage, (SBC800P/S) models also include two ratchet straps for enhanced stability.

SBG800



SBG2640



Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
SBG800S	48 ¹³ ⁄16 (1240)	26 11/16 (678)	46 ¼ (1171)	36 5⁄8 (930)	7 ¼ (184)	132 (60)	2200 (1000)
SBG800P	48 ¹³ ⁄16 (1240)	26 11/16 (678)	47 ¾16 (1199)	36 5⁄8 (930)	7 ¼ (184)	107.8 (49)	1100 (500)
SBG2640S	47 5⁄8 (1210)	28 ³/8 (720)	46 ¹⁵ ⁄16 (1192)	36 ¾ (934)	7 ¾16 (183)	151.8 (69)	2640 (1200)
SBG2640P	49 5⁄8 (1260)	28 ¾ (720)	46 % (1190)	36 ¾ (934)	7 ¾16 (183)	132 (60)	2640 (1200)

* Solid Rubber Tire (S) * Pneumatic tires (P)

AUSAVINA QLI SLAB BUGGY

- A simple and compact design for transporting stone slabs and other sheet materials across factories or construction sites. Swivel casters with locking brakes are offset outside the steel frame for added stability. Pneumatic tires allow easy transport on rough or any surfaces. Rubber strips on the A-Frame and the base protect the materials from chipping and damage.

AUSAVINA QLI SLAB BUGGY

AQSBG1320





AUSAVINA QLI DOUBLE SIDED SLAB BUGGY AQDSBG1320





Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
AQSBG1320	49 ⁵⁄s (1260)	24 ½ (612)	44 ³ /4 (1137)	79.2 (36)	1320 (600)
AQDSBG1320	52 ⁵ ⁄16 (1328)	31 5⁄16 (796)	44 ¹⁵ ⁄16 (1141)	121 (55)	1320 (600)

AUSAVINA UNIVERSAL SLAB BUGGY

- These buggies are compact enough to pass through standard-sized doors, yet strong enough to easily and safely move slab weighing up to 5500 lbs (2500 kg).


- Four high-quality swivel casters with brakes allow quick and easy maneuvering.

- Securing arms are equipped to protect slabs during operation or to hold outer slabs in place when picking up any inner ones.

USB6WM



USB6WL



Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
USB6WM	59 ¼16 (1500)	29 1⁄8 (740)	58 ¹¹ ⁄16 (1490)	48 ¹¹ ⁄16 (1236)	8 1⁄8 (207)	231 (105)	5500 (2500)
USB6WL	70 % (1800)	29 1⁄8 (740)	67 ¹¹ ⁄16 (1720)	58 %16 (1487)	7 % (200)	270.6 (123)	5500 (2500)

AUSAVINA FLEXIBLE TRANSPORT CART

- AFTC5947 is a simple and solid structure to store and transport materials up to 352 lbs (160 kg).
- Rubber strips protect the materials from scratching and falling.
- Components and parts are detachable to save storage space and easy transportation.






Swivel casters with safety brakes for easy maneuvering in any direction.



Durable and lightweight **aluminum alloy frame** with compact design.



Crossbar can be adjusted upward or downward for flexible handling various slab sizes.

Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
AFTC5947	62 ½ (1588)	23 5⁄8 (600)	54 5⁄16 (1380)	79.2 (36)	352 (160)

AUSAVINA OVERSIZED GLASS TRANSPORT CART

- The Oversized Glass Transport Cart is able to assemble and disassemble easily for packing and transporting to desired areas.









Used to transport and store various glass sheet sizes, especially for large glass doors.



Safety brake





2 safety bars per each side secure glass sheets during transportation avoiding to slip.

Model	Length	Width	Height	(D)	(E)	Net Weight	Work Load
	In (mm)	In (mm)	In (mm)	In (mm)	In (mm)	Ibs (kg)	Limit - Ibs (kg)
AOGTC11879	119 ¼16 (3024)	43 11/16 (1110)	95 ¾ (2422)	79 ¼16 (2008)	10 %16 (268)	649 (295)	3300 (1500)

SLAB TRANSPORTATION

AUSAVINA HEAVY DUTY MULTI-UTILITY TRANSPORT TRAILER

- A unique trailer to store and transport stone slabs or other flat materials around warehouses and factories. - Applicable for many material such as stone, glass, porcelain, marble, steel, wood, etc in different sizes.





61 3/4 (1569)

42 5/16 (1075)

3300 (1500)

913 (415)

AMUT119

119 3/16 (3027)

AUSAVINA HEAVY MULTI-PURPOSE TRANSPORT TRAILER

- A unique trailer to store and transport stone slabs or other flat materials around warehouses and factories. - Applicable for many material such as stone, glass, porcelain, marble, steel, wood, etc in different sizes.





Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
AMPT9743	97 ¾ (2473)	43 ⁵ ⁄16 (1100)	67 ¼ ₁₆ (1703)	706.2 (321)	3300 (1500)

AUSAVINA FLAT STACKING CART


- Ideal cart for storing and transporting thin material such as porcelain slabs at a construction site or in a warehouse.

- With smart design and high capacity, it helps to optimize your working space and increase productivity.

AFSC060




Stackable for optimizing space when not in use or loading slabs



CONVENIENT AND SPACE SAVING

The carts can easily be stacked on top for your workplace tidier when storing or loading slabs.



HIGH PROTECTION

Rubber strips covered on the frame surface protect the slabs or sheets from cracking or chipping off during moving.


Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
AFSC060	104 7⁄16 (2653)	59 ¼16 (1500)	33 ½ (841)	187 (85)	2200 (1000)

AUSAVINA NESTING SINGLE SIDED CART

- Excellent equipment for storing and transporting large slabs in warehouses, factories or construction sites especially in narrow space.

- The device is made of steel and can be easily assemble and disassemble for packing and transporting to desired areas.







SIMPLE AND SPACE OPTIMIZATION

MORE SAFETY

Unique design that helps the carts can be folded and nested easily to make your workplace tidy when not in use.

The high-quality rubber strip and the ratchet securing bars will protect the slabs perfectly from damage during moving.

Model	Length	Width	Height	(D)	(E)	Net Weight	Work Load
	In (mm)	In (mm)	In (mm)	In (mm)	In (mm)	Ibs (kg)	Limit - Ibs (kg)
NSC6432	64 %16 (1637)	31 ¼ (793)	62 ¼16 (1575)	45 ¾16 (1147)	14 ½ (368)	195.8 (89)	2200 (1000)

AUSAVINA HEAVY DUTY FOLDING ONE STOP A-FRAME

- Designed for transporting and storing stone slabs in warehouses, factories or construction sites. - The A-Frames are connected by the crossbar for ensuring a rigid structure.



Model	Net Weight	Work Load Limit	Work Load Limit
	Ibs (kg)	Per Side - Ibs (kg)	Both Sides - Ibs (kg)
AHFOSA11872	363 (165)	8800 (4000)	17600 (8000)

AUSAVINA FOLDING ONE-STOP A-FRAME

- Designed for storing and transporting stone slabs in warehouses, factories and construction sites.
- Made of rigid steel structure to replace wood storage frame for durability and cost-saving.
- Lightweight structure with high bearing capacity for increasing stability and productivity.

FOSA11872-AC

* Minimum slab size: 78 ¾" x 23 %" (2000 x 600 mm)

* Maximum slab size: IS5 ½s" x 82 ½s" (3430 x 2100 mm)



SPACE-SAVING

Convenient design to use, fold and stackable to optimize storing area and transport with only one package.



Rubber strips on the A-Frame and four stoppers fix stone slabs safely when transporting.



INNOVATIVE

The base frame has plastic strips to prevent scratching for the floor when moving the frame with a forklift truck.

Model	Length	Width	Height	Net Weight	W.L.L [•] Per Side	W.L.L [®] Both Sides
	In (mm)	In (mm)	In (mm)	Ibs (kg)	lbs (kg)	lbs (kg)
FOSA11872-AC	137 5⁄16 (3487)	39 ¾ (1000)	77 ¾ (1960)	354.2 (161)	5500 (2500)	11000 (5000)

*: Work load limit

AUSAVINA FOLDING ONE-STOP A-FRAME

Designed for transporting and storing stone slabs in warehouses, factories or construction sites.
The A-Frames are connected by the crossbar for ensuring a rigid structure.



AUSAVINA FOLDING ONE-STOP A-FRAME

- Designed for transporting and storing stone slabs in warehouses, factories or construction sites. - The A-Frames are connected by the crossbar for ensuring a rigid structure.

FOSA8759



(E AUSAVINA ONE STOP A-FRAME

- An ideal A-Frame for transporting and storing stone slabs or glass sheets in storage facilities, factories and construction sites. Straps and four rubber-covered securing bars protect the material from slipping and damage. The A-Frame can be separated from the base frame for flexible storage and transport of the material.




*: Work load limit

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight Ibs (kg)	W.L.L [®] with Casters - lbs (kg)	Stationary W/o Casters - Ibs (kg)	Lifting with Eyelets - Ibs (kg)
004/072	55 ¾	39 ³ ⁄16	60 ¼	32 7⁄16	12 ¼16	380.6	2640	7700	2640
OSA4932	(1405)	(995)	(1530)	(824)	(305)	(173)	(1200)	(3500)	(1200)

AUSAVINA DEMOUNTABLE FRAME

- Designed to store and transport stone slabs or other sheet materials in warehouses, construction sites at a safe distance from the ground. Rubber strips coated on the base frame support to prevent slipping and protect against contact damage.



*: Work load limit

			Height (C) In (mm)				W.L.L [*] with Casters - lbs (kg)		Lifting with Eyelets - lbs (kg)
ADF4932	54 ½	39 ¾16	56 ¾	32 %16	12 ¼	254.1	2200	4400	2200
	(1385)	(995)	(1432)	(827)	(308)	(115.5)	(1000)	(2000)	(1000)

SLAB TRANSPORTATION

AUSAVINA ONE STOP HIGH A-FRAME

- The Ausavina One Stop High A-Frame is designed to store and transport stone slabs or glass sheets at a safe distance from the ground. Its base has forklift slots on the two longest sides and plenty of rubber strips to prevent material from chipping off. Suitable to work with both glass and stone slabs. Easy to disassemble and re-assemble for shipping or storage. Has 4 casters for easy movement, two with brake to lock the frame steady to the ground when needed.



Note: Distribute Slabs/Glass Sheets Equally on Both Sides.

Model	Length (A) In (mm)				(E) In (mm)		Capacity with Casters - Ibs (kg)	Stationary W/o Casters - Ibs (kg)
OSHA7236	65 ¾	43 ⁵⁄16	62 ¹⁵ ⁄16	35 ¾	17 ¼16	314.6	4400	5500
	(1660)	(1100)	(1598)	(908)	(433)	(143)	(2000)	(2500)

CE

AUSAVINA ONE STOP SINGLE SIDED A-FRAME

- SSA7247-M3 is a single sided A-Frame. Its base has forklift slots on 2 longest sides. It has plenty of rubber strips and two ratchet securing bars to keep slabs steady and safe. Suitable to work with both glass and stone slabs. Easy to disassemble and reassemble for shipping or storage.



Minimum slab size: 7 ⁷/₈" - 11 ¹³/₁₆" (200 mm x 300 mm) Maximum slab size: 59 ¹/₁₆" - 94 ¹/₂" (1500 mm x 2400 mm)

Model	Length (A) In (mm)	· · ·	• • • •	• •	• •			Stationary w/o Casters - Ibs (kg)
SSA7247-M3	73 ¹⁵ ⁄16	25 %16	61 %16	46 %16	11 ³∕16	231	4400	15400
	(1878)	(650)	(1563)	(1183)	(284)	(105)	(2000)	(7000)

SLAB TRANSPORTATION


CE

AUSAVINA SMART ONE STOP A-FRAME

- A very safe Smart One Stop A-Frame to move slabs, it has plenty of rubber strips and ratchet securing bars to hold loads steady and protect slab from damage or scratches. The base has wide slots for simple forklift use. Equipped with casters for easy movement, including two with brake to securely lock the frame in place when needed. Fully dismountable for convenient transport or storage.








Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight Ibs (kg)	Capacity with Casters - Ibs (kg)	Stationary w/o Casters - Ibs (kg)
SOSA7247	74 ½ (1892)	45 ¼ (1150)	64 ¼16 (1626)	46 ¹¹ ⁄16 (1186)	13 ¾ (340)	279.4 (127)	3300 (1500)	11000 (5000)
SOSA7263	74 ½ (1892)	45 ¼ (1150)	79 ¾ (2025)	62 ¼ (1578)	13 ¹⁵ ⁄16 (354)	301.4 (137)	3300 (1500)	11000 (5000)
SOSA8763	90 ¼ (2292)	45 ¼ (1150)	79 ½ (2019)	62 %16 (1589)	11 %16 (294)	363 (165)	3300 (1500)	11000 (5000)
SOSA9679	96	47 ¼ (1200)	95 ¾ (2428)	78 ¼16 (1982)	13 7⁄16 (342)	393.8 (179)	3300 (1500)	11000 (5000)

AUSAVINA ONE STOP A-FRAME PRO

- This Pro version A-Frame features 4 safety bars, 4 ratchet securing bars with straps and special rubber strips for max slab protection during transport. Suitable for use with both glass and stone slabs. The upper bar of the frame has eyelets for crane lifting, the base has slots for simple forklift use. Has 2 casters with brake to lock the frame steady to the ground when needed. Four removable casters help maximize efficiency work and increase productivity.







CE

NEW IMPROVEMENT



NEW SOLUTION

New solution stores small slabs easily with support bar.

FLEXIBLE FOR VARIOUS SLAB SIZES Support bars with two adjustable height levels help to store various slab sizes.

Note: Distribute Slabs/Glass Sheets Equally on Both Sides.

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)
OSA7247PRO-M3	73 ¹⁵ ⁄16 (1878)	43 5⁄16 (1100)	62 ¹⁵ ⁄16 (1600)	46 ¾ (1187)	13 5⁄16 (338)
OSA7263PRO-M3	73 ¹⁵ ⁄16 (1878)	43 5⁄16 (1100)	78 ¾ (2000)	61 ¹³ ⁄16 (1570)	13 15/16 (355)
OSA8763PRO-M3	88 ½ (2248)	43 % (1114)	78 ½ (1994)	61 5⁄8 (1565)	11 7⁄8 (302)

Model	Net Weight Ibs (kg)	Lifting with Eyelets Ibs (kg)	Capacity with Casters Ibs (kg)	Stationary w/o Casters Ibs (kg)
OSA7247PRO-M3	345.4 (157)	5500 (2500)	4400 (2000)	30800 (14000)
OSA7263PRO-M3	363 (165)	5500 (2500)	4400 (2000)	30800 (14000)
OSA8763PRO-M3	437.8 (199)	5500 (2500)	4400 (2000)	30800 (14000)

*: Removing casters

SLAB TRANSPORTATION


109

AUSAVINA ONE STOP A-FRAME

- The heavy-duty A-frame is ideal for storing and transporting stone slabs, sheets and blocks with integrated forklift slots.

- Rubber strips protect slabs from cracking or chipping. Additional stability provided by ratchet securing bars.

- Its components are detachable to facilitate disassembling, storage, reassembling.





CE

NEW IMPROVEMENT



NEW SOLUTION

New solution stores small slabs easily with support bar.

FLEXIBLE FOR VARIOUS SLAB SIZES

Support bars with two adjustable height levels help to store various slab sizes.

Note: Distribute Slabs/Glass Sheets Equally on Both Sides.

Model	Length (A)	Width (B)	Height (C)	(D)	(E)	Net Weight	Lifting with	W.L.L. with **	Stationary w/o *
	In (mm)	In (mm)	In (mm)	In (mm)	In (mm)	Ibs (kg)	Eyelets - Ibs (kg)	Casters - Ibs (kg)	Casters - Ibs (kg)
OSA7247-M3	73 ¹⁵ ⁄16	43 ⁵ ⁄16	63 ¼ ₁₆	46 ¾	13 ⁵ ⁄16	303.6	5500	4400	30800
	(1878)	(1100)	(1601)	(1187)	(338)	(138)	(2500)	(2000)	(14000)
OSA7263-M3	73 ¹⁵ ⁄16	43 ⁵⁄16	78 ¾	61 ¹³ ⁄16	13 ¹⁵ ⁄16	334.4	5500	4400	30800
	(1878)	(1100)	(2000)	(1570)	(355)	(152)	(2500)	(2000)	(14000)
OSA7275-M3	73 ¹⁵ ⁄16	43 ⁵⁄16	90 %16	73 ½	12 ¹³ ⁄16	341	5500	4400	30800
	(1878)	(1100)	(2300)	(1867)	(326)	(155)	(2500)	(2000)	(14000)
OSA7286-M3	73 ¹⁵ ⁄16	43 ⁵ ⁄16	103 ^{7⁄16}	86 ½6	11 ¾	370.7	5500	4400	30800
	(1878)	(1100)	(2628)	(2195)	(299)	(168.5)	(2500)	(2000)	(14000)
OSA8763-M3	88 ½ (2248)	43 ⁵ ⁄16 (1100)	78 ½ (1994)	62 ¹³ ⁄16 (1596)	11	369.6 (168)	5500 (2500)	4400 (2000)	30800 (14000)
OSA9679-M3	96	47 ¼ (1200)	94 ⁵ ⁄16 (2396)	77 ⁵⁄s (1972)	13 ½ (343)	453.2 (206)	5500 (2500)	4400 (2000)	30800 (14000)

**: Work load limit

*: Removing casters


- The heavy-duty A-frame is ideal for storing and transporting stone slabs, sheets and blocks with integrated forklift slots.

- Rubber strips protect slabs from cracking or chipping. Additional stability provided by ratchet securing bars.

- Its components are detachable to facilitate disassembling, storage, reassembling.



Note: Distribute Slabs/Glass Sheets Equally on Both Sides.





Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight Ibs (kg)		W.L.L. with ** Casters - Ibs (kg)	Stationary w/o [*] Casters - Ibs (kg)
OSA4747	49 5⁄8 (1260)	43 ⁵ ⁄16 (1100)	62 ¹⁵ ⁄16 (1600)	46	13 ¼ (333)	253 (115)	5500 (2500)	4400 (2000)	17600 (8000)
OSA6135	62 ¹⁵ ⁄ ₁₆ (1598)	38 ⁵ ⁄16 (973)	51 ¼ ₁₆ (1296)	35 ¼ ₁₆ (890)	11 ½16 (290)	261.8 (119)	5500 (2500)	4400 (2000)	17600 (8000)

**: Work load limit

*: Removing casters


CE

AUSAVINA BI-LEVEL A-FRAME

CE

- This Bi-Level A-Frame is designed for large, heavy slab transportation and storage; several crossbars provide max stability. The superior design includes 2 levels, especially the upper level can be folded up when moving large slabs. Plenty of rubber strips and ratchet securing bars to keep slabs steady and safe. Suitable to work with fragile slabs. Features 4 casters for easy movement, including two with brakes to keep the frame securely in place when needed. All four casters are to removable to enhance versatility and boost productivity.






Model	Length (A)	Width (B)	Height (C)	Net Weight
	In (mm)	In (mm)	In (mm)	Ibs (kg)
OSA7267-2T-M2	73 15⁄16 (1878)	43 5⁄16 (1100)	85 % (2182)	495 (225)

AUSAVINA ONE STOP A-FRAME

- A very safe One Stop A-Frame to move slabs, it has plenty of rubber strips and ratchet securing bars to hold loads steady. Has 4 casters for easy movement, two maneuvered by the pulling handle. Two eyelets on the top bar and wide slots in the base fit perfectly for lifting the frame with an overhead crane or forklift truck. Fully dismountable for easy transport or storage. Reasonably arranged A-frames provide high rigidity and maximum efficiency when handling large materials.



NEW IMPROVEMENT



New solution stores small slabs easily with support bar.

Support bars with two adjustable height levels help to store various slab sizes.

Note: Distribute Slabs/Glass Sheets Equally on Both Sides.


Model		- · · ·		Width (B) Height (C) In (mm) In (mm)		(D) In (mm)		(E) In (mm)		Net Weight Ibs (kg)
OSA9458-M3	- M3 94 ½ (2400) 43 ½ (110)) 7	72 ¼16 (1830)	5	8 %16 (1484)	12 1⁄8 (308)		424.6 (193)	
Minimum Slab In (mm)	Minimum Slab Size Maximum Slab S In (mm) In (mm)			Lifting with Eyelets - Ibs (kg)			Capacity with Casters - Ibs (kg)			Stationary Casters - Ibs (kg)
7 % x 11 ¹³ ⁄1 (200 x 300	-) % x 118 ⅓ 300 x 3000)		5500 (2500)		4400 (2	000)	8	800 (4000)

AUSAVINA ONE STOP A-FRAME

CE

- An ideal A-Frame for stone and glass slab transportation in any workplace. Plenty of rubber strips and ratchet securing bars to keep slabs steady and safe. Usable space inside standing parts of the frame to store tools and accessories. Has 4 casters for easy movement, two with brake to lock the frame steady to the ground when needed. Four removable casters to maximize flexibility and increase productivity. A-Frame has base slots and upper bar eyelets to lift it with a fork lift truck or an overhead crane.





Note: Distribute Slabs/Glass Sheets Equally on Both Sides.

Model			lth (B) Height (mm) In (mr				(E) In (mm)
OSA9463-M2	96 7⁄8 (2460)	96 % (2460) 43 %		82 ⁵ ⁄16 (2090)		64 ⁵⁄ı₀ (1634)	13 5⁄16 (338)
Model		Net Weight Ibs (kg)		g with · Ibs (kg)		pacity with ers - Ibs (kg)	Stationary * W/o Casters - Ibs (kg)
OSA9463-M2	473 (215)	473 (215)		5500 (2500)		400 (2000)	30800 (14000)

*: Removing casters

AUSAVINA MULTI ADJUSTABLE DROPSIDE TRUCK A-FRAME

- Designed to combine with the truck in maneuvering the glass sheets and large packed glass door.

AMDST9076





Easily combined with different types of trucks for saving time to transport many large sizes of material slabs.



Flexibly adjust the frame to fit with the truck or material slab sizes.

Model	Length	Width	Height	Work Load Limit	Net Weight
	In (mm)	In (mm)	In (mm)	Per Side - Ibs (kg)	Ibs (kg)
AMDST9076	80 ⁵ ⁄16 - 90 ⁹ ⁄16 (2040-2300)	79 ½ - 94 ½ (2020 - 2400)	90 %16 - 100 3⁄8 (2300 - 2550)	1540 (700)	1034 (470)

AUSAVINA HEAVY DUTY DISPLAY STAND RACK

- Unique design for storing and displaying stone slabs in the warehouse or exhibition.
- A high work load limit helps to increase productivity.
- Suitable for a variety of materials of different sizes.



* Minimum slab size placed on the display frame: 70 %" x 70 %" x ¼ " (1800 x 1800 x 6 mm)



* Maximum slab size placed on the display frame: 98 ⁷/₁₆" x 137 ¹³/₁₆" x 1 ⁹/₁₆" (2500 x 3500 x 40 mm)

Mode	el	Length In (mm)		Height In (mm)	Net Weight Ibs (kg)	Capacity of A-frame Ibs (kg)	Capacity of Display Frame Ibs (kg)
AHDSR	078	98 ½16 (2500)	49	90 % ₁₆ (2300)	374 (170)	17600 (8000)	2300 (1050)

AUSAVINA TRIPLE SIDE FOLDING TRUCK A-FRAME

- Designed to store slabs within warehouses, factories and display areas.

- The frame is made of steel to ensure high rigidity and high load capacity in operation process.



* Minimum slab size: 7 %" x 15 ¾" (200 x 400 mm)

* Maximum slab size: 66 ¹⁵/16" x 102 ³%" (1700 x 2600 mm)



Model					Work Load Limit Mid Frame - Ibs (kg)		
ATSFTA056	14 ¹⁵ ⁄16 ~ 79 ½ (380 ~ 2020)	58 ½ (1480)	57 ⁵⁄8 (1463)	202.4 (92)	5500 (2500)	11000 (5000)	22000 (10000)


AUSAVINA FOLDING ADJUSTABLE GIANT A-FRAME

- FAGA078 is a solid design to store many stone slab sizes in warehouses, factories or exhibitions.
- Sturdy A-shape increases the efficiency and reliability of storing slabs.
- Simple structure to easily assemble and disassemble for packing and transporting.



23 ⁵/₈" x 66 ¹⁵/₁₆" (600 x 1700 mm) * Maximum slab size:

* Maximum slab size: 88 %16" x 141 ¾" (2250 x 3600 mm)



Model	Length In (mm)	Width In (mm)		Net Weight Ibs (kg)	Work Load Limit Per Side - Ibs (kg)	Work Load Limit Both Side - Ibs (kg)
FAGA078	66 ¹⁵ ⁄ ₁₆ ~ 118 ¹ ⁄ ₈ (1700 ~ 3000)	89 ^{7⁄16} (2272)	78 ¹ / ₈ (1985)	226.6 (103)	17500 (7950)	35000 (15900)

AUSAVINA SINGLE SIDED A-FRAME

- An effective tool to store and keep slabs safe. It has a compact design to suit every confined space. The timber block on base protects the stone slabs from chipping and scratching. Made of steel for high rigidity and high load capacity. A pair of frames has a load capacity of up to 16500 lbs (7500 kg).




W.L.L.: Work Load Limit

Model	Length (A) In (mm)	Width (B) In (mm)		(D) In (mm)	(E) In (mm)	Net Weight Per Pair - Ibs (kg)	W.L.L. Per Pair Ibs (kg)
SSAF060	30 ½ (775)	3 15/16 (100)	60 (1524)	58 7⁄16 (1484)	17 ¾ (451)	88 (40)	16500 (7500)

AUSAVINA SINGLE SIDED TRUCK A-FRAME

- Single Sided Truck A-Frame is designed for safe slab storage. The base has timber blocks as protection. Made of steel for high rigidity and load capacity. It can keep slabs in place in bundles of up to 16500 lbs (7500 kg). Its compact design fits confined spaces, helping to save valuable workspace.



Model	Length (A)	Width (B)	Height (C)	(D)	(E)	Net Weight	W.L.L. Per Pair
	In (mm)	In (mm)	In (mm)	In (mm)	In (mm)	Per Pair - Ibs (kg)	Ibs (kg)
SSTAF060	30 ½ (775)	65 7⁄16 (1662)	59 ½ (1502)	57 ⁵⁄ ଃ (1464)	17 13/16 (453)	93.5 (42.5)	16500 (7500)

W.L.L.: Work Load Limit

SLAB STORAGE A-FRAMES & RACKS

AUSAVINA STANDARD A-FRAME

- Standard A-Frames, sold in pairs, are designed for safe slab storage. A solid structure and maximum stability. An ideal choice if compared to other A-Frames usually available in the market.

SOLD IN PAIRS




NOTE Distribute Slabs Equally on Both Sides

Model	Length (A)	Width (B)	Height (C)	(D)	(E)	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	In (mm)	In (mm)	Per Pair - Ibs (kg)	Ibs (kg)
SAF060	58 ¹⁵ ⁄16 (1497)	3 ¹⁵ ⁄16 (100)	58 ¹¹ ⁄ ₁₆ (1490)	57 ½ (1451)	17	115.5 (52.5)	16500 (7500) Per Side 33000 (15000) Both Sides
ESAF060	58 ¹⁵ ⁄16	3 ¼	58 ¹¹ ⁄16	57 ⁵⁄16	17 ¹¹ ⁄16	85.8	13200 (6000) Per Side
	(1497)	(80)	(1490)	(1456)	(450)	(39)	26400 (12000) Both Sides

AUSAVINA TRUCK A-FRAME

- Truck A-Frame is designed for safe slab storage with optimization of cost and productivity. Two A-Frames are connected with a crossbar for a sturdier structure. This crossbar can be disassembled for easy transport and storage. The timber block on the base frame protects slabs from damage.






NOTE Distribute Slabs Equally on Both Sides

Model	Length (A)	Width (B)	Height (C)	(D)	(E)	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
TAF060	59 ¹³ ⁄16	58 ¹⁵ ⁄16	58 ¹¹ ⁄16	57 ½	17 ¹⁵ ⁄16	125.4	16500 (7500) Per Side
	(1520)	(1497)	(1490)	(1451)	(455)	(57)	33000 (15000) Both Sides

AUSAVINA HEAVY DUTY TRUCK A-FRAME

- Two A-Frames of TAF060H are connected by 4 crossbars giving max sturdiness to the whole structure. Timber blocks on the base help to minimize impact and protect slabs from scratches or cracks. The load capacity is up to 39600 lbs (18000) kg).






NOTE Distribute Slabs Equally on Both Sides

Model	Length (A)	Width (B)	Height (C)	(D)	(E)	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
TAF060H	59 ¹³ ⁄16	58 ¹⁵ ⁄16	58 ¹¹ ⁄ ₁₆	57 ½	17 ¹⁵ ⁄16	162.8	19800 (9000) Per Side
	(1520)	(1497)	(1490)	(1451)	(455)	(74)	39600 (18000) Both Sides

SLAB STORAGE A-FRAMES & RACKS

AUSAVINA QLI TRUCK A-FRAME 060

- Qli Truck A-frame 060 is ideal for storing and keeping stone slabs tidy and organized in warehouses, factories or workshops. The base has timber blocks as protection, the standing frame and the crossbar form a sturdy frame. Made of steel for sturdiness and durability.



M	lodel	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
AQ	060AT	58 ¼ (1480)	59 ¼16 (1500)	58 ¹¹ ⁄16 (1490)	57 ¼16 (1448)	19 ½ (495)	80.3 (36.5)	17600 (8000) Per Side 35200 (16000) Both Sides
AQ.	TAS060	59 ¼16 (1500)	59 ¼16 (1500)	58 ¹¹ ⁄16 (1490)	57 ¼16 (1450)	19 ⁵⁄8 (499)	79.2 (36)	15400 (7000) Per Side 30800 (14000) Both Sides


AUSAVINA QLI STANDARD A-FRAME 060

- These sturdy and durable frames are designed for safe slab storage in any work place.

- The base has timber blocks to avoid contact damage.



SOLD IN PAIRS



Model	Length (A) In (mm)		Height (C) In (mm)		(E) In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
AQSA060	59 ¼16 (1500)	3 ¼8 (80)	58 ¹¹ ⁄16 (1490)	57 ¼16 (1450)	19 ⁵⁄≋ (499)	72.6 (33)	15400 (7000) Per Side 30800 (14000) Both Sides

SLAB STORAGE A-FRAMES & RACKS

AUSAVINA QLI TRUCK A-FRAME 074

- Qli Truck A-Frame 074 is ideal for storing and keeping stone slabs tidy and organized in warehouses, factories or workshops. The base includes timber blocks for protection, while the standing frame and combine to create a sturdy structure. Made of steel for sturdiness and durability.






AUSAVINA QLI TRUCK A-FRAME SENI 074

AQTAS074





Model	Length (A) In (mm)		Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
AQTA074	58 ¼ (1480)	59 ¼16 (1500)	73 ¹¹ ⁄16 (1872)	72 ½ (1832)	17 %16 (446)	96.8 (44)	17600 (8000) Per Side 35200 (16000) Both Sides
AQTAS074	59 ¼16 (1500)	59 ¼16 (1500)	73 ¹¹ ⁄16 (1872)	72 ³ ⁄16 (1833)	17 %16 (446)	96.8 (44)	15400 (7000) Per Side 30800 (14000) Both Sides

AUSAVINA QLI FOLDING TRUCK A-FRAME 060

- The Ausavina Qli Folding Truck A-Frame 060 is designed for safe slab storage. The base has timber blocks as protection, the standing frame and the crossbar form a sturdy frame.

- Made of steel for sturdiness and durability.

Features: Foldable base to save storage space.

AUSAVINA QLI FOLDING TRUCK A-FRAME 060

AQFTA060






AUSAVINA QLI FOLDING TRUCK A-FRAME JUNI/SENI 060

AQFTAJ060/AQFTAS060





Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
AQFTA060	59 ¼16 (1500)	59 ¼16 (1500)	58 ¹¹ ⁄16 (1490)	57 ¼16 (1448)	19 ½ (495)	80.3 (36.5)	17600 (8000) Per Side 35200 (16000) Both Sides
AQFTAS060	59 ¼16 (1500)	59 ¼16 (1500)	58 ¹¹ ⁄16 (1490)	57 ¼16 (1450)	19 ⁵⁄ଃ (498)	83.6 (38)	15400 (7000) Per Side 30800 (14000) Both Sides
AQFTAJ060	59 ¼16 (1500)	59 ¼16 (1500)	58 ¹¹ ⁄16 (1490)	57 ¼16 (1448)	19 ⁵⁄ଃ (498)	64.9 (29.5)	12400 (5636) Per Side 24800 (11272) Both Sides


AUSAVINA QLI FOLDING TRUCK A-FRAME 074

- Ausavina Qli Folding Truck A-Frame 074 is ideal for storing and keeping stone slabs tidy and organized in warehouses, factories or workshops. The base has timber blocks as protection, the standing frame and the crossbar form a sturdy frame. Made of steel for sturdiness and durability.

Features: Foldable base to save storage space.


AUSAVINA QLI FOLDING TRUCK A-FRAME 074






AUSAVINA QLI FOLDING TRUCK A-FRAME SENI/JUNI 074

AQFTAS074/AQFTAJ074





Model	Length (A)	Width (B)	Height (C)	(D)	(E)	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
AQFTA074	58 ¼	59 ¼16	73 ¹¹ ⁄16	72 ½	17 %16	93.5	17600 (8000) Per Side
	(1480)	(1500)	(1872)	(1832)	(446)	(42.5)	35200 (16000) Both Sides
AQFTAS074	59 ¼16	59 ¼16	73 ¹¹ ⁄16	72 ³⁄16	17 %16	97.9	15400 (7000) Per Side
	(1500)	(1500)	(1872)	(1833)	(446)	(44.5)	30800 (14000) Both Sides
AQFTAJ074	59 ¼16	59 ¼16	73 ¹¹ ⁄16	72 ¾16	17 %16	78.1	12400 (5636) Per Side
	(1500)	(1500)	(1872)	(1833)	(446)	(35.5)	24800 (11272) Both Sides

AUSAVINA EASY LOAD A-FRAME

- AEL060 is designed for safe slab storage in any workplace.

- Timber blocks on the base help to minimize impact and protect slabs from scratches or cracks.
- A safer and more economical alternative than wood A-Frames.

AEL060



Model	Length (A) In (mm)		Height (C) In (mm)		(E) In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
AEL060	59 ¼16 (1500)	59 ¼16 (1500)	58 ¹¹ ⁄16 (1490)	55 ¾ (1406)	19 ½ (495)	114.4 (52)	6000 (2727) Per Side 12000 (5454) Both Sides

SLAB STORAGE A-FRAMES & RACKS

AUSAVINA ADJUSTABLE GIANT TRUCK A-FRAME

- Designed to store heavy-duty stone slabs in warehouses, factories and display areas.

- The frame is made of steel to ensure a high load capacity and rigidity during operation.

AGTA096/AFGTA096





EFFECTIVE

A-shape provides efficient and

reliable functions to allow stone

slabs to lean back.






* Minimum slab size: 55 ¹/₆" x 7 ⁷/₆" x ³/₇" (1400 x 200 x 10 mm) * Maximum slab size: 118 ¹/₆" x 106 ⁵/₁₆" x 3 ¹⁵/₁₆" (3000 x 2700 x 100 mm)



Timber blocks on the base frame protect stone slabs from chipping and scratching while storing.



FLEXIBLE

It is easy to extend or shorten

the distance of two A-Frames to

suit different slab sizes.

EXTEND AND SHORTEN

AUSAVINA HEAVY DUTY SINGLE SIDE A-FRAME

- Designed to organize large stone slabs in warehouses, factories and construction sites.

- Made of high-quality steel to ensure safe and efficient storage of heavy stone slabs.


AHSSA100





EFFICIENT STORAGE

A-Frame design features a reliable angle, ensuring stone slabs are placed safely and securely on the frame.



MAXIMUM PROTECTION Timber blocks on the base and rubber strips on the A-Frame protect slabs against sliding or getting damaged.



HIGH LOAD CAPACITY Rigid structure with a high work load limit of up to 10000kg, making it suitable for storing large-sized material slabs.

Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
AHSSA100	121 ¼16 (3075)	59 ¼ ₁₆ (1500)	100 (2540)	574.2 (261)	22000 (10000)

AUSAVINA HEAVY DUTY DOUBLE SIDE A-FRAME

- Designed to organize large stone slabs in warehouses, factories, exhibitions, etc.

- The frame is made of robust steel, ensuring it can safely handle large and heavy slabs.

AHDSA100





OPTIMAL SAFETY

Timber blocks on the base and rubber strips along the A-Frame protect slabs from sliding or getting damaged.



FLEXIBLE STORAGE

It supports robust weight, making it ideal for storing stone, glass or other large materials.



SPACE-SAVING SOLUTION

A sturdy structure optimizes space, providing secure storage on both sides for saving working areas.

Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	lbs (kg)
AHDSA100	121 ¼16 (3075)	78 ¾ (2000)	100 (2540)	651.2 (296)	22000 (10000) Per Side 44000 (20000) Both Sides

AUSAVINA UNIVERSAL A-FRAME

- Efficiently store slabs of various sizes to maximize warehouse space.



AUSAVINA HEAVY-DUTY MULTI-MATERIAL BUNDLE RACK

Integrated function of Single Side A-Frame, Double Side A-Frame and Bundle Slab Rack.
 Easy to adjust multiple working layouts to suit various requirements.





INAID

AHMCBR8970-M2

Transport by Container



Storage & Display in Warehouse



Transport by Truck




Moreover, the product can store slabs as an A-Frame design while moving on the truck.



Stackable poles & A-Frame for effective storage and minimizing transportation costs.

Optimize Storage Space



Stackable to optimize storage space when not in use.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)	Capacity Between 2 Poles - Ibs (kg)
AHMCBR8970	89 ¾ (2270)	89 ¾ (2270)	78 ¼ (1987)	1216 (553)	44000 (20000)	12500 (5680)
AHMCBR8970-M2	89 3⁄8 (2270)	43 5⁄16 (1100)	63 ¼ ₁₆ (1601)	860.2 (391)	22000 (10000)	12500 (5680)

AUSAVINA BUNDLE SLAB RACK

- Durable rack for storing bundled stone, marble and granite slabs.

- Features 6mm-thick poles with protective wooden strips.

- The flexible design includes 4 poles and multiple mounting positions on each base. The upgraded BSR010-AC1 offers up to 26 positioning holes-perfect for securing slabs of varying sizes.






^{1*} Maximum Weight Load Limit Between Poles

SO	LD	IN	PA	IRS	

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair Ibs (kg)	Work Load ^P Limit - Ibs (kg)		Holes Number Per Base
BSR010	118 ¾ (3015.5)	6 %16 (164)	59 ¾ (1508)	510.4 (232)	22000 (10000)	4	7
BSR010-AC1	118 ¾ (3015.5)	6 1/16 (164)	59 ¾ (1508)	585.2 (266)	22000 (10000)	4	26

AUSAVINA SLAB RACK




Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair Ibs (kg)	Work Load ^P Limit - Ibs (kg)		Holes Number Per Base
SRK010	118 3⁄4 (3016)	6 %16 (164)	58 % (1496)	616 (280)	6000 (2727)	10	11
SRK010F	118 ¾ (3016)	6 %16 (164)	58 % (1496)	717.2 (326)	6000 (2727)	10	11


AUSAVINA QLI UNIVERSAL BUNDLE SLAB RACK

- Designed to store and display stone slabs or bundle slabs within warehouses, factories and construction sites.

- The product is made of steel, so it is stable and sturdy. It consists mainly of a base frame and poles.
- Design holes continuously on the base frame.







FLEXIBLE - SOLID DESIGN


Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair Ibs (kg)	Work Load ^{II} Limit - Ibs (kg)	Poles Number Per Base	Holes Number Per Base
AQUBSR010	118 ¾ (3016)	6 ¼ (158)	59 ¾ (1508)	363 (165)	10560 (4800)	4	33
AQUBSR010R	118 ¾ (3016)	6 ¼ (158)	59 ¾ (1508)	418 (190)	10560 (4800)	4	33
AQUBSR010-PRO	118 ¾ (3016)	6 ¼ (158)	59 ¾ (1508)	407 (185)	12500 (5680)	4	33
AQUBSR010R-PRO	118 ¾ (3016)	6 ¼ (158)	59 ¾ (1508)	444.4 (202)	12500 (5680)	4	33

1* Maximum Weight Load Limit Between Poles

AUSAVINA RHINO SLAB RACK


- Rhino Slab Racks are the ideal tool for storing and display multiple slabs of different sizes and thicknesses in various workplaces.

- Models R have rubber strips on poles to keep the slabs leaning safely and protect slabs from damage.
- All Rhino Slab Racks have rubber strips on the bases.



SOLD IN PAIRS





Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair Ibs (kg)	Work Load Limit - Ibs (kg)	Poles Number Per Base	Holes Number Per Base
RSR010	119 1⁄8 (3026)	7 %16 (192)	59 ¾16 (1504)	600.6 (273)	6000 (2727)	10	28
RSR10R	119 1⁄8 (3026)	7 %16 (192)	59 ³ ⁄16 (1504)	688.6 (313)	6000 (2727)	10	28


AUSAVINA QLI UNIVERSAL SLAB RACK

- Designed to store and display stone slabs or bundle slabs within warehouses, factories and construction sites.

- The product is made of steel, so it is stable and sturdy. It consists mainly of a base frame and poles.
- Design holes continuously on the base frame.



SOLD IN PAIRS



FLEXIBLE - SOLID DESIGN

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair Ibs (kg)	Work Load Limit - Ibs (kg)	Poles Number Per Base	Holes Number Per Base
AQUSR010	118 ¾ (3016)	5 ½ (140)	59 ¼ (1505)	484 (220)	5280 (2400)	10	51
AQUSR010-PRO	118 ¾ (3016)	5 ½ (140)	59 ¼ (1505)	550 (250)	5940 (2700)	10	51
AQUSR010R-PRO	118 ¾ (3016)	5 ½ (140)	59 3⁄8 (1508)	638 (290)	5940 (2700)	10	51

AUSAVINA REMNANT SLAB RACK


- Remnant Slab Racks are designed to store leftover pieces of stone. It is compact, flexible and adjustable with a sturdy steel structure.

- Each base has 10 poles and 14 or 15 holes to optimize storage efficiency.

The Rack comes with 20 poles.

RES27





RES34



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair Ibs (kg)	Work Load Limit - Ibs (kg)		Holes Number Per Base
RES27	118 ¼16 (2998)	4 5⁄16 (110)	28 1⁄16 (712)	140.8 (64)	2200 (1000)	10	15
RES34	117 ¹⁵ ⁄16 (2996)	6 ⁵⁄16 (160)	35 7⁄8 (911)	156.2 (71)	2200 (1000)	10	14

AUSAVINA SPARE POLES

AUSAVINA SLAB RACK POLES - AUSAVINA RHINO SLAB RACK POLES

SRK010-POLE RSR010-POLE Poles without rubber SRK010R-POLE RSR10R-POLE Poles with rubber




Dimensions	Capacity ^P
1 ¹⁵ /16" x 1 ¹⁵ /16" x 31 ¹ /2" 50 mm x 50 mm x 800 mm	12100 lbs (5500 kg)
1 ¹⁵¼₅" x 1 ¹⁵¼₅" x 47 ¼" 50 mm x 50 mm x 1200 mm	7700 lbs (3500 kg)
1 ¹⁵¼₅" x 1 ¹⁵¼₅" x 59 ¼₅" 50 mm x 50 mm x 1500 mm	6000 lbs (2727 kg)
1 ¹⁵¼6" x 1 ¹⁵¼6" x 70 ⅔" 50 mm x 50 mm x 1800 mm	4840 lbs (2200 kg)

AUSAVINA BUNDLE SLAB RACK POLES








1	Dimensions	Capacity "				
3 %"(100 mm)	3 ¹⁵⁄₁₅" x 1 ¹⁵⁄₁₅" x 59 ¹⁄₁₅" 100 mm x 50 mm x 1500 mm	22000 lbs (10000 kg)				
mm)	3 ¹⁵ ⁄16" x 1 ¹⁵ ⁄16" x 78 ¾" 100 mm x 50 mm x 2000 mm	13200 lbs (6000 kg)				

AUSAVINA REMNANT SLAB RACK POLES

RES27-POLE, RES34-POLE



1* Maximum Weight Capacity Between Poles

AUSAVINA AIR POLISHING MACHINE

- An air polishing machine is used for polishing the surface of slab edges powered by compressed air.
- The machine can polish slabs at two different angles: 90-degree and 45-degree.
- Compact design and use of air motor shall ensure easy and safe operations.
- Combined with flex polishing pads to helps users save effort and time.





Model	Length In (mm)	Width In (mm)		Height In (mm)	Net Weight Ibs (kg)			
APM80M1	15 ¾ (390)	9 ³⁄16 (234)		9 ¾ (234)		8 ¹³ ⁄16 (224)	20.9 (9.5)	
APM80M2	12 3⁄16 (310)	7 ¼ ₁₆ (180)		7 ½16 (180) 6 5⁄8 (169)				
Air M	Air Motor			Water Pump				
Max. pad size	3 ¹⁵ ⁄16" (100 mm)		Pha	ase	1			
Max. speed	4500 (rpm.)		Frequ	iency	50-60 Hz			
Air pressure	6 ~ 8 bar	Power		USA	INTERNATIONAL			
Power	0.43 HP	Power		110V/50W	220V/50W			

CE AUSAVINA STONE SAW

- Stone Saw (MODSI) features a single phase 3 HP motor or three phase 5 HP motor to cut natural and artificial stones smoothly evenly and precisely. Depend on cutting edges either 90-degree vertical or 45-degree tilt, the operator easily adjusts the saw head in a proper manner. The height of the cutting head block can be adjusted. It is incorporated with wheels and rollers for easy moving. One side bench with rollers and 2 support arms with stops is included.

- Bolted down cast aluminum working tables system enhance safety.

AUSAVINA STONE SAW MODS1







Model	Length Width In (mm) In (mm)			Height In (mm)		Net Weight Ibs (kg)				
MODS1	62 ¾ (1585) 76 ¾ (1950))	56 5⁄8 (1439)		374 (170)			
MODS1 - 1P	Size			Мо	tor Parameter	l	JSA	INTERNATIONAL		
(1 Phase)	In	ches	М	lillimete	ers		Power	2	kW	2.2 kW
Blade Diameter	10	11 ¹³ ⁄16	' 254 n	nm 30	0 mm		Voltage	1	10 V	220 V
Cutting Depth At 90°	1 ¹⁵ ⁄16'	' 2 ¾"	50 m	nm 60 mm			Frequency	60 Hz		50 Hz
Cutting Depth At 45°	15/16"	1 3/16"	25 m		30 mm		Phases		1	1
Cutting Depth At 45	-916	1 716	2511		511111		Speed	340	0 rpm.	2800 rpm.
Cutting Length		41 5⁄1	₅" (1050	mm)		Wat	er Pump Power	110	//50W	220V/50W
MODS1 - 3P			Size			Мо	tor Parameter		JSA	INTERNATIONAL
(3 Phase)	In	ches	M	lillimete	ers		Power	3.'	7 kW	3.7 kW
Blade Diameter	10 11	¹³ ⁄16" 13 ¾	" 254 mm	1 300 mm	350 mm		Voltage	2	20 V	380 V
Cutting Depth At 90°	1 ¹⁵ ⁄16"	2 3⁄8" 3 1⁄8	50 mm	60 mm	80 mm		Frequency	6	0 Hz	50 Hz
Cutting Depth At 45°	154 ." 1	34 ." 194 .	" 25 mm	70 mm	(0 mm		Phases		3	3
Cutting Depth At 45°	-716 I	716 1 716	23 11/11	30 1111	30 mm 40 mm		Speed	340	0 rpm.	2800 rpm.
Cutting Length		41 5⁄1	₅" (1050	mm)		Wat	er Pump Power	110	//50W	220V/50W

AUSAVINA STONE SAW

- Ausavina Stone Saw MODS2 is an efficient tool for cutting natural and artificial stones smoothly, correctly and perfectly. On one side, the saw has a roller conveyor which makes for easy loading, while on the other side, the adjustable stops make exact parallel cuts. Two side benches with rollers and 2 support arms with stops are included.

- The MODS2 features a single phase 3 HP motor or three - phase 5 HP motor.

AUSAVINA STONE SAW MODS2







Model		Length In (mm)			Width n (mm)		Height In (mm)		Net Weight Ibs (kg)		
MODS2	83	3 ¼16 (2110	D)	82	¹⁵ ⁄16 (210)8)	63 7⁄16 (1612)	16 (1612)		594 (270)	
MODS2 - 1P			Size		Motor Parameter		tor Parameter	l	JSA	INTERNATIONAL	
(1 Phase)	In	ches	М	illimete	ers		Power		kW	2.2 kW	
Blade Diameter	10	11 ¹³ ⁄16"	254 m	nm 30	0 mm		Voltage	1	10 V	220 V	
Cutting Depth At 90°	1 ¹⁵ /16'	2 3⁄8"	50 m	m 60	0 mm		Frequency	6	0 Hz	50 Hz	
Cutting Depth At 45°	15/16"	1 3/16"	25 m	m 7(2 mm		Phases		1	1	
Cutting Depth At 45	-9/16	I %16	25 m	m 30	Jinin		Speed	340	0 rpm.	2800 rpm.	
Cutting Length		61 ¼16	s" (1550 r	nm)		Wat	er Pump Power	110	//50W	220V/50W	
MODS2 - 3P	Size				Мо	tor Parameter		JSA	INTERNATIONAL		
(3 Phase)	In	ches	M	illimete	ers		Power		7 kW	3.7 kW	
Blade Diameter	10 11	¹³ ⁄16" 13 ¾"	254 mm	300 mm	350 mm		Voltage	2	20 V	380 V	
Cutting Depth At 90°	1 ¹⁵ ⁄16" 2	2 3⁄8" 3 1⁄8"	50 mm	60 mm	80 mm		Frequency	6	0 Hz	50 Hz	
Cutting Depth At 45°	154 - " 1	34 - " 194 -"	25 mm	70 mm	(0 mm		Phases		3	3	
Cutting Depth At 45	-716 I	716 1 716	25 11/11	50 mm	40 mm		Speed	340	0 rpm.	2800 rpm.	
Cutting Length		61 ½	s" (1550 r	nm)		Wat	er Pump Power	110	//50W	220V/50W	

SPECIALIZED MACHINERY


AUSAVINA RAIL MACHINE 5 IN 1

- Ausavina Rail Machine 5 in 1 is designed for multi-purposes such as cutting and grinding slabs smoothly, correctly and perfectly.

- Several accessories can be flexibly attached to allow 5 main functions.



The cutting machine excluded



AUSAVINA COLUMN ARTICULATE CRANE (JIB CRANE)

- Operating in confined space and around impediments, this product can provide simple and economical solutions to these difficulties. It can be combined with the Little Giant Lifter, Auto Lock Cable Lifter, Arcturus Lifter, Scissor Clamp and Stone Vacuum Lifter. A simple and convenient structure helps to optimize working time and efficiency.

		1100.8	AUSAVINA		(1)		(A)	500 kg 1100 lbs
I	Model	Length (A) In (mm)	Height (B) In (mm)	Height (C) In (mm)	Net Weight Ibs (kg)	Maximum Reach (D) - In (mm)	Rotated Angle	Work Load Limit Ibs (kg)
	CAC50-6M	262 3⁄8 (6665)	161 5⁄8 (4105)	130 ¼ ₁₆ (3304)	4276.8 (1944)	236 ¼ (6000)	290°	1100 (500)

AUSAVINA MORTAR MIXER

- Ausavina Mortar Mixer M2 is designed to mix the materials such as sand, cement, stone, etc. to become a mixture in a short time. Compact and portable design combined with solid wheels provide an easy maneuvering from one place to another, as well as movement through narrow spaces with just one person. This mixer M2 helps improve productivity and reduce labor cost effectively.

ModelLength (A) In (mm)Width (B) In (mm)Height (C) In (mm)Net Weight Ibs (kg)AMX100M242 ¹⁵ / ₁₆ (1091)27 ½ (702)47 ½ (1202)303.6 (138)Motor ParametersThe average mixing time: 3 minutes							
Motor Parameters The average mixing time: 3 minutes	Model						
	AMX100M2	42 15/16 (1091)	27 5⁄8 (702	2) 47 5	16 (1202)	303.6 (138)	
	Motor Parameters The average mixing time: 3 mi					ne: 3 minutes	
Horse power 2 HP With overload protection devices	Horse power	2 HF		With overload protection devices			
Voltage 220V /110V Barrel capacity - Gallon (Liters) 26 (100)	Voltage	220V /1	10V	Barrel capacity	26 (100)		
Frenquency 50 Hz/60Hz Barrel diameter - Inches (mm) 25 ½ (648)	Frenquency	50 Hz/6	0Hz	Barrel diamete	25 ½ (648)		
Phase 1 Speed (rpm) 29	Phase	1		Speed	29		


AUSAVINA DEHYDRATOR (SLUDGE FILTER)

- Ausavina Dehydrator (Sludge Filter) is a filtration system for the fast collection and trapping of the abrasive sludge produced by machining and finishing marble, granite and other stones.

Dehydrator (Sludge Filter) is an economical one step method in separating and dewatering sludge and slurries.
 Dehydrator is constructed of Stainless Steel and consists of four basic components: pump, mud holding tank, filter bags and filtered water pan.


- Dehydrator (Sludge Filter) has no moving parts and requires minimal maintenance.





L/M: Liter/Min M³/H: Meter/hour M: Meter H: Height Q: Flow Rate

Model	Length In (mm)	Width In (mm)	Height In (mm)		
ADE089	95 13/16 (2433)	27 %16 (700)	91 ¾ (2330)		
Net Weight - lbs (kg)	468.6 (213)				
Float Switch	Automatic				
Bag Dimension	13 ¾ x 47 ¼" (350 x 1200 mm)				
Material	Stainless Steel				
Valves	2 Inch BSP Brass Nickel Plated				
Filter Capacity 25 % Sludge In The Water	3m ³ /1 hour				



AUSAVINA COLLAPSIBLE DUMPSTER (TILT DUMPSTER)

- A "must have" item for your workplace. Practical to use and effective to keep your environment clean.

- Built of steel and heavy gauge sheets for last long.

- Tilting is by handy lever for safe use.
- Forklift engagement by heavy duty channel pockets with safety pin when at full load.

- Has 4 heavy duty casters for easy moving, two with brake to lock the dumpster steady to the ground when needed.





Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Ibs (kg)	Volume ft³ (m³)	Work Load Limit Ibs (kg)
CD70	59 ⁵ ⁄16 (1506)	47 % (1216)	40 %16 (1030)	534.6 (243)	25 (0.705)	2640 (1200)
CD102	63 ¾ (1620)	50 ¹⁵ ⁄16 (1295)	45 %16 (1154)	719.4 (327)	35.4 (1)	3300 (1500)

AUSAVINA DROP BOTTOM DUMPSTER

- Ausavina Drop Bottom Dumpster is a useful solution to keep your area neat and clean.
- The bottom gate opening system allows you to dump the waste in a second.
- When the dumpster touches the ground, the tail gates close automatically.
- The unit can be lifted either by a hoist or forklift.

- The Dumpster construction allows to separate each component, side and bottom for easy packing and transporting to another place if necessary.

DBD100





DBD150





Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Ibs (kg)	Volume ft³ (m³)	Work Load Limit Ibs (kg)
DBD100	51 ¾ (1305)	45 ¼ (1150)	50 ¼16 (1271)	442.2 (201)	35.4 (1)	3300 (1500)
DBD150	64 ¹⁵ ⁄16 (1650)	51 ¾ (1305)	50 ¼ ₁₆ (1271)	583 (265)	53 (1.5)	4400 (2000)

SPECIALIZED MACHINERY

AUSAVINA SLUDGE DEHYDRATOR MACHINE

- Designed to separate sludge from water and purify rock debris when polishing, cutting,...
- ASDM114 is an effective solution to protect the environment.
- Easy and quick to assemble and disassemble.





ECO-FRIENDLY

Minimize smell and noise, smooth discharging and stable operation.



Automatically pump sludge water into the tank whenever it completely flows into the filter system to save time and increase productivity.



HIGH- EFFECTIVE

Bag filter able to keep and separate sludge seed size larger than 37 micrometers out of water.

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	Net Weight Ibs (kg)	Maximum Filter Capacity	Power Red 3 pł	quirement nase
ASDM114	107 ½ (2731)	37 ¼16 (940)	67 5⁄16 (1710)	913 (415)	8 m³/h	220V/60hz	380V/50hz

AUSAVINA EZ-PRO LEVEL EXTENDER





Model	Length	Width	Height	Net Weight	Work Load Limit
	In (mm)	In (mm)	In (mm)	Ibs (kg)	Ibs (kg)
AELE7811	78 ¾ (2000)	8 1⁄8 (206)	15 7⁄8 (403)	7.04 (3.2)	308 (140)

AUSAVINA BUNDLE SECURING BAR

- ABSB180 is designed to enhance safety during moving bundle slabs when combined with clamp devices. It's a smart tool to increase productivity. Simple design, easy-to-use, lightweight and fast operation. The two ends of the Bundle Securing Bar are covered by rubbers to protect the slabs against chiping and scratching.







AUSAVINA DRILLING GUIDE

AUSAVINA DRILLING GUIDE M2

DGM2

- Drilling Guide is specifically developed to drill slabs quickly, exactly and securely.
- Made of aluminum for lightweight and easy-to-drill desired positions.
- Two suction cups hold slabs firmly to avoid wobbling during drilling operations.
- The drill holder and head can slide up & down smoothly and precisely for a properly defined location drilled.

Note Drill is not included.






AUSAVINA DRILLING GUIDE M3

DGM3

- Drilling Guide is specifically developed to drill granite slabs quickly, exactly and securely.
- The three suction cups are designed to secure DGM3 firmly on a slab to prevent from moving or shaking.
- Drilling guide body is made of aluminum for lightweight and easy to use.
- Firm and accurate drilling jig enables higher capacity for effective operations.

Note Drill is not included.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Ibs (kg)	Drill Fitting Diameter With And Without Collar - In (mm)
DGM2	20 ½ (520)	8 1⁄8 (225)	16 ½ (407)	15.4 (7)	1 ¹¹ / ₁₆ - 2 ¹ / ₁₆ (43 - 53)
DGM3	15 %16 (395)	15 ¹⁵ ⁄16 (406)	15 13/16 (402)	17.6 (8)	1 ¹¹ ⁄ ₁₆ - 2 ¹ ⁄ ₁₆ (43 - 53)

AUSAVINA MULTI SLAB SAFEGUARD SLING

- Multi Slab Safeguard Sling is combined with lifters to transport many slabs at the same time.

- The rubber pads on the clamp plates increase the gripping force and keep the material from damaging and scratching.

- The device is designed with protection features to ensure safety and productivity.



Model	Grip Range - In (mm)	Applicable Lifter Models
AMSS85	9⁄16 - 3 ¾ (15 - 85)	ALG, AFL65, AFL65A, ASL30A, ASVL, APL20, APL20-M2
AMSS160	¹⁵ ⁄16 - 6 ⁵ ⁄16 (25 - 160)	ABL150, ABL150A

7 % (200)

6¹³/₁₆ (173)


7.7 (3.5)

AMSS160

9 13/16 (250)

AUSAVINA SAFETY CORNER SLAB RACK WEDGE

- Made out of high-quality plastic, the unique tool to use along with a variety ranges of slab racks for high safety. Compact design for easy carry or storage.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Ibs (kg)	Type of Pole in (mm)
ASCSRW5.5	7 13/16 (198.5)	3 %16 (90)	7 5⁄16 (186)	0.68 (0.31)	1 ¹⁵ ⁄16 - 1 ¹⁵ ⁄16 (50 - 50)
ASCSRW4.8	8 ¹⁵ /16 (228)	3 %16 (90)	7 5⁄16 (186)	0.72 (0.33)	1 %16 - 3 ¼8 (40 - 80)
ASCSRW5.10	9 13/16 (248.5)	3 %16 (90)	7 5⁄16 (186)	0.75 (0.34)	1 15/16 - 3 15/16 (50 - 100)

AUSAVINA SLAB WEDGE



- Very useful handy tool to keep little gaps between slab edges. Avoid damage and enhance safety.



AUSAVINA SWIVEL HOOK

- These Hooks are included in some Ausavina lifter models. Connect Ausavina lifters and / or booms to allow 360° slab rotation.

ASH52.40





ASH37.45




ASH81.57









Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Ibs (kg)	Work Load Limit Ibs (kg)
ASH52.40	3 1⁄8 (79)	1 (25)	7 ⁵⁄16 (186)	1.76 (0.8)	2200 (1000)
ASH37.45	4 ¼16 (103)	1 % (47)	8 %16 (218)	4.18 (1.9)	4400 (2000)
ASH81.57	4 11/16 (119)	1 5⁄/8 (41)	11 7⁄16 (290)	6.6 (3)	4400 (2000)

AUSAVINA SWIVEL SHACKLE

- These Shackles are included in some Ausavina lifter models. Connect Ausavina lifters and / or booms to allow 360° slab rotation.





SWS1500



SWS2500

Model	Length In (mm)	Width In (mm)	Height In (mm)	Loading Capacity Ibs (kg)	Net Weight Ibs (kg)
SWS1500	4 ½ (115)	1 ¼ (32)	7 ¹³ ⁄16 (199)	3300 (1500)	3.1 (1.4)
SWS2500	5 ¼ (133)	1 ⁵⁄a (42)	11 ¼ (286)	5500 (2500)	6.6 (3)

AUSAVINA CABLE CONNECT SLING

- Cable Connect Sling extends lifting room when headroom is not an issue. Connects Ausavina lifters and / or booms.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Cable diameter In (mm)	Net Weight Ibs (kg)	Loading Capacity Ibs (kg)
ASL017	16 ¹³ ⁄16 (427)	3 3⁄8 (85)	3⁄4 (19)	³ ⁄ ₈ (10)	2.64 (1.2)	3300 (1500)

AUSAVINA BOW SHACKLE

- Ausavina Bow Shackle is a tool for straight lifts where no rotation is needed. Connects any Ausavina lifter, boom, scissor clamp.





Model	ABS22
Length - In (mm)	5 11/16 (144)
Width - In (mm)	1 5⁄/8 (41)
Height - In (mm)	5 5 ⁄8 (143)
Net Weight - Ibs (kg)	2.64 (1.2)
Loading Capacity - lbs (kg)	3300 (1500)

AUSAVINA STONEMASON SLEEVES



- Ausavina Stonemason Sleeves fit snugly around the wrist and upper sleeve area to prevent clothes from getting soaked during wet grinding.

Model	SMS019
Width - In (mm)	19 ⁵ ⁄16 (490)
Height - In (mm)	6 ½ (165)
Net Weight - lbs (kg)	0.352 (0.16)

Customizable with any Company logo.

AUSAVINA STONE MASON APRON

A HEAVY DUTY APRON FOR ALL STONEMASONS.

- The quick snap straps are ideal for a quick and easy fit.

- Made of a double layer of the highest quality material for extra protection.

- Compact design, many compartments to store tools.

- Customizable with any Company logo.



Model	Width - In (mm)	Height - In (mm)	Net Weight - lbs (kg)
SMA048	35 7⁄16 (900)	47 ¼ (1200)	1.32 (0.6)









Contactus:

Address: No. 944/I Nguyen Thi Minh Khai Street, Tan Thang Quarter, Tan Dong Hiep Ward, Ho Chi Minh City, Vietnam.

Tel: (+84) 902 505 544 Office: (+84) 274 373 9448 Email: sales@ausavina.com

