



AUSAVINA JSC
MATERIAL HANDLING SOLUTIONS



CATALOGUE

OUR CONTACT

Address: No. 944/1 Nguyen Thi Minh Khai Street,
Tan Thang Quarter, Tan Dong Hiep Ward,
Ho Chi Minh City, Vietnam.

Tel: (+84) 902 505 544

Office: (+84) 274 373 9448

Email: sales@ausavina.com




Scan QR Website



Material Handling Solutions for STONE & GLASS INDUSTRIES

Since 2009, AUSAVINA Joint Stock Company specializes in designing and manufacturing professional equipment for the STONE and GLASS industries



www.ausavina.com

ABOUT COMPANY



SOLUTIONS TO YOUR ACTUAL NEEDS

The Company track record shows their never-ending commitment to the best possible "Customer Satisfaction".

AUSAVINA people firmly believe the Valued Clients are the most important asset to the Company. That is why their dedication is strong and stable.

Products are distributed all over the world with a significant presence in Europe, Asia, Pacific Area.

AUSAVINA R&D team is always available to contribute finding the best reply to any professional request.



CUSTOMIZATION SERVICE



COLOR



DIMENSION



PROFESSIONAL
ENGINEERS



QUICK SAMPLE
DESIGN



GALVANIZED
OPTIONAL

- We provide customization service for products to meet diverse customer demands



YELLOW



ORANGE



BLUE



MATTE BLACK



TABLE OF **CONTENTS**

01 Slab Lifting Clamps & Vacuum Cups

02 Forklift Attachments

03 Spreader Lifting Bars

04 Hand Transportation Clamps & Suction Cups

05 Countertop Tools-Equipment


06 Working Tables and Stands

07 Slab Transportation

08 Slab Storage A-Frames & Racks

09 Specialized Machinery

10 Accessories & Other



MATERIAL HANDLING SOLUTIONS

1. SLAB LIFTING CLAMPS & VACUUM CUPS PAGE

Ausavina Little Giant Lifter Automatic.....	10
Ausavina Little Giant Lifter.....	11
Ausavina Sky Rider Lifter Automatic.....	12
Ausavina Super Multi Material Lifter Automatic.....	13
Ausavina Bison Lifter.....	14
Ausavina Bison Lifter Automatic.....	14
Ausavina Falcon Lifter.....	15
Ausavina Falcon Lifter Automatic.....	15
Ausavina Stone Crab Lifter Automatic.....	16
Ausavina Scissor Clamp.....	17-19
Ausavina Barrier Heavy Lifter.....	19
Ausavina Multi Material Lifter Automatic.....	20
Ausavina Glass Lifter.....	21
Ausavina Pro-Glass Lifter.....	21
Ausavina Rotary Motor Shackle.....	22
Ausavina Mylift "Portable Electric Vacuum Lifter".....	23
Ausavina Dual Pump Vacuum Lifter.....	24
Ausavina Vacuum Multilift Pro.....	25-26
Ausavina Qli Vacuum Lifter.....	27
Ausavina Stone Vacuum Lifter (SVL25).....	28
Ausavina Stone Vacuum Lifter (SVL50).....	29
Ausavina Stone Vacuum Lifter (SVL75).....	30
Ausavina Stone Vacuum Lifter (SVL100).....	31
Ausavina Multi Stone Vacuum Lifter.....	32
Ausavina Vacuum Lifter (DVL400).....	33
Ausavina Vacuum Lifter (AVL480).....	34
Ausavina Vacuum Lifter (DVL480).....	35
Ausavina Vacuum Lifter (AVL500).....	36
Ausavina Vacuum Lifter (DVL500).....	37
Ausavina Vacuum Lifter Pro (DVL500-PRO).....	38
Ausavina Vacuum Lifter (DVL1000).....	39
Ausavina Vacuum Lifter Pro (DVL1000-PRO).....	40
Ausavina Vacuum Lifter (AVL600).....	41
Ausavina Vacuum Lifter (CVL600).....	42
Ausavina Rotary Vacuum Lifter.....	43
Ausavina Forklift Power Vacuum Lifter.....	44
Ausavina Multi Material Installation Panel Transport Cart.....	45
Ausavina Manual Vacuum Grip Lifter.....	46
Ausavina Bag Gripper Automatic.....	47
Ausavina Round Material Lifter Automatic.....	48



2. FORKLIFT ATTACHMENTS PAGE

Ausavina Forklift Boom AFJ25-B.....	49
Ausavina Smart Forklift Boom ASFJ27.....	49
Ausavina Forklift Boom AFJ35.....	50
Ausavina Swing-Arm Forklift Boom.....	50
Ausavina Telescopic Forklift Boom.....	51
Ausavina Forklift Extensions.....	51
Ausavina Pivot Forklift Boom.....	52
Ausavina Tps Forklift Boom 3 In 1.....	53
Ausavina Container Bundle Slab Loader.....	54
Ausavina Container Bundle Slab Load - Unloader Pro.....	55



MATERIAL HANDLING SOLUTIONS

3. SPREADER LIFTING BARS

PAGE

Ausavina Spreader Bar M1.....	56
Ausavina Spreader Bar M4.....	57
Ausavina Spreader Bar M6.....	57
Ausavina Spreader Bar M7.....	58
Ausavina Spreader Bar M9.....	58
Ausavina Easy Adjustable.....	59



4. HAND TRANSPORTATION CLAMPS & SUCTION CUPS

PAGE

Ausavina Double Handed Giant Carry Clamps.....	60
Ausavina Single Handed Carry Clamps.....	60
Ausavina Double Handed Carry Clamps.....	61
Ausavina Battery Multi Material Vacuum Suction Cup.....	62
Ausavina Hand Pump Vacuum Suction Cup.....	63
Ausavina Battery Multi Material Vacuum Suction Cup Pro.....	64
Ausavina Power Vacuum Lift Pro.....	65
Ausavina Ellip Power Pump Vacuum Suction Cup	66
Ausavina Double/Triple Suction Lifter.....	67



5. COUNTERTOP TOOLS-EQUIPMENT

PAGE

Ausavina Ratchet Seam Setter M2.....	67
Ausavina Battery Seam Setter.....	68
Ausavina Qli Seam Setter With Suction Cups.....	69
Ausavina Easy Work Seam Setter Pro.....	70
Ausavina Easy Work Seam Setter/with Battery.....	71
Ausavina Ez-pro Battery Seam Setter.....	72
Ausavina 90 Degree Seam Setter.....	73
Ausavina 90 Degree Pro Seam Setter.....	74
Ausavina 90 Degree Clamp.....	75-76
Ausavina Countertop Slab Saver.....	76
Ausavina Miter Fit Clamp.....	77
Ausavina Miter Set Clamp.....	78
Ausavina Sink Lock.....	79



6. WORKING TABLES AND STANDS

PAGE


Ausavina Power Kitchen Processing Table.....	80
Ausavina Power Kitchen Installation Cart.....	81
Ausavina Dual Polished Flip Table.....	82
Ausavina Tilt Glass Cutting Table.....	83
Ausavina Working Table.....	83
Ausavina Flexible Work Table.....	84
Ausavina Flexible Work Table - 4 Wheels.....	84
Ausavina Easy Adjustable Fabrication Stand/Seni.....	85
Ausavina Fabrication Stand.....	86
Ausavina Qli Foldable Table.....	86
Ausavina Edge Polishing Stand - Auto Lock.....	87



7. SLAB TRANSPORTATION

PAGE


Ausavina Slab Dolly.....	88
Ausavina 3 Wheel Slab Dolly.....	88
Ausavina 3 Wheel Giant Dolly.....	88
Ausavina 4 Wheel Giant Dolly.....	89
Ausavina 4 Wheel Slab Dolly.....	89
Ausavina Self-Locking Trolley.....	89-90
Ausavina Safety Slab Dolly.....	91
Ausavina Self-Locking Dolly.....	91
Ausavina Tug Dolly.....	92
Ausavina Easy Moving Dolly.....	93
Ausavina Ez-Pro Winch Cart.....	94
Ausavina V-Cart.....	95
Ausavina Qli Drywall Cart 039.....	95
Ausavina Nesting Dual Drywall Cart 049.....	96
Ausavina Slab Rack Dolly.....	97
Ausavina Folding Trolley Frame.....	97
Ausavina Flexible Carry Cart.....	98
Ausavina Smart Slab Buggy.....	99
Ausavina Double Sided Slab Buggy.....	100-101
Ausavina Slab Buggy.....	102
Ausavina Qli Slab Buggy.....	103
Ausavina Universal Slab Buggy.....	104
Ausavina Flexible Transport Cart.....	105
Ausavina Oversized Glass Transport Cart.....	106
Ausavina Heavy Duty Multi-Utility Transport Trailer.....	107
Ausavina Heavy Multi-Purpose Transport Trailer.....	108
Ausavina Flat Stacking Cart.....	109
Ausavina Stacking Single Sided A-Frame.....	110
Ausavina Nesting Single Sided Cart.....	111
Ausavina Heavy Duty Folding One Stop A-Frame.....	112
Ausavina Folding One-Stop A-Frame.....	113-115
Ausavina Demountable Frame.....	116
Ausavina One Stop High A-Frame.....	116
Ausavina One Stop Single Sided A-Frame.....	117
Ausavina Smart One Stop A-Frame.....	118
Ausavina One Stop A-Frame Pro.....	119
Ausavina One Stop A-Frame.....	120-121
Ausavina Bi-Level A-Frame.....	122
Ausavina One Stop A-Frame.....	123-124
Ausavina Multi Adjustable Dropside Truck A-Frame.....	125
Ausavina Adjustable Dropside Truck A-Frame.....	126



8. SLAB STORAGE A-FRAMES & RACKS

PAGE

Ausavina Heavy Duty Display Stand Rack.....	127
Ausavina Triple Side Folding Truck A-Frame.....	128
Ausavina Folding Adjustable Giant A-Frame.....	129
Ausavina Single Sided A-Frame.....	130
Ausavina Single Sided Truck A-Frame.....	130
Ausavina Standard A-Frame.....	131
Ausavina Truck A-Frame.....	131
Ausavina Heavy Duty Truck A-Frame.....	132
Ausavina Qli Standard A-Frame 060.....	132
Ausavina Qli Truck A-Frame 060.....	133
Ausavina Qli Truck A-Frame 074.....	134
Ausavina Qli Folding Truck A-Frame 060.....	135
Ausavina Qli Folding Truck A-Frame 074.....	136
Ausavina Easy Load A-Frame 060.....	137
Ausavina Adjustable Giant Truck A-Frame.....	138
Ausavina Heavy Duty Single Side A-Frame.....	139




MATERIAL HANDLING SOLUTIONS

8. SLAB STORAGE A-FRAMES & RACKS

PAGE

Ausavina Heavy Duty Double Side A-Frame.....	140
Ausavina Universal A-Frame.....	141
Ausavina Heavy-Duty Multi-Material Bundle Rack.....	142
Ausavina Display Sliding Rack.....	143
Ausavina Bundle Slab Rack.....	144
Ausavina Qli Universal Bundle Slab Rack.....	145
Ausavina Rhino Slab Rack.....	146
Ausavina Slab Rack.....	146
Ausavina Qli Universal Slab Rack.....	147
Ausavina Remnant Slab Rack.....	148
Ausavina Spare Poles.....	149



9. SPECIALIZED MACHINERY

PAGE


Ausavina Air Polishing Machine.....	150
Ausavina Stone Saw MODS1.....	151
Ausavina Stone Saw MODS2.....	152
Ausavina Rail Machine 5 In 1.....	153
Ausavina Column Articulate Crane (Jib Crane).....	154
Ausavina Mortar Mixer.....	155
Ausavina Dehydrator (Sludge Filter).....	156
Ausavina Collapsible Dumpster (Tilt Dumpster).....	157
Ausavina Drop Bottom Dumpster.....	158
Ausavina Sludge Dehydrator Machine.....	159



10. ACCESSORIES & OTHER

PAGE

Ausavina Ez-Pro Level Extender.....	160
Ausavina Bundle Securing Bar.....	160
Ausavina Drilling Guide M2.....	161
Ausavina Drilling Guide M3.....	161
Ausavina Multi Slab Safeguard Sling.....	162
Ausavina Safety Corner Slab Rack Wedge.....	163
Ausavina Slab Wedge.....	163
Ausavina Swivel Hook.....	164
Ausavina Swivel Shackle.....	165
Ausavina Cable Connect Sling.....	165
Ausavina Bow Shackle.....	166
Ausavina Stonemason Sleeves.....	166
Ausavina Stone Mason Apron.....	166





AUSAVINA LITTLE GIANT LIFTER AUTOMATIC

- A new upgrading product designed to lift and move slabs in various workplaces.
- Provides an Opening and Closing mechanism of clamp plate with fully automatic ensures safety and convenience for users during operation.
- Suitable for natural and artificial stones with a grip range from 5 to 75 mm.
- Clamp Plates are covered by rubber pads to prevent from damage and scratches.



NOTE Swivel shackle included

- The lifter can combine with AMSS85 for transporting multi slabs at once safely and efficiently

AUTOMATIC

Patented auto lock mechanism




Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ALG40A	8 ⁷ / ₁₆ (214)	6 ¹³ / ₁₆ (173)	15 ³ / ₁₆ (385)	³ / ₁₆ ~ 1 ⁹ / ₁₆ (5 ~ 40)	52.8 (24)	2860 (1300)
ALG50A	8 ⁷ / ₁₆ (214)	7 ¹ / ₄ (184)	15 ³ / ₁₆ (385)	³ / ₈ ~ 1 ¹⁵ / ₁₆ (10 ~ 50)	52.8 (24)	2860 (1300)
ALG60A	8 ⁷ / ₁₆ (214)	8 ¹ / ₈ (206)	16 ³ / ₄ (425)	¹³ / ₁₆ ~ 2 ³ / ₈ (20 ~ 60)	63.8 (29)	3300 (1500)
ALG75A	8 ⁷ / ₁₆ (214)	8 ¹ / ₂ (216)	16 ³ / ₄ (425)	1 ³ / ₁₆ ~ 2 ¹⁵ / ₁₆ (30 ~ 75)	64.9 (29.5)	3300 (1500)

AUSAVINA LITTLE GIANT LIFTER



- An ideal tool designed to lift and move slabs ensures safety and convenience for users during operation.
- Suitable for natural and artificial stones with a grip range from 10 to 75 mm.
- Clamp Plates are covered by rubber pads to prevent from damage and scratches.
- The smart clamping system provide effective and safe slab lifting.



NOTE Swivel shackle included

- The lifter can combine with AMSS85 for transporting multi slabs at once safely and efficiently

ALG30

ALG50

ALG60, ALG75



VERSATILITY

The Ausavina Lifters are ideal for construction jobs. The clamping mechanism is located at the front of the slab, enabling close positioning of slabs against walls.



CONVENIENCE

The compact design enables smooth operation in confined spaces. To lift multiple slabs, always use Ausavina Multi Slab Safeguard Sling.



SAFETY

Intelligent and compact design provides maximum protection for users.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ALG30	7 7/8 (200)	5 13/16 (144)	12 13/16 (326)	3/8 ~ 1 3/16 (10 ~ 30)	34.1 (15.5)	2200 (1000)
ALG50	8 5/16 (211)	7 3/16 (183)	14 9/16 (370)	3/8 ~ 1 15/16 (10 ~ 50)	50.6 (23)	2860 (1300)
ALG60	8 1/2 (216)	7 15/16 (202)	15 7/8 (403)	13/16 ~ 2 3/8 (20 ~ 60)	61.6 (28)	3300 (1500)
ALG75	8 1/2 (216)	8 7/16 (214)	15 7/8 (403)	1 3/16 ~ 2 15/16 (30 ~ 75)	61.6 (28)	3300 (1500)



AUSAVINA SKY RIDER LIFTER AUTOMATIC

- Two models, two grip ranges, super large surfaces and natural rubber-coated clamp plate to easily / safely handle stone, granite, marble, porcelain slabs or glass sheets.
- Patented auto-lock mechanism and included swivel shackle allow 360° slab rotation.
- Mainly made of aluminum for lightweight and high durability purposes.

ASL20A



ASL30A



NOTE Swivel shackle included

- ASL30A can combine with AMSS85 for transporting multi slabs at once safely and efficiently


AUTOMATIC

Patented auto lock mechanism



AUTOMATIC

The Opening and Closing mechanism of clamp plate is fully automatic.



WIDE CLAMP PLATES

Improve gripping force and protect large fragile slab from damage and breakage.



VERSATILE

Enhance grip on both natural and artificial stone slabs of various thicknesses.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ASL20A	12 ⁷ / ₁₆ (316)	4 ¹³ / ₁₆ (122)	10 ⁵ / ₁₆ (262)	0 ~ ¹³ / ₁₆ (0 ~ 20)	19.8 (9)	1100 (500)
ASL30A	19 ⁵ / ₁₆ (490)	5 ⁷ / ₁₆ (138)	13 ¹³ / ₁₆ (351)	0 ~ 1 ³ / ₁₆ (0 ~ 30)	59.4 (27)	2200 (1000)

- Designed to clamp, lift and move material slabs in various workplaces.
- Provides an Opening and Closing mechanism of clamp plate with fully automatic ensures safety and convenience for users during operation.
- Three models with different grip ranges and work load limit to handle various material slabs.
- Compact design with high-quality natural rubber pads to safely operate in narrow places.



NOTE Swivel shackle included (ASVL20A, ASVL30A-M2, ASVL40A), Swivel Hook included (ASVL50A-M2)

- The lifter can combine with AMSS85 for transporting multi slabs at once safely and efficiently



AUTOMATIC

Clamping mechanism for easy slabs lifting/lowering.

SAFE

Unique design with wider clamp plates to increase safety when carrying materials during operation.

FLEXIBLE

Flexible use for different material slabs such as stone, glass, porcelain and others.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ASVL20A	9 $\frac{13}{16}$ (250)	5 $\frac{13}{16}$ (147)	12 $\frac{11}{16}$ (322)	0 ~ $\frac{13}{16}$ (0 ~ 20)	19.8 (9)	660 (300)
ASVL30A-M2	13 $\frac{3}{4}$ (350)	5 $\frac{13}{16}$ (147)	15 $\frac{3}{16}$ (386)	0 ~ 1 $\frac{3}{16}$ (0 ~ 30)	34.1 (15.5)	1100 (500)
ASVL40A	11 $\frac{13}{16}$ (300)	8 $\frac{1}{8}$ (207)	14 $\frac{15}{16}$ (380)	0 ~ 1 $\frac{9}{16}$ (0 ~ 40)	33 (15)	1760 (800)
ASVL50A-M2	19 $\frac{11}{16}$ (500)	7 $\frac{5}{16}$ (185)	18 $\frac{3}{4}$ (477)	0 ~ 1 $\frac{15}{16}$ (0 ~ 50)	59.4 (27)	1540 (700)



AUSAVINA BISON LIFTER

- A heavy-duty lifter designed to lift and move stone slabs or other materials with a grip range up to 150 mm. Clamp Plates are covered by rubber pads to prevent damage and scratches during operation. A swivel shackle helps to rotate slab 360° easily. Two models includes:

* **ABL150 with smart clamping system**

* **ABL150A with PATENTED automatic clamping system**

AUSAVINA BISON LIFTER

ABL150



AUSAVINA BISON LIFTER AUTOMATIC

ABL150A



AUTOMATIC
Patented auto lock
mechanism

NOTE Swivel shackle included

- The lifter can combine with AMSS160 for transporting multi slabs at once safely and efficiently



Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ABL150	15 ⁷ / ₁₆ (392)	8 ³ / ₄ (210)	18 ¹ / ₈ (459)	³ / ₁₆ ~ 5 ⁷ / ₈ (5~150)	74.8 (34)	3960 (1800)
ABL150A	15 ⁷ / ₁₆ (392)	8 ³ / ₄ (210)	18 ¹ / ₈ (459)	³ / ₁₆ ~ 5 ⁷ / ₈ (5 ~ 150)	76 (34.5)	3960 (1800)


- The Ausavina Falcon Lifter is designed to lift and move stone slabs quickly and safely.
- The lifter is mainly made of steel for strength and durability in harsh environments.
- Two clamp plates are covered by rubber pads to protect the stone slabs during operation and transportation.
- The lifter can clamp many types of stone slab with different thickness from $1\frac{3}{16}$ " (20 mm) to $2\frac{9}{16}$ " (65mm).

NOTE Swivel shackle included

- The lifter can combine with AMSS85 for transporting multi slabs at once safely and efficiently


AUSAVINA FALCON LIFTER

AFL65



AUSAVINA FALCON LIFTER AUTOMATIC

AFL65A



AUTOMATIC
Patented auto lock mechanism



Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AFL65	8 $\frac{7}{8}$ (226)	8 $\frac{7}{16}$ (214)	16 $\frac{3}{4}$ (426)	$1\frac{3}{16}$ ~ 2 $\frac{9}{16}$ (20 ~ 65)	73.7 (33.5)	2200 (1000)
AFL65A	8 $\frac{7}{8}$ (226)	8 $\frac{7}{16}$ (214)	16 $\frac{3}{16}$ (411)	$1\frac{3}{16}$ ~ 2 $\frac{9}{16}$ (20 ~ 65)	74.8 (34)	2200 (1000)



AUSAVINA STONE CRAB LIFTER AUTOMATIC

- A special design with durable structure to resist strong impact and ability to change grip range flexibly for easy slabs moving with different thicknesses.
- It features a swivel hook and a steel cable to make slab operations easy.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ASCL50A	8 9/16 (217)	7 5/8 (194)	22 1/4 (565)	9 1/16 ~ 1 15/16 (15 ~ 50)	56.1 (25.5)	2640 (1200)

- Ausavina Scissor Clamp is an invaluable tool for lifting slabs, barriers, curbs, median walls and tombstones. The jaws of the lifter are covered with long-lasting and fully vulcanized natural rubber pads to ensure safe and non-marking grip.

SC100




SC150



SC350



SC400



PROTECTION

Rubber-pads provide a non-slip grip and protect slab surfaces from chips and scratches.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
SC100	21 ⁵ / ₁₆ (542)	7 ¹ / ₁₆ (180)	15 ³ / ₄ (400)	³ / ₈ ~ 3 ¹⁵ / ₁₆ (10 ~ 100)	47.3 (21.5)	2860 (1300)
SC150	23 ¹ / ₄ (590)	9 ¹³ / ₁₆ (250)	18 ¹ / ₁₆ (458)	1 ³ / ₁₆ ~ 5 ⁷ / ₈ (30 ~ 150)	77 (35)	3300 (1500)
SC350	22 ⁵ / ₈ (575)	9 ¹³ / ₁₆ (250)	20 ¹³ / ₁₆ (528)	5 ⁷ / ₈ ~ 13 ³ / ₄ (150 ~ 350)	112.2 (51)	3520 (1600)
SC400	27 ¹⁵ / ₁₆ (710)	9 ¹³ / ₁₆ (250)	20 ¹ / ₂ (520)	7 ⁷ / ₈ ~ 15 ³ / ₄ (200 ~ 400)	114.4 (52)	2420 (1100)



AUSAVINA SCISSOR CLAMP

- A professional and secure solution for handling granite, marble, curbs, barriers, and tombstones with firm grip and effortless control.

SC100AL-M2




SC150AL



SC350AL



SC400AL



AUTOMATIC

Automatic clamping mechanism enables effortless material lifting.



SECURE

High-quality rubber pads protect surfaces against scratches and damage during transport and handling.



HEAVY-DUTY


Engineered for high-capacity lifting, this clamp handles concrete barriers and large stone slabs with absolute ease and stability.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
SC100AL-M2	21 5/16 (542)	7 1/16 (180)	15 3/4 (400)	3/8 ~ 3 15/16 (10 ~ 100)	47.3 (21.5)	2860 (1300)
SC150AL	23 1/4 (590)	9 13/16 (250)	18 1/16 (458)	1 3/16 ~ 5 7/8 (30 ~ 150)	77 (35)	3300 (1500)
SC350AL	22 5/8 (575)	9 13/16 (250)	20 15/16 (533)	5 7/8 ~ 13 3/4 (150 ~ 350)	112.2 (51)	3520 (1600)
SC400AL	27 15/16 (710)	9 13/16 (250)	20 1/2 (520)	7 7/8 ~ 15 3/4 (200 ~ 400)	114.4 (52)	2420 (1100)

AUSAVINA SCISSOR CLAMP



- Scissor Clamp is an invaluable lifting equipment for slabs, barriers, curbs, median walls and tombs stones.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
SC300	31 1/2 (800)	21 9/16 (548)	39 1/4 (997)	3 15/16 ~ 11 13/16 (100 ~ 300)	479.6 (218)	3520 (1600)

AUSAVINA BARRIER HEAVY LIFTER

- Ausavina Barrier Heavy Lifter (ABHL3200) is an ideal solution to safely lift, move, lower big size barriers, slabs, blocks made of stone. Vulcanized rubber and extended clamp plates protect material from damage and increase gripping force during clamping. This lifter operates with gravity-controlled mechanism, automatically opening when idle and closing when lifted.

BIG LOAD: The work load limit is up to 7040 lbs (3200 kg).

NOTE Swivel shackle included



Auto open - lock
mechanism



Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ABHL3200	27 9/16 (700)	33 3/16 (843)	26 1/4 (667)	3 15/16 ~ 11 13/16 (100 ~ 300)	358.6 (163)	7040 (3200)

AUSAVINA MULTI MATERIAL LIFTER AUTOMATIC

- Ausavina Multi Material Lifter Automatic is mainly designed to clamp and lift the material slabs.
- Clamping mechanism is fully automatic.
- The large surface of clamp plates is covered by rubber to prevent damage when moving in any direction.
- Two guide shafts ensure precise lifter positioning, while the wheel system enables smooth movement and secures the slab between the clamping jaws.

Note: Swivel shackle included



APL20



APL20-M2



PATENTED AUTOMATIC LOCKING MECHANISM



AUTOMATIC CLAMP

The clamping mechanism is fully automatic.



SAFE RUBBER PAD

The contact surface of lifter is covered by rubber pads to prevent damage or crack when lifting.



GUIDE SHAFT


Two guide shafts lead the lifter into the correct position.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
APL20	30 13/16 (780)	10 7/16 (265)	22 1/4 (565)	3/16 ~ 13/16 (4 ~ 20)	51.7 (23.5)	660 (300)
APL20-M2	21 1/8 (536)	6 15/16 (176)	16 11/16 (424)	0 ~ 13/16 (0 ~ 20)	25.3 (11.5)	880 (400)

- No electricity or compressed air is required, as the grip and release operations are fully automatic and mechanically controlled.
- Ausavina Glass Lifter is designed to safely and securely handle glass sheets.
- The fully automatic clamps with an extended grip surface minimize labor requirement.
- Two guide shafts ensure precise lifter positioning, while the wheel system enables smooth movement and secures the slab between the clamping jaws.
- The vulcanized rubber on the clamp provides additional grip and extra protection for handling the glass.
- Compact design for easy storage and transportation.

AUSAVINA GLASS LIFTER


AGL28



Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AGL28	23 9/16 (598)	8 9/16 (218)	25 3/16 (640)	3/16 ~ 1 1/8 (4 ~ 28)	63.8 (29)	1760 (800)

AUSAVINA PRO-GLASS LIFTER

APGL40



Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
APGL40	29 1/16 (738)	9 7/16 (240)	26 7/8 (683)	3/16 ~ 1 9/16 (4 ~ 40)	79.2 (36)	3080 (1400)

AUSAVINA ROTARY MOTOR SHACKLE

- Engineered for seamless integration with Ausavina stone and glass lifters, forklifts or hoists, this solution excels in slab transportation.
- The wireless remote control allows operators to safely lift, rotate and position slabs directly from the forklift - enhancing both efficiency and worksite safety.



360-DEGREE ROTATABLE

360-degree rotation enables precise adjustment in any desired orientation.



CONVENIENT

The user-friendly battery system and level indicator enhance control and convenience.



SECURE

Remote operation from the forklift keeps the operator securely away from the danger zone.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Battery Powered	Work Load Limit lbs (kg)
ARMS1200	9 1/16 (231)	7 3/16 (182)	17 15/16 (456)	34.1 (15.5)	24V, 10Ah	2640 (1200)

AUSAVINA MYLIFT “PORTABLE ELECTRIC VACUUM LIFTER”



- Portable Electric Vacuum Lifter is a hand-held tool designed to lift and move small and medium-sized sheets of material in workshops or construction sites.



FEATURES	PVL100	PVL100PRO
WIDE APPLICATION: Use for variety of surface materials.	✓	✓
HAND PUMP MODE: Alternative mode when battery run out.	✓	✓
WARNING SYSTEM: An audible-visual alarm system provides safety during lifting and moving material.	✗	✓
AUTOMATIC MECHANISM: The vacuum is activated and re-pump automatically.	✗	✓

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
PVL100	11 5/8 (295)	6 1/2 (165)	4 15/16 (126)	3.74 (1.7)	220 (100)
PVL100PRO	11 5/8 (295)	6 1/2 (165)	4 15/16 (126)	3.96 (1.8)	220 (100)

AUSAVINA DUAL PUMP VACUUM LIFTER

- Ausavina Dual Pump Vacuum Lifter (ADPVL250) is designed for lifting / lowering and transporting stone slabs within the allowable work load limit. It is typically combined with a hoist to lift stone slabs onto a working table or to move them within a warehouse or workshop.
- The standout feature of the ADPVL250 is its dual operation: it can utilize compressed air - if available in the workshop - to generate suction, or it can operate manually using the built-in hand pump.
- The suction force is consistently maintained throughout the working process.
- The suction cups are made of soft rubber, enhancing adhesion to the stone slab while preventing contact damage.
- To avoid operation under low pressure, a dual audio-visual alarm system is integrated for added safety.
- The compact design ensures easy transport and storage.



WARNING SYSTEM



Hand pump

Available air connector

Connect to a compressed air connector or use a hand pump to create a vacuum.



A detachable suction cup with a rail line allows easy integration with the pneumatic components.



Designed for lifting/lowering and transporting stone slabs or other non-porous materials within the allowable work load limit.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ADPVL250	21 1/16 (534)	11 5/16 (287)	7 5/16 (186)	44 (20)	550 (250)

AUSAVINA VACUUM MULTILIFT PRO

- A portable lifter enables effortless transportation of materials across various work environments.
- Ausavina Vacuum Multilift Pro is designed to lift material slabs safely and efficiently, handling loads of up to 550 lbs (250 kg).



CONVENIENCE

The compact design allows for easy packaging and transport. Its ergonomic handle provides a comfortable grip, ensuring smooth and efficient operation.



SAFETY

Equipped with an LED light and alarm system that alerts the user when pressure drops, ensuring safer and more efficient operation.



HIGH PROTECTION

The soft rubber suction cup enhances adhesion between the stone slab and the cup while protecting the slabs from scratches.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Battery	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AVMP250	15 3/4 (400)	9 13/16 (250)	7 3/16 (182)	18V	16.7 (7.6)	550 (250)

AUSAVINA VACUUM MULTILIFT PRO

- A portable lifter enables effortless transportation of materials across various work environments.
- Ausavina Vacuum Multilift Pro is designed to lift material slabs safely and efficiently, handling loads of up to 440 lbs (200 kg).



COMPACT AND LIGHTWEIGHT

Compact design allows for easy transport and storage. It can be operated manually for small stone slabs.



FLEXIBLE & SAFE

Easily lift and move stone slabs in horizontal and vertical positions. Equipped with control and warning systems for secure operation.



EASY TO USE

The guiding handle allows you to easily move stone slabs in the desired direction or position.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Battery	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AVMP250-M2	15 3/4 (400)	9 13/16 (250)	9 5/8 (245)	18V	20.24 (9.2)	440 (200)


AUSAVINA QLI VACUUM LIFTER

- Ausavina Qli Vacuum Lifter is a powerful tool for handling glass sheet and stone slab with a maximum weight of 440 pounds. Due to its simple modular design, each lifter component can be detached for easy transportation and maintenance.



WARNING SYSTEM

An acoustic and visual low vacuum warning alerts the operator.



EASY TILT - FLIP

The AQVL200 lifter can safely tilt the glass sheet or stone slab from 0 to 90 degrees and back, allowing for flexible positioning.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Inclined Angle	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AQVL200	58 1/8 (1476)	45 3/16 (1147)	24 1/8 (612)	90°	70.4 (32)	440 (200)



AUSAVINA STONE VACUUM LIFTER (SVL25)

- Ausavina Stone Vacuum Lifter (SVL25) is designed to lift smooth-surface stone slabs and is powered by compressed air, with a lifting capacity of 550 lbs (250 kg). It features robust construction and the ability to lift and tilt the stone slab.



The incorporated audible and visual alarm system, powered by 9V battery, ensures safe operation for the user

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
SVL25	36 ¹³ / ₁₆ (935)	25 ³ / ₄ (654)	39 ¹⁵ / ₁₆ (1014)	118.8 (54)	550 (250)

Number of Vacuum Pads	Minimum Slab Dimensions - In (mm)	Tilt Angle	Vacuum Pressure (kg/cm ²)	Compressed Air Source (kg/cm ²)
1 pc	24 ⁷ / ₁₆ x 16 ⁵ / ₁₆ (620 x 415)	0° ~ 90°	- 0.7 ~ - 0.8	6 ~ 8

AUSAVINA STONE VACUUM LIFTER (SVL50)





- Ausavina Stone Vacuum Lifter (SVL50) is designed to lift smooth-surface stone slabs and is powered by compressed air, with a lifting capacity of 1100 lbs (500 kg). It features robust construction and the ability to lift and incline the stone slab.



The integrated audible and visual alarm system, powered by 9V battery, ensures safe operation for the user



The vacuum pads can be manually rotated 90 degrees



This trolley is included with product

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
SVL50	41 7/16 (1053)	55 1/2 (1410)	61 5/8 (1566)	200.2 (91)	1100 (500)

Number of Vacuum Pads	Minimum Slab Dimensions - In (mm)	Tilt Angle	Vacuum Pressure (kg/cm²)	Compressed Air Source (kg/cm²)
2 pcs	44 1/8 x 24 7/16 (1120 x 620)	0° ~ 90°	- 0.7 ~ - 0.8	6 ~ 8



AUSAVINA STONE VACUUM LIFTER (SVL75)


- Ausavina Stone Vacuum Lifter (SVL75) is designed to lift smooth-surface stone slabs and is powered by compressed air, with a lifting capacity of 1650 lbs (750 kg). It features robust construction and the ability to lift and incline the stone slab.



The integrated audible and visual alarm system, powered by 9V battery, ensures safe operation for the user



The vacuum pads can be manually rotated 90 degrees



This trolley is included with product

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
SVL75	37 1/8 (943)	71 1/8 (1806)	62 1/4 (1581)	213.4 (97)	1650 (750)

Number of Vacuum Pads	Minimum Slab Dimensions - In (mm)	Tilt Angle	Vacuum Pressure (kg/cm²)	Compressed Air Source (kg/cm²)
3 pcs	51 15/16 x 24 7/16 (1320 x 620)	0° ~ 90°	- 0.7 ~ - 0.8	6 ~ 8


AUSAVINA STONE VACUUM LIFTER (SVL100)




- Ausavina Stone Vacuum Lifter (SVL100) is designed to lift smooth-surface stone slabs and is powered by compressed air, with a lifting capacity up to 2200 lbs (1000 kg). It features robust construction and the ability to lift and tilt the stone slab.



The integrated audible and visual alarm system, powered by 9V battery, ensures safe operation for the user



The vacuum pads can be manually rotated 90 degrees




This trolley is included with product

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
SVL100	52 15⁄16 (1344)	55 1⁄2 (1410)	61 5⁄8 (1566)	330 (150)	2200 (1000)
Number of Vacuum Pads	Minimum Slab Dimensions - In (mm)	Tilt Angle	Vacuum Pressure (kg/cm²)	Compressed Air Source (kg/cm²)	
4 pcs	51 15⁄16 x 31 1⁄2 (1320 x 800)	0° ~ 90°	- 0.7 ~ - 0.8	6 ~ 8	


- Multi Stone Vacuum Lifter (AMSVL100) is a powerful tool for transporting large-size slabs. It is typically used with a hoist to lift stone slabs onto a processing table or to move them within a warehouse or workshop.



The product is equipped with trolley to move and store stone slabs easily



The integrated audible and visual alarm system, powered by 9V battery, ensures safe operation for the user at all time




The vacuum pads can be manually rotated 90 degrees

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AMSVL100	52 15⁄16 (1345)	86 7⁄8 (2206)	61 5⁄8 (1566)	330 (150)	2200 (1000)
Number of Vacuum Pads	Minimum Slab Dimensions - In (mm)	Tilt Angle	Vacuum Pressure (kg/cm²)	Compressed Air Source (kg/cm²)	
4 pcs	90 9⁄16 x 25 3⁄16 (2300 x 640)	0° ~ 90°	- 0.7 ~ - 0.8	6 ~ 8	


AUSAVINA VACUUM LIFTER (DVL400)

- For large material slabs up to 880 lbs (400 kg).
- Strong vacuum force and excellent maneuverability in all directions.
- Powered by a battery system for greater versatility and operation in any area.



For battery-powered only:

- Battery charging time: 6 hrs 30 mins
- A full charge provides approximately 150 vacuum-release cycles



W.L.L.: Work Load Limit



Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	Net Weight lbs (kg)	W.L.L. lbs (kg)	Diameter of Vacuum Pads - In (mm)	
DVL400	65 7⁄16 (1662)	11 13⁄16 (300)	10 1⁄2 (267)	137 (62)	880 (400)	11 13⁄16 (300)	

Number of Vacuum Pads	Minimum Material Slab Dimensions In (mm)	Rotate Angle	Tilt Angle	Voltage	Battery Capacity	Power Charger	
4 pcs	13 3⁄4 x 39 3⁄8 (350 x 1000)	180°	90°	12V-DC	12V, 18Ah	USA 110V-AC	INTERNATIONAL 220V-AC



AUSAVINA VACUUM LIFTER (AVL480)

- For large material slabs up to 1056 lbs (480kg). Features superior vacuum force and maneuverability in all directions.



This trolley (sold separately)
can be attached according to your requirement



W.L.L.: Work Load Limit

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	W.L.L. lbs (kg)	Diameter of Vacuum Pads - In (mm)
AVL480 (Electric Powered)	59 1/16 (1500)	68 5/16 (1735)	12 1/16 (305)	158.4 (72)	1056 (480)	9 13/16 (250)

Number of Vacuum Pads	Minimum Material Slab Dimensions In (mm)	Rotate Angle	Tilt Angle	Power Charger	
6 pcs	70 7/8 x 39 3/8 (1800 x 1000)	Left: 90° Right: 90°	90°	USA	INTERNATIONAL
				110V-AC	220V-AC

AUSAVINA VACUUM LIFTER (DVL480)



- For large material slabs up to 1056 lbs (480 kg). Features superior vacuum force and maneuverability in all directions.




For battery-powered only:

- Battery charging time: 6 hrs 30 mins
- A full charge provides approximately 150 vacuum-release cycles



This trolley (sold separately) can be attached according to your requirement




W.L.L.: Work Load Limit

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	W.L.L. lbs (kg)	Diameter of Vacuum Pads- In (mm)	
DVL480 (Battery Powered)	59 1/16 (1500)	68 5/16 x 84 1/16 (1735 x 2135)	12 1/16 (305)	160.6 (73)	1056 (480)	9 13/16 (250)	
Number of Vacuum Pads	Minimum Material Slab Dimensions In (mm)	Rotate Angle	Tilt Angle	Voltage	Battery Capacity	Power Charger	
						USA 110V-AC	INTERNATIONAL 220V-AC
6 pcs	70 7/8 x 39 3/8 (1800 x 1000)	Left: 90° Right: 90°	90°	12V-DC	12V/18Ah		



AUSAVINA VACUUM LIFTER (AVL500)

- Designed for large material slabs up to 1100 lbs (500 kg).
- Provides superior vacuum force and 360-degree maneuverability.



W.L.L.: Work Load Limit

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	W.L.L. lbs (kg)	Diameter of Vacuum Pads - In (mm)
AVL500 <i>(AC Electric Powered)</i>	66 5⁄16 (1685)	51 9⁄16 (1310)	12 5⁄8 (320)	160.6 (73)	1100 (500)	11 13⁄16 (300)
Number of Vacuum Pads	Minimum Material Slab Dimensions In (mm)	Rotate Angle	Tilt Angle	Power Charger		
4 pcs	33 7⁄16 x 35 7⁄16 (850 x 900)	Left: 90° Right: 90°	90°	USA		INTERNATIONAL
				110V-AC		220V-AC

AUSAVINA VACUUM LIFTER (DVL500)



- Designed for large material slabs up to 1100 lbs (500 kg).
- Provides superior vacuum force and 360-degree maneuverability.



Optional trolley (sold separately) can be attached for easy movement & storage

For battery-powered only:

- Battery charging time: 6 hrs 30 mins
- A full charge provides approximately 150 vacuum-release cycles




W.L.L.: Work Load Limit


Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	W.L.L. lbs (kg)	Diameter of Vacuum Pads - In (mm)	
DVL500 (Battery Powered)	66 5/16 (1685)	51 9/16 (1310)	12 5/8 (320)	172.7 (78.5)	1100 (500)	11 13/16 (300)	
Number of Vacuum Pads	Minimum Material Slab Dimensions In (mm)	Rotate Angle	Tilt Angle	Voltage	Battery Capacity	Power Charger	
4 pcs	33 7/16 x 35 7/16 (850 x 900)	360°	90°	12V-DC	12V/18Ah	USA 110V-AC	INTERNATIONAL 220V-AC

AUSAVINA VACUUM LIFTER PRO (DVL500-PRO)

- Ausavina Vacuum Lifter Pro delivers an easy solution for lifting, moving, and installing glass ensuring flexible, safe and highly efficient handling of panel materials.




Control and warning system enhances operational safety



Two vacuum systems


SAFETY & CONVENIENCE

Independent dual vacuum systems ensure slab stability, while wireless controls offer more flexible and safer operation



FLEXIBLE TILT & ROTATION

Electric cylinders allow the slab to be tilted from 0° to 90° and rotated 90°, enabling fast and precise handling




OPTIMIZED DESIGN

Features 4 vacuum pads in different positions to handle various slab sizes. A removable bar with two small vacuum pads is included for flexible handling of smaller slabs

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	Diameter of Vacuum Pads - In (mm)	
DVL500-PRO	62 13/16 (1596)	50 9/16 (1284)	17 7/8 (454)	283.8 (129)	1100 (500)	11 13/16 (300)	
Number of Vacuum Pads	Minimum Material Slab Dimensions - In (mm)		Rotate Angle	Tilt Angle	Battery Capacity	Power Charger	
4 pcs	11 13/16 x 23 5/8 (300 x 600)		90°	90°	12VDC-32Ah	USA 110V-AC	INTERNATIONAL 220V-AC


AUSAVINA VACUUM LIFTER (DVL1000)

- Designed for effortlessly and smoothly lifting and installing large material slabs .
- The battery-powered system enables convenient and flexible operation in warehouses, factories and construction sites, without the need for electricity or compressed air.



EASY TO CONTROL



The visual and sound alarm system helps the lifter operate more safely and effectively.



Two vacuum systems


ADVANCED SAFETY SYSTEM

Two independent vacuum systems evenly distribute force across 10 vacuum pads, ensuring safe operation without damaging the slab.



CONVENIENCE

Capable of 360-degree rotation for easy installation. The lever arm is adjustable in four directions, allowing for convenient handling of both vertical and horizontal slabs.



FLEXIBILITY

Vacuum pads can be repositioned on adjustable crossbars to accommodate various slab sizes.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	Diameter of Vacuum Pads - In (mm)
DVL1000	86 3/4 (2204)	61 5/8 (1641)	19 7/8 (505)	528 (240)	2200 (1000)	11 13/16 (300)

Number of Vacuum Pads	Minimum Material Slab Dimensions - In (mm)	Rotate Angle	Tilt Angle	Battery Capacity	Power Charger	
10 pcs	Width: 19 13/16 x 94 1/2 (500 x 2400) Length: 64 9/16 x 106 5/16 (1640 x 2700)	360°	90°	12VDC-36Ah	USA 110V-AC	INTERNATIONAL 220V-AC

AUSAVINA VACUUM LIFTER PRO (DVL1000-PRO)


- DVL1000-PRO is engineered for minimal effort when lifting and installing large material slabs
- Featuring Dual Vacuum Systems and wireless control, this lifter ensures superior safety, along with smooth flipping and full 360° rotation

Battery operated



INTUITIVE CONTROL & SAFETY ALERTS


The visual and sound alarm system is integrated to ensure safer and more effective operation at all times



Two Vacuum Systems


ADVANCED DUAL-SYSTEM SAFETY

Two independent vacuum systems evenly distribute force across 10 vacuum pads, ensuring maximum safety without damaging the slab



SMOOTH TILTING & 360° ROTATION

Powered by two electric cylinders, the lifter provides seamless tilting between horizontal and vertical positions, plus full 360° rotation for precise alignment





ULTIMATE CONVENIENCE

A wireless remote handle allows operators to control all functions conveniently and safely from a distance

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	Diameter of Vacuum Pads - In (mm)	
DVL1000-PRO	86 ¾ (2204)	61 ⅞ (1552)	18 ⅞ (471)	598.4 (272)	2200 (1000)	11 1⅜ (300)	
Number of Vacuum Pads	Minimum Material Slab Dimensions - In (mm)		Rotate Angle	Tilt Angle	Battery Capacity	Power Charger	
10 pcs	Width: 35 ⅞ x 66 1⅝ (900 x 1700) Length: 94 ½ x 106 ⅞ (2400 x 2700)		360°	90°	24VDC-30Ah	USA 110V-AC	INTERNATIONAL 220V-AC

AUSAVINA VACUUM LIFTER (AVL600)


- An ideal solution used for lifting and moving various material slabs.
- Soft rubber vacuum pads provide high adhesion while protecting the surface of the slabs.
- Wide-length level arms securely lift slabs up to 122 5/8" (3115 mm).



FLEXIBLE TILT FROM 0° TO 90°



The integrated audible and visual alarm system, powered by a 9V battery, ensures safe operation for the user



Stone



Glass



Porcelain

FLEXIBLE USE FOR DIFFERENT MATERIAL SLABS


Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AVL600	122 5/8 (3115)	55 1/8 (1400)	38 11/16 (982)	261.8 (119)	1320 (600)

Number of Vacuum Pads	Minimum Sheet Dimensions In (mm)	Tilt Angle	Vacuum Pressure	Electric Supply AC (1 phase)
8 pcs	66 15/16 X 23 5/8 (1700 x 600)	0 ~ 90°	-0.8	110V - 220V

AUSAVINA VACUUM LIFTER (CVL600)

- A powerful tool for transporting large material sheets.
- Stable vacuum force ensures the sheets remain securely in place during operation.
- Soft rubber vacuum pads enhance adhesion and prevent scratches on the material surface.

** Handy trolley is included*



FLEXIBLE TILT FROM 0° TO 90°



The integrated audible and visual alarm system, powered by a 9V battery, ensures safe operation for the user



Stone



Glass




Porcelain

**VERSATILE USE FOR
DIFFERENT MATERIAL SLABS**

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
CVL600	48 1/4 (1225)	78 3/4 (2000)	61 5/8 (1566)	249.7 (113.5)	1320 (600)
Number of Vacuum Pads	Minimum Sheet Dimensions In (mm)	Tilt Angle	Vacuum Pressure	Compressed Air Source (kg/cm ²)	
8 pcs	59 1/16 X 23 5/8 (1500 x 600)	0 ~ 90°	-0.7 ~ -0.8	6 ~ 8	

AUSAVINA ROTARY VACUUM LIFTER

- The perfect solution for lifting, moving and installing large material slabs.
- Powered by a LiFePO4 battery for enhanced performance, greater efficiency and faster charging.
- Adjustable vacuum pads allow easy handling of various slab sizes.



**360° rotation with
Lever arm or when
combined with Strap**



For battery-powered only:


- Battery charging time: 5 hrs 30 mins
- Full battery charge allows up to around 150 vacuum-release cycles

**Vacuum pads in
4 directions**



Minimum slab size
39 3/8" x 39 3/8" (1000 x 1000 mm)

**Vacuum pads in
a straight line**




Minimum slab size
78 3/4" x 15 3/4" (2000 x 400 mm)

Maximum slab size
94 1/2" x 94 1/2" (2400 x 2400 mm)




Tilting control
Operate safely and efficiently with intuitive remote control access.



EASY TILTING

Tilts up to 90° vertically (and back) with an electric cylinder for safe and convenient operation.



FLEXIBLE ROTATION

Rotates 0° to 360° for quick and effortless slab installation.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Battery Capacity	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ARVL500	63 3/16 (1605)	50 5/8 (1286)	17 11/16 (450)	12VDC/24Ah	319 (145)	1100 (500)


AUSAVINA FORKLIFT POWER VACUUM LIFTER

- Designed to be used with a forklift truck to assist in lifting, moving and installing material slabs.
- The lifter includes a main frame and four vacuum pads to enhance productivity and efficiency.
- Fully battery-operated and can be recharge instantly when power is low.




**Battery
operated**

Vacuum pads in 4 directions	Vacuum pads in a straight line
Minimum slab size 23 5/8" x 31 1/2" (600 x 800 mm)	Minimum slab size 15 3/4" x 62 1/8" (400 x 1600 mm)
Maximum slab size 62 1/8" x 94 1/4" (1600 x 2400 mm)	



FLEXIBLE

The device can be easily tilted from horizontal to vertical and vice versa, enabling effective slab handling




EASY TO USE

Vacuum pads can be adjusted to the appropriate positions for securely vacuuming and lifting slabs of various sizes

Model	Length In (mm)	Width In (mm)	Height In (mm)	Battery Capacity	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AFPVL300	98 3/4 (2509)	45 1 1/16 (1160)	23 1/8 (588)	12 VDC (100Ah)	418 (190)	660 (300)

AUSAVINA MULTI MATERIAL INSTALLATION PANEL TRANSPORT CART

- Ausavina Multi Material Installation Panel Transport Cart is engineered for effortless installation of wall and ceiling panels. It ensures stable performance, flexible rotation, and easy mobility, streamlining your operation for maximum efficiency.



360° CONTINUOUS ROTATION

Effortlessly handle panels placed on frames or directly on the ground. The vacuum pads rotate continuously for exceptionally smooth and flexible operation



EASY MOVEMENT

Electric steering system enables smooth, accurate control, ensuring optimal maneuverability across various job sites



ADVANCED SAFETY SYSTEM

Dual independent vacuum systems ensure stable suction and reliable performance, while an overload sensor automatically prevents tipping during operation

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	
AMITC400	117 ⅜ (2973)	55 ½ (1410)	81 ¾ (2076)	1988.8 (904)	880 (400) at shortest reach 440 (200) at longest reach	
Rotate Angle	Diameter of Vacuum Pads - In (mm)	Number of Vacuum Pads	Minimum Material Slab Dimensions - In (mm)	Battery Capacity	Power Charger	
360°	11 ⅜ (300)	4 pcs	43 ⅝ x 29 ½ (1100 x 750)	24VDC-200Ah	USA	International
					110V-AC	220V-AC

AUSAVINA MANUAL VACUUM GRIP LIFTER

- Designed for the easy and safe mounting and handling of materials such as glass sheets, windows or thin stone slabs.

Minimum slab dimensions:
43 5/16" x 23 5/8" (1100 mm x 600 mm)
Maximum slab dimensions:
94 1/2" x 47 1/4" (2400 mm x 1200 mm)



Cable winch allows for lifting and lowering the counterweight to ensure high stability



Vacuum lifter can be easily tilted to attach the glass sheet




The load can be rotated 90° to the left or right

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
MVGL150	68 9/16 (1742)	37 5/8 (955)	78 7/16 (1993)	418 (190)	330 (150)

AUSAVINA BAG GRIPPER AUTOMATIC

- Designed to grip and move various types of bags, such as cement bags, rice bags, etc.
- Constructed from high-quality steel for a sturdy structure with a lifting capacity of up to 100 kg.



SIMPLE DESIGN

Compact design allows easy connection to any hoist system and enables immediate operation



AUTOMATIC

Automatic locking latch mechanism ensures easy and convenient gripping, lifting and releasing of bags




EASY TO USE

Clamp jaws are curved to securely embrace the bag, ensuring fast and safe transportation

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ABGA600	30 7⁄16 (773)	15 3⁄4 (400)	37 3⁄8 (950)	11 13⁄16 ~ 23 5⁄8 (300 ~ 600)	55 (25)	220 (100)

AUSAVINA ROUND MATERIAL LIFTER AUTOMATIC

- Compactly designed to lift and move various round materials such as steel, plastic and more.
- Constructed from durable steel with a high working load limit of up to 330 lbs (150 kg).
- Simple structure allows for easy assembly, disassembly and convenient transport.



AUTOMATIC

The automatic locking latch mechanism enables effortless lifting and transport of round materials.



SAFE

Durable and secure construction ensures a firm grip on long and large round materials.




EASY TO USE

Can be used with a hoist system to easily access and move materials to desired locations.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ARML200A	16 7/8 (429)	5 7/8 (150)	17 15/16 (456)	3 15/16 ~ 7 7/8 (100 ~ 200)	18.04 (8.2)	330 (150)

AUSAVINA FORKLIFT BOOM AFJ25-B


- Offers versatility and maximum efficiency for lifting and moving goods.
- When fully extended, the beam reaches up to 103 7/8" (2634 mm).



Model	Length In (mm)	Width In (mm)	Height In (mm)	Max Load When Fully Extended lbs (kg)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AFJ25-B	65 13/16 (1672)	25 15/16 (660)	11 5/16 (287)	1540 (700)	226.6 (103)	6160 (2800)

AUSAVINA SMART FORKLIFT BOOM ASFJ27

- The ASFJ27 is a forklift attachment designed to work with lifter equipment for transporting stone slabs and other hanging applications. Ideal for use in confined spaces, the forklift beam features a telescopic design for adjustable length. It is easy to store, package and transport.




Model	Length In (mm)	Width In (mm)	Height In (mm)	Max Load When Fully Extended lbs (kg)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ASFJ27	67 1/4 (1708)	20 3/8 (517)	5 9/16 (141)	1540 (700)	184.8 (84)	4620 (2100)



AUSAVINA FORKLIFT BOOM

- Offers versatility and maximum efficiency for the operator.
- The telescopic design allows for adjustable length to accommodate various load capacities.




Model	Length In (mm)	Width In (mm)	Height In (mm)	Max Load When Fully Extended lbs (kg)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AFJ35	85 1/16 (2161)	25 15/16 (660)	18 13/16 (478)	2200 (1000)	319 (145)	8800 (4000)



AUSAVINA SWING-ARM FORKLIFT BOOM

- Ausavina Swing-Arm Forklift Boom is an ideal solution for handling hard-to-reach slabs, especially during load and unload operations in closed-top containers or compact factory spaces. It is designed for precision in tight environments.
- Swing arm features 4 lock points and multiple angle settings.
- Extendable length up to 109 3/16" (2780mm).




Model	Length In (mm)	Width In (mm)	Height In (mm)	Max Load When Fully Extended lbs (kg)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AFJS25	71 7/8 (1825)	35 7/16 (900)	16 9/16 (420)	1540 (700)	286 (130)	6160 (2800)

AUSAVINA TELESCOPIC FORKLIFT BOOM




- Ausavina Telescopic Forklift Boom is designed with a pipe-cage-style structure, this boom adjusts easily to accommodate different load requirements.
- The device can reach 138 1/8" (3508 mm) when fully extended.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Max Load When Fully Extended lbs (kg)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ATFB25	82 5/8 ~ 142 7/16 (2098 ~ 3618)	25 15/16 (660)	14 5/8 (371)	1540 (700)	358.6 (163)	6380 (2900)

AUSAVINA FORKLIFT EXTENSIONS

- Convenient and ideal for extending the range of your forklift operations.
- Easily connects to forklift trucks to maximize operational reach.




SOLD IN PAIRS



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair - lbs (kg)	Work Load Limit lbs (kg)
AFE083	86 1/4 (2190)	7 3/16 (182)	2 3/4 (70)	162.8 (74)	5500 (2500)

AUSAVINA PIVOT FORKLIFT BOOM

- Ausavina Pivot Forklift Boom specifically designed for lifting, loading and unloading goods with enhanced flexibility.
- Constructed from reinforced steel for exceptional strength and long-lasting durability.
- Adjustable lifting angle allows forklift operators to reach various heights and positions efficiently, boosting productivity.



Position	W.L.L lbs (kg)	X In (mm)	Y In (mm)
①	1540 (700)	170 1/8 (4320)	23 1/8 (585)
②	2310 (1050)	134 3/8 (3411)	23 1/8 (585)
③	4400 (2000)	87 1/4 (2213)	23 1/8 (585)
④	1760 (800)	164 1/8 (4183)	53 1/4 (1353)
⑤	1870 (850)	153 3/8 (3891)	81 1/8 (2075)
⑥	1980 (900)	136 1/8 (3455)	107 1/4 (2721)
⑦	2310 (1050)	113 15/16 (2894)	128 7/8 (3263)

W.L.L: Work Load Limit



Model	PFB400
Length - In (mm)	88 3/8 ~ 171 5/16 (2245 ~ 4352)
Width - In (mm)	21 1/8 (536)
Height - In (mm)	30 13/16 (782)
Net Weight - lbs (kg)	578.6 (263)

AUSAVINA TPS FORKLIFT BOOM 3 IN 1

- Designed to be used with a forklift truck for transporting material slabs within warehouses, factories and similar environments.
- Smoothly adjustable lifting angle for enhanced convenience and efficiency.
- Constructed from solid steel for superior durability and strength.



EASY TO SWING (LEFT, RIGHT)

The boom can swing up to 30° in both directions, allowing easy operation in narrow spaces such as trucks and small warehouses.




EASY TO EXTEND

It can also extend up to 140 3/8" for efficient loading and unloading of slabs deep inside containers.



ADJUSTABLE LIFT ANGLES

Easy to adjust the lift angle up to 30° for loading/unloading heavy-duty materials in height-restricted areas.



EASY TO USE


The handwheel allows for smooth and quick lifting or lowering of the load. Crane direction can be easily adjusted left or right using the roller.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ATPSF35	92 5/8 (2353)	40 15/16 (1040)	22 13/16 (580)	569.8 (259)	770 - 8800 (350 - 4000)



AUSAVINA CONTAINER BUNDLE SLAB LOADER


ACBSL5T-M2



Unload vertical slab bundles



The boom can extend up to 235 1/4" (5975 mm). Two hooks at the front end help move bundle slabs closer to the container door easily and safely, allowing operators to work efficiently without needing to enter the container.



The strap hook can be easily moved and repositioned to fit the size of the slabs.

Easily load and unload slab bundles from containers, with a load capacity of up to **11000 lbs (5000 kg)**

Load/unload inclined slabs



ACBSL5T-PK efficiently clamps multiple slabs at once, with a grip range of 40–80 mm, directly from inclined slab bundles.



Easily and safely handle inclined slabs deep inside containers when used in combination with the ACBSL5T-PK lifter.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Distance Between 2 Tubes In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	Battery
ACBSL5T-M2	135 5/8 (3445)	39 3/16 (996)	43 5/16 (1107)	3 15/16 ~ 23 5/8 (100 ~ 600)	1980 (900)	11000 (5000)	18V

AUSAVINA CONTAINER BUNDLE SLAB LOAD - UNLOADER PRO



ACBSL5T-PRO



Attached lifter
ACBSL5T-PK
(Optional)



The ACBSL5T-PK, in combination with the ACBSL5T-PRO and ACBSL5T-M2, enables efficient loading and unloading of slabs from inclined slab bundles out of the container.

Load/unload vertical slab bundles



The reach extends up to 235 1/4" (5975). Two wheeled pusher legs and front-end hooks on the boom help move slab bundles closer to the container door easily and safely, allowing operators to work efficiently without entering deep inside.



The strap hook can be easily moved and repositioned to fit the size of the slabs.

Allow easy loading and unloading of slab bundles from containers, with a load capacity of up to **11000 lbs (5000 kg)**

Model	Length In (mm)	Width In (mm)	Height In (mm)	Distance Between 2 Tubes In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ACBSL5T-PRO	155 1/2 (3950)	39 3/16 (996)	43 9/16 (1107)	3 15/16 ~ 23 5/8 (100 ~ 600)	2367.2 (1076)	11000 (5000)

Load/unload inclined slabs



ACBSL5T-PK easily clamps multi-slabs with a grip range of 40-80 mm from inclined slab bundles at once.




Easily and safely load/unload the deep-inside inclined slabs out of the container when combined with ACBSL5T-PK lifter.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ACBSL5T-PK	23 3/4 (604)	12 1/2 (317)	18 1/16 (459)	1 9/16 - 3 1/8 (40 - 80)	75.9 (34.5)	2646 (1200)

AUSAVINA SPREADER BAR M1

- Ausavina Spreader Bar M1 is specifically designed for the stone industry. When used with endless slings, it allows for easy slab rolling. The slings are suspended on aluminum rollers, enabling smooth slab rotation. Adjustable sling span from 17 $\frac{5}{16}$ " (440 mm) to 56 $\frac{7}{16}$ " (1440 mm).

This spreader bar is equipped with a swivel shackle, allowing for full 360° slab rotation



** Slings are included*



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	*W.L.L of Sling Belts (set of 2) - lbs (kg)	Hangers Distance Range - In (mm)
ASB056M1	59 $\frac{7}{16}$ (1510)	4 $\frac{5}{16}$ (110)	36 $\frac{5}{8}$ (930)	99 (45)	6600 (3000)	17 $\frac{5}{16}$ - 56 $\frac{11}{16}$ (440 - 1440)

**W.L.L : Work Load Limit*

- Ausavina Spreader Bar can be combined with a forklift boom to move a large slabs safely and efficiently. Features a Chain System designed for secure and convenient operation. Adjustable spread accommodates various load sizes.

AUSAVINA SPREADER BAR M4

ASB056M4



** The Scissor clamps and chains are not included*




AUSAVINA SPREADER BAR M6

ASB106M6



**Straps are included*



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	Length Range In (mm)
ASB056M4	55 7/16 (1408)	3 3/8 (85)	13 1/4 (337)	52.8 (24)	9900 (4500)	30 11/16 - 49 5/8 (780 - 1260)
ASB106M6	106 5/8 (2708)	4 7/16 (112)	15 3/8 (390)	113.3 (51.5)	7700 - 9900 (3500 - 4500)	57 1/2 - 104 3/4 (1460 - 2660)




AUSAVINA SPREADER BAR

AUSAVINA SPREADER BAR M7

ASB106M7

- Ausavina Spreader Bar M7 is an efficient support tool for maneuvering large slabs. Its sleeve structure allows quick adjustment to three different widths for versatile slab handling and retracts neatly when not in use. Constructed from high-quality steel for exceptional strength and durability.



COMBINED WITH
A FORKLIFT BOOM



INSTALLED
ON A FORKLIFT

AUSAVINA SPREADER BAR M9

ASB84M9




Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ASB106M7	106 5/16 (2700)	9 13/16 (250)	14 15/16 (379)	209 (95)	5940 - 13200 (2700 - 6000)
ASB84M9	84 1/4 (2140)	4 15/16 (125)	24 5/16 (618)	352 (160)	17600 (8000)

AUSAVINA EASY ADJUSTABLE CRANE

- Engineered with a hoist system for quick and efficient material handling across diverse workspaces.
- Features a simple structure with exceptional safety for flexible transport of heavy-duty bundled materials.
- An ideal solution for both indoor and outdoor operations, enhancing productivity and reducing labor costs.



Optional: Use a manual chain hoist (1 ton) or 500kg battery hoist based on customer requirements.



ADJUSTABLE

Easily adjust the height from 98 7/16" - 141 3/4" (2500 - 3600 mm) using two crank handles.



FLEXIBLE

Compatible with various hoist systems and equipped with four swivel casters with safety brakes for easy and secure mobility.



DURABLE

Built from high-quality steel for a strong, stable structure with an impressive load capacity of up to 1100 lbs (500 kg).

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Hoist	Work Load Limit lbs (kg)
AEAC500	118 1/8 (3000)	55 9/16 (1412)	98 7/16 - 141 3/4 (2500 - 3600)	420.2 (191)	Chain hoist, Battery hoist	1100 (500)
AEAC1000	118 1/8 (3000)	55 9/16 (1412)	100 3/8 - 143 11/16 (2550 - 3650)	440 (200)	Chain hoist	2200 (1000)

AUSAVINA DOUBLE HANDED GIANT CARRY CLAMPS

- The Ausavina Double Handed Giant Carry Clamps (ADHGC100) are a convenient tool for manually lifting and transporting small to medium-sized stone slabs-no forklift or additional equipment required.
- Rubber-padded clamp jaws ensure strong gripping force while protecting the slab surface from scratches and damage.



SOLD IN PAIRS

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Per Pair lbs (kg)	Work Load Limit Per Piece - lbs (kg)
ADHGC100	20 13/16 (528)	5 3/8 (136)	11 7/16 (290)	0 ~ 3 15/16 (0 ~ 100)	20.9 (9.5)	440 (200)

AUSAVINA SINGLE HANDED CARRY CLAMPS

- Ausavina Single Handed Carry Clamps are designed for safely lifting and transporting stone slabs in an upright position using only one hand per person. Allows two people to easily lift and maneuver heavy slabs. It is portable, safe and easy to use on job sites or in workshops. Features vulcanized rubber-padded jaws for enhanced grip and slab protection against scratches.



SOLD IN PAIRS

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Per Pair - lbs (kg)	Work Load Limit Per Piece - lbs (kg)
SHC25	7 15/16 (201)	4 3/4 (120)	7 7/8 (200)	0 ~ 15/16 (0 ~ 25)	6.6 (3)	220 (100)
SHC40	9 3/8 (238)	4 3/4 (120)	7 7/8 (200)	3/16 ~ 1 9/16 (5 ~ 40)	6.6 (3)	220 (100)

AUSAVINA DOUBLE HANDED CARRY CLAMPS

ACC40 - ACC60

- Ausavina Double Handed Carry Clamps are designed for the safe, manual lifting and transport of stone slabs - no forklift required. Equipped with fully vulcanized rubber pads for superior grip and to protect slabs from damage.



SOLD IN PAIRS



Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Per Pair lbs (kg)	Work Load Limit Per Piece - lbs (kg)
ACC40	11 5/16 (288)	5 1/8 (130)	9 7/16 (240)	0 ~ 1 9/16 (0 ~ 40)	12.1 (5.5)	550 (250)
ACC60	13 11/16 (348)	5 3/16 (132)	9 7/16 (240)	0 ~ 2 3/8 (0 ~ 60)	12.1 (5.5)	550 (250)


ACC100

- Double Handed Carry Clamps are designed for the safe, manual lifting and transport of stone slabs no forklift truck required.

- Fully vulcanized rubber pads provide enhanced grip and protect the slab surface from damage.

- Eliminating the need for a forklift increases efficiency and flexibility on the job site.

- Multiple Carry Clamps can be used together to move larger slabs with ease.



SOLD IN PAIRS

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight Per Pair lbs (kg)	Work Load Limit Per Pair - lbs (kg)
ACC100	15 1/2 (394)	11 1/4 (286)	7 11/16 (196)	0 ~ 4 5/16 (0 ~ 110)	28.6 (13)	440 (200)

AUSAVINA BATTERY MULTI MATERIAL VACUUM SUCTION CUP

- A brand-new vacuum suction cup designed for lifting and moving various materials, including glass, stone, metal and plastic, with a capacity of up to 176 lbs (80 kg).
- Features an automatic design with enhanced airtightness, providing superior strength compared to traditional models for easy and efficient operation.



High-quality rubber pad suction cup with strong grip power, various applications and long-lasting durability.



BATTERY OPERATED

Utilized by a battery with 8 working hours for quickly rechargeable and ensuring productivity.




EASY TO USE

One-button design is simple to operate and ensures secure control, while pressure gauge offers added convenience over manual methods.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AMVC200	7 7/8 (200)	7 7/8 (200)	3 3/8 (85)	3.74 (1.7)	176 (80)

AUSAVINA HAND PUMP VACUUM SUCTION CUP

- The Hand Pump Vacuum Suction Cup is an ideal tool for lifting and moving flat-surfaced materials such as glass, stone, metal, plastic, etc.
- Featuring a hand pump design for quick, easy operation that saves time and effort.



Made of high-quality rubber with a 200 mm diameter, the suction cup delivers strong gripping force and quick adhesion to material surfaces



LIGHTWEIGHT

The product features a compact and convenient design, making it easy to carry and ideal for use in a variety of working environments.



SAFETY

Equipped with a pressure gauge for easy suction control, ensuring user safety and protecting materials from cracking.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AHVC200	7 7/8 (200)	7 7/8 (200)	3 3/16 (90)	3.3 (1.5)	176 (80)

AUSAVINA BATTERY MULTI MATERIAL VACUUM SUCTION CUP PRO

- Smart, practical and safe - the ultimate solution for lifting and moving flat materials with strong suction, simple control and maximum efficiency



SUPERIOR SAFETY

One-button control with digital display for accurate load monitoring and safer handling



RECHARGEABLE BATTERY

Powered by a 2000mAh battery, fully charged in 5 hours only, delivering optimal performance



POWERFUL GRIP

Durable rubber suction cup delivers a strong, secure hold on flat materials

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AMVC200-PRO	8 ¼ (210)	8 ¼ (210)	3 ¾ (95)	4.4 (2)	220 (100)

AUSAVINA POWER VACUUM LIFT PRO

- Lift smarter and safer with an advanced vacuum suction cup built for stone, glass, metal, and plastic.
- Handling up to 220 lbs (100 kg), it makes flat material lifting effortless.
- Automatic airtight design ensures stronger, faster, and more efficient performance.



LIGHTWEIGHT

Compact yet powerful-high load capacity, easy to carry and perfect for any job site



USER-FRIENDLY

Dual-button system (Power/Vacuum & Release) makes operation simple, safe, and convenient



ENHANCED SAFETY

Anti-slip handle and durable suction cup deliver secure grip and efficient handling

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
APVL300-PRO	12 1/16 (305)	7 1/16 (180)	5 1/8 (130)	7.5 (3.4)	220 (100)

AUSAVINA ELLIP POWER PUMP VACUUM SUCTION CUP

- An advanced vacuum suction cup for lifting non-porous materials such as glass, stone, metal and plastic of up to 275 lbs (125 kg).
- Automatic airtight design delivers stronger, faster and more efficient performance than traditional models.



LIGHTWEIGHT

Compact, easy to carry and suitable for any job site

Automatic pump



Manual pump



FLEXIBLE

Two pump modes for maximum flexibility - automatic mode for effortless, continuous vacuum control or manual mode for precise, hands-on operation



ANTI-SLIP RUBBER PAD

Durable, high-quality rubber pad ensures strong grip and flexible use

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AEPVC246	9 1/16 (246)	6 5/8 (168)	3 7/16 (87)	4 (1.8)	275 (125)

AUSAVINA DOUBLE/TRIPLE SUCTION LIFTER

- Designed for moving large stone, glass and heavy slabs.
- Strong vacuum is generated by two large suction cups for easy and reliable handling.
- Aluminum alloy handle provides both lightweight convenience and high resistance.

AUSAVINA DOUBLE SUCTION LIFTER

SLD121



AUSAVINA TRIPLE SUCTION LIFTER



SLT128



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
SLD121	12 15⁄16 (329)	4 3⁄4 (120)	2 7⁄8 (73)	2.2 (1)	198 (90)
SLT128	12 13⁄16 (326)	8 15⁄16 (227)	2 7⁄8 (73)	3.3 (1.5)	330 (150)

AUSAVINA RATCHET SEAM SETTER M2


- The Ausavina Ratchet Seam Setter M2 ensures countertops are perfectly joined and leveled. Equipped with two 8 inch (203 mm) diameter suction cups for strong and reliable performance.
- Features two leveling points to prevent slippage and maintain precision during installation.



Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	Net Weight lbs (kg)	Cup Diameter In (mm)
ARSS2	15 15⁄16 ~ 19 5⁄16 (405 ~ 490)	10 7⁄8 (276)	8 7⁄8 (225)	13.2 (6)	8 (203)


AUSAVINA BATTERY SEAM SETTER

- Ausavina Battery Seam Setter delivers accurate alignment for stone slab edges, ensuring a flawless and perfectly seamless joint before the final gluing process.



EFFECTIVE


Built-in leveling pushers adjust uneven joints for smooth seams. Soft-rubber suction cups ensure strong adhesion.




SAFE

Rubber suction cup protects slab surfaces from damage, while the conveniently positioned power button enables quick activation for a safe, stable and efficient workflow.

Before



After



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Cup Diameter In (mm)
ABSS4	16 ¾ ~ 20 ⅓ (425 ~ 510)	11 ¾ (298)	8 ⅝ (219)	15.8 (7.2)	7 ⅞ (200)



AUSAVINA QLI SEAM SETTER WITH SUCTION CUPS

- Ausavina Qli Seam Setter (2x8 or 4x5 Suction Cups) is a new model in the Seam Setter series, designed to boost productivity and ease of use. All suction cups are equipped with lever controls instead of traditional turn-knobs, enabling quick and effortless vacuum activation. Features a knurled roller that allows the operator to easily align slab gaps with precision.

AUSAVINA QLI SEAM SETTER WITH 2X8 SUCTION CUPS

AQSSW2x8

Lightweight & Strong Aluminum
Precise leveling
Reliable hold



AUSAVINA QLI SEAM SETTER WITH 4X5 SUCTION CUPS

AQSSW4x5



Lightweight, compact,
easy to transport.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)
AQSSW2x8	22 ¼ (565)	9 13/16 (250)	3 9/16 (90)	12.1 (5.5)
AQSSW4x5	15 ¾ (400)	12 3/8 (315)	3 7/16 (87)	9.9 (4.5)


AUSAVINA EASY WORK SEAM SETTER PRO

- This innovative seam setter is engineered to align and join stone slabs with precision, ensuring consistent leveling and uniform gaps. It facilitates accurate positioning before the gluing process.



EASY TO USE

Two intuitive buttons (Power/Vacuum and Release) streamline the process, ensuring a simple, safe, and efficient user experience.



CONVENIENT

Detachable suction cup can be easily disassembled and reassembled, offering maximum convenience for maintenance and transport.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Cup Diameter In (mm)
AEWS305-PRO	20 9/16 (522)	15 15/16 (405)	5 1/8 (130)	20.2 (9.2)	7 1/16 ~ 12 1/16 (180 - 305)



AUSAVINA EASY WORK SEAM SETTER/WITH BATTERY

- These innovative tools are designed to position and join two stone slabs or similar materials at identical heights with consistent gaps, ensuring perfect alignment before gluing.

AUSAVINA EASY WORK SEAM SETTER

AEWS203



Manual Mode by repeatedly pressing the plunger



AUSAVINA EASY WORK SEAM SETTER WITH BATTERY

AEWSWB203


Battery Mode/ Power Mode/ Manual Mode



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Cup Diameter In (mm)
AEWS203	20 7/8 (530)	9 5/16 (237)	3 1/4 (82)	11.88 (5.4)	7 15/16 (203)
AEWSWB203	20 7/8 (530)	9 5/16 (237)	3 1/4 (82)	16.06 (7.3)	7 15/16 (203)

AUSAVINA EZ-PRO BATTERY SEAM SETTER

- Ausavina EZ-Pro Battery Seam Setter (AEBSS12V-M2) is designed for easy adjustment, helping to position and align two slabs by their edges before gluing.
- Features two rectangular suction cups made from soft rubber material, enhancing firm adhesion between the slabs and the suction cups.
- Fully operated by a battery system, with control buttons for Power, Vacuum, Release and Movement functions.




*Removable battery
for quick disassembly
and reassembly*

Before



After




CONTROL PANEL

Fully operated by battery power via a push-button system



PULLING MOTOR

The pulling motor allows independent movement of the two suction cups or the ability to fix their position using the lever adjustment



LEVELING SCREWS


Enable precise fine-tuning of the seam for accurate height alignment

Model	Length - In (mm)	Width - In (mm)	Height - In (mm)	Net Weight - lbs (kg)	Voltage - (VDC)
AEBSS12V-M2	20 1/16 (510)	11 5/16 (288)	5 9/16 (142)	18.7 (8.5)	18V - 4Ah

AUSAVINA 90 DEGREE SEAM SETTER

- Ausavina 90 Degree Seam Setter is designed to position and join two stone slabs perpendicularly with ease.
- This handy and convenient tool is perfect for users in the stone slab and tile industry. Its simple operation boosts time efficiency and productivity.

A90SS




SUCTION CUP

Rubber pads on the suction cups enhance adhesion, ensuring a firm grip between the stone slabs and the cups.

Before

After



KNURLED ROLLER


Easily align the gap between two stone slabs by turning the knurled roller, ensuring a perfect perpendicular angle.

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
A90SS	14 ¾ (375)	11 13/16 (300)	5 5/8 (137)	5.7 (2.8)	50 (22)


AUSAVINA 90 DEGREE PRO SEAM SETTER

- Designed to position and join two stone slabs either horizontally or perpendicularly.
- The Seam Setter can be operated using a vacuum pump kit or a hand pump for secure suction on stone surfaces.
- Equipped with a series of turn-knobs to ensure accurate and precise seam alignment.

A90PSS



Seam the two slabs horizontally




Seam the two slabs perpendicularly

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Rotated Angle
A90PSS	27 1/8 (689)	10 3/16 (259)	5 (127)	27.5 (12.5)	0° - 45° - 90°

AUSAVINA 90 DEGREE CLAMP

- Designed to quickly and securely position and join two stone slabs perpendicularly with mitered or 90° edges before gluing.
- Constructed from durable aluminum with a compact, lightweight design for easy handling and efficient attachment of slabs.

A90CM3



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair - lbs (kg)	Max. Material Height - In (mm)	Max. Material Thickness - In (mm)
A90CM3	9 7/16 (240)	5 3/8 (136)	13 9/16 (345)	12.1 (5.5)	10 1/16 (255)	1 9/16 (40)

A90CM4

A90CM4L

SOLD IN PAIRS



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair - lbs (kg)	Max. Material Height - In (mm)	Max. Material Thickness - In (mm)
A90CM4	9 3/4 (234)	2 1/2 (64)	13 15/16 (355)	12.32 (5.6)	4 3/4 (120)	1 9/16 (40)
A90CM4L	10 5/8 (270)	2 15/16 (75)	24 13/16 (630)	22 (10)	15 3/4 (400)	1 9/16 (40)

AUSAVINA 90 DEGREE CLAMP

- 90 Degree Clamp M5 is designed for perfect positioning and locking of fascia (apron) to your countertop via mitre joints. User can combine multiple number of 90 Degree Clamp M5 to accommodate (when working with) longer stone slab. The adjusting group keeps the fascia perpendicular to the countertop.





SOLD IN PAIRS

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair - lbs (kg)	Max. Material Height - In (mm)	Max. Material Thickness - In (mm)
A90CM5	10 ⁵ / ₈ (270)	4 ¹⁵ / ₁₆ (125)	13 ³ / ₈ (340)	9.68 (4.4)	7 ⁷ / ₈ (200)	1 ⁹ / ₁₆ (40)
A90CM5L	10 ⁵ / ₈ (270)	4 ¹⁵ / ₁₆ (125)	18 ⁷ / ₁₆ (468)	11 (5)	11 ¹³ / ₁₆ (300)	1 ⁹ / ₁₆ (40)

AUSAVINA COUNTERTOP SLAB SAVER

- With this saver, the kitchen top with sink hole and the thin fragile slab like porcelain can be handled and transported easily.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Number Of Aluminum Bars - (pcs)	Number Of Suction Cups - (pcs)	Net Weight lbs (kg)
ACS83	82 ¹¹ / ₁₆ (2100)	12 ¹⁵ / ₁₆ (330)	3 ¹ / ₈ (79)	2	8	44 (20)

AUSAVINA MITER FIT CLAMP

- An ideal tool for positioning, joining and gluing the two stone slabs perpendicularly.
- Can be easily mounted to any working table.
- AMFC200 consists of three main parts: Sliding rail, Adjustable clamping assembly and Clamp & Suction cups set.
- Knurled knobs accurately position slab and apron.
- Simple to operate, easy to disassemble for storage or transportation.

AMFC200






TABLE IS OPTIONAL



FLEXIBLE

Flexibly combined with many different working table sizes which are available at workshop.




CLAMP & SUCTION CUPS SET

Apply and increase the proper physical force from above to hold the slabs more firmly.



ADJUSTABLE CLAMPING ASSEMBLY

Flexibly designed for many different slab sizes.



RUBBER STRIP

Prevent the stone slabs from damage or scratches.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net weight lbs (kg)
AMFC200	84 5/8 (2150)	15 5/8 (397)	13 1/8 (333)	48.4 (22)

AUSAVINA MITER SET CLAMP

- It features three main components: Table frame, Adjustable Clamping Pads and Suction Cups.
- Ideal to position, join, glue a mitered slab and a front apron.
- Fits different size slabs and features an extended front apron.
- Slabs contact points have rubber strips for maximum protection.



AMSC120



CLAMP & SUCTION CUPS SET



To join and glue the fascia with the large height.

AMSC150



AMSC200



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net weight lbs (kg)	Max. Material Height in (mm)	Max. Material Thickness in (mm)	Adjustable Clamping Pads and Suction Cups
AMSC120	47 ¾ (1200)	23 ⅝ (600)	40 ⅞ (1039)	88 (40)	19 11⁄16 (500)	2 ⅜ (60)	4 - 2
AMSC150	59 1⁄16 (1500)	23 ⅝ (600)	40 ⅞ (1039)	103.4 (47)	19 11⁄16 (500)	2 ⅜ (60)	4 - 2
AMSC200	78 ¾ (2000)	23 ⅝ (600)	40 ⅞ (1039)	123.2 (56)	19 11⁄16 (500)	2 ⅜ (60)	4 - 2

AUSAVINA SINK LOCK

- Ausavina Sink Lock is specifically designed for positioning and gluing of sink to the countertop. It ensures absolute positioning and secures the work.
- Sink Lock securely supports your sink while the glue is curing and features a quick release lock for easy removal.
- It includes carrying case.

SLS24



SLD48



Model	Length In (mm)	Width In (mm)	Height In (mm)	Depth Cap In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
SLS24	24 1/4 (616)	5 7/8 (150)	20 9/16 (523)	14 1/4 (362)	5.28 (2.4)	660 (300)
SLD48	48 11/16 (1236)	5 7/8 (150)	20 9/16 (523)	14 1/4 (362)	9.9 (4.5)	660 (300)

AUSAVINA POWER KITCHEN PROCESSING TABLE


PKPT6340-PRO



- Made of high-quality aluminum with a high load capacity, it is ideal for moving, lifting and lowering the slabs during the kitchen installation.
- The advanced design features a removable battery and additional support legs, enhancing convenience while optimizing safety for both user and slab.



Removable battery



Wireless remote


CONVENIENCE

Use a wireless remote to lift and lower slabs quickly at a safe distance. Easily flip the slab from vertical to horizontal.



SMOOTH MOVEMENT

Male rod ends on the surface support to move slabs out of the table more quickly and effortlessly.



SECURE SUPPORT LEGS

Easily adjust the support legs to secure the table, ensuring safer operation when flipping or rotating large stone slabs.



SAFETY

The stone holders secure the slabs to the table during movement, while the plastic strips on the base prevent slipping and damage.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Minimum Slab Size - In (mm)	Maximum Slab Size - In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
PKPT6340-PRO	62 15/16 (1600)	33 1/16 (840)	32 11/16 - 40 9/16 (830 -1030)	7 7/8 x 23 5/8 (200 x 600)	47 1/4 x 86 5/8 (1200 x 2200)	191.4 (87)	660 (300)

AUSAVINA POWER KITCHEN INSTALLATION CART

APKIC7040-PRO



- Made of durable, lightweight aluminum, weighing only 242 lbs. It is easy to move and lift materials, making it ideal for kitchen installation.
- Using a removable battery for enhancing flexibility and convenience, ensuring more efficient operation of the cart.




Removable battery



Wireless remote


CONVENIENT

Use wireless remote for lifting, lowering and tilting slabs quickly at a safe distance.



EASY MOVEMENT

Edge sliders support handle slab with raise more easily, reducing labor effort while enhancing material transportation efficiency.



SAFE SUPPORT LEGS

Easily adjust the support legs to secure the cart, ensuring safer operation when flipping or rotating large stone slabs.



Support bars

EFFECTIVE

Support bars keep balance and help to move large slabs more efficiently.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Minimum Slab Size - In (mm)	Maximum Slab Size - In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
APKIC7040-PRO	70 7/8 (1800)	36 3/16 (919)	33 1/4 ~ 41 1/8 (845 ~ 1045)	7 7/8 x 23 5/8 (200 x 600)	51 3/16 x 118 1/8 (1300 x 3000)	242 (110)	1100 (500)

AUSAVINA DUAL POLISHED FLIP TABLE

- Flip slabs easily, quickly and safely for more productivity and time-saving.
- The countertop tilts easily to various angles.
- Rubber strips help protect the slabs from damage.



Side 1

Easily flip the stone slab to polish 2 sides with a simple operation

Side 2




EASILY TO POLISH BOTH SIDES OF THE STONE SLAB



Only 1 person needed to flip the slab

MORE PRODUCTIVE & TIME-SAVING

Easily and safely flip slabs weighing up to 440 lbs (200kg) with just one person saving labor costs effectively.



FLEXIBLE & SAFE

The tilting countertop adjusts to various angles for different needs, ensuring safety for both the slab and the operator.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit (75 degree tilt) - lbs (kg)	Work Load Limit lbs (kg)
APFT7422	74 13/16 (1900)	53 1/16 (1348)	39 1/8 (994)	468.6 (213)	440 (200)	1100 (500)

AUSAVINA TILT GLASS CUTTING TABLE

- This table is engineered for easy handling, cutting and operation of large-sized glass, making it ideal for mass production lines.
- It operates smoothly and cost-effectively. With a tilting angle of up to 78°, it functions quietly during tilt operations.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
TGCT9878	98 7/16 (2500)	78 7/8 (2004)	35 13/16 (910)	554.4 (252)	1100 (500)

AUSAVINA WORKING TABLE

- Used to securely hold stone slabs during grinding, polishing and drilling processes.
- Ideally designed for flexible assembly to accommodate the shape and size of each stone slab.
- Can be disassembled into components for easy packing and transport.

AWT7523



AWT7523C Swivel casters with brakes provide easy maneuvering



The design is convenient and efficient, can be assembled to suit the shape and size of the stone slab.


Model	Length In (mm)	Width In (mm)	Height - In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AWT7523	75 7/8 (1927)	23 15/16 (608)	37 15/16 ~ 40 9/16 (965 ~ 1030)	162.8 (74)	4840 (2200)
AWT7523C	75 13/16 (1925)	23 3/4 (604)	37 15/16 ~ 40 9/16 (965 ~ 1030)	184.8 (84)	4840 (2200)

AUSAVINA FLEXIBLE WORK TABLE

- Ausavina Flexible Work Table is designed to support slabs during polishing, sharpening, cutting and various other tasks.
- Linking hooks are designed to create multi-way layouts such as Straight, L-shaped, U-shaped suit the shape and size of the stone slabs.
- The top is covered with rubber to protect slabs from being damaged.
- Ausavina Flexible Work Table is easy to assemble and disassemble for transport.

AUSAVINA FLEXIBLE WORK TABLE

AFWT8328



AUSAVINA FLEXIBLE WORK TABLE-4 WHEELS

AFWT8328-4W




Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AFWT8328	83 7/8 (2130)	28 9/16 (725)	37 15/16 ~ 40 9/16 (965 ~ 1030)	145.2 (66)	660 (300)
AFWT8328-4W	84 15/16 (2158)	30 11/16 (780)	39 1/16 (992)	112.2 (51)	880 (400)

AUSAVINA EASY ADJUSTABLE FABRICATION STAND/SENI

- The Ausavina Easy Adjustable Fabrication Stand and new Seni version are designed to support slabs during cutting, polishing, sharpening and/or various other tasks.
- The top stand bar is covered by rubber strips to prevent slab surfaces from scratching and chipping.
- The design is versatile and compact so that it can be easily stored or transported.



SOLD IN PAIRS



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AEAFS3143	25 ¹⁵ / ₁₆ (660)	23 ¹⁵ / ₁₆ (609)	32 ¹ / ₄ - 43 ⁹ / ₁₆ (819 - 1107)	57.2 (26)	1430 (650) Per Piece 2860 (1300) Per Set
AEAFS3143S	26 ¹ / ₁₆ (662)	23 ¹³ / ₁₆ (605)	32 ³ / ₁₆ - 43 ⁹ / ₁₆ (818 - 1106)	40.7 (18.5)	660 (300) Per Piece 1320 (600) Per Set

AUSAVINA FABRICATION STAND

- Ausavina Fabrication Stand is designed to support slabs during cutting, polishing, sharpening and/or various other tasks. Height is adjustable from 31 ½" (800 mm) to 39 ¾" (1000 mm) for super long slabs it may be advisable to use more than 2 stands to sustain the weight in the middle. The top is covered with rubber to protect slabs from being damaged. It is folded easily for transporting from one place to another.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AFS3139	26 ½ (662)	18 ¾ (462)	31 ½ ~ 39 ¾ (800 ~ 1000)	61.6 (28)	1430 (650) Per Piece 2860 (1300) Per Set

AUSAVINA QLI FOLDABLE TABLE


- Ausavina Qli Foldable Table is used for supporting the slabs during machining, cutting, grinding, polishing or drilling. The height is adjustable from 32 ½" (833 mm) to 44 ½" (1121 mm). Articulated connecting links allow precise adjustment of the table width to accommodate variations in slab sizes.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AQFT7923	12 15/16 ~ 78 3/4 (330 ~ 2000)	25 9/16 (650)	32 13/16 ~ 44 1/8 (833 ~ 1121)	92.4 (42)	3080 (1400)

AUSAVINA EDGE POLISHING STAND – AUTO LOCK

- EPS60AL is designed for upright slab polishing, helping polishers work more easily and comfortably with better visibility. It delivers efficient results in less time without compromising quality. Featuring double-jaw auto clamping, its rubber-coated clamps provide a strong grip to securely hold even large slabs.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Max Jaw Opening In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
EPS60AL	24 ⁷ / ₈ ~ 39 ¹³ / ₁₆ (632 ~ 1012)	21 ¹ / ₄ (540)	25 ⁷ / ₁₆ ~ 30 ¹³ / ₁₆ (650 ~ 780)	2 ³ / ₈ (60)	66 (30)	1650 (750)

AUSAVINA SLAB DOLLY

- With the compact design, the dolly can move smoothly and easily in narrow working places or over uneven surfaces. The 8" dolly has solid rubber tires and the 11" dolly has pneumatic tires. Rubber vulcanized pad protects slabs from chipping and scratching.

AUSAVINA 8" SLAB DOLLY



AUSAVINA 11" SLAB DOLLY



SD008 - Solid Rubber Tires 8"

SD011 - Pneumatic Tires 11"

Model	Length In (mm)	Width In (mm)	Height In (mm)	Channel Width In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
SD008	20 1/16 (510)	9 13/16 (250)	8 1/16 (205)	3 1/8 (80)	19.8 (9)	660 (300)
SD011	20 1/16 (510)	12 1/8 (308)	10 5/8 (270)	3 1/8 (80)	19.8 (9)	660 (300)

AUSAVINA 3 WHEEL SLAB DOLLY

- Designed to facilitate slab handling and transporting in work places. Rubber vulcanized pad protect slabs from chipping and scratching. The dolly comes with pneumatic tires and a swivel caster with heavy duty locking brake to provide additional stability and maneuverability in confined spaces.

AUSAVINA 3 WHEEL SLAB DOLLY

AUSAVINA 3 WHEEL GIANT DOLLY



SD013 - Pneumatic Tires 13"

GD013 - Pneumatic Tires 13"

Model	Length In (mm)	Width In (mm)	Height In (mm)	Channel Width In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
SD013	27 15/16 (710)	13 3/8 (340)	13 3/16 (335)	3 1/8 (80)	37.4 (17)	1430 (650)
GD013	27 15/16 (710)	14 15/16 (380)	13 3/16 (335)	4 3/4 (120)	35.2 (16)	1430 (650)

AUSAVINA 4 WHEEL SLAB DOLLY

- The 4 Wheel Slab Dolly is designed to move stone slabs efficiently around warehouses, construction sites and other work areas. Dolly is equipped with 2 solid rubber tires and 2 swivel casters to operate in a small workspace. Rubber U-shaped vulcanized pad protects slabs from chipping and scratching during transportation.

AUSAVINA 4 WHEEL GIANT DOLLY

AUSAVINA 4 WHEEL SLAB DOLLY



GDS003 - Solid Rubber Tires 8"



SDS003 - Solid Rubber Tires 8"



Model	Length In (mm)	Width In (mm)	Height In (mm)	Channel Width In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
GDS003	19 1 ¹ / ₁₆ (500)	13 7 ¹ / ₁₆ (342)	8 1 ¹ / ₁₆ (205)	6 1 ¹ / ₁₆ (170)	30.8 (14)	800 (400)
SDS003	20 1 ¹ / ₁₆ (510)	9 1 ³ / ₁₆ (250)	8 1 ¹ / ₁₆ (205)	3 1 ¹ / ₈ (80)	26.4 (12)	800 (400)

AUSAVINA SELF-LOCKING TROLLEY

- These Self-Locking Trolleys are built for heavy-duty use. Vulcanized rubber pads on the V-channel and clamping jaws help prevent damage to the slab. The structure features detachable components, making the trolley easy to disassemble and reassemble for convenient transportation and packaging.

SLT13M2



Pneumatic Tires and A Third Wheel

SLT13M3



Pneumatic Tires and A Kickstand




Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
SLT13M2	26 3 ⁸ / ₁₆ (670)	22 3 ¹ / ₁₆ (563)	19 5 ¹ / ₁₆ (490)	3 ⁸ / ₁₆ ~ 3 15 ¹ / ₁₆ (10 ~ 100)	70.4 (32)	1100 (500)
SLT13M3	20 15 ¹ / ₁₆ (533)	22 3 ¹ / ₁₆ (563)	19 5 ¹ / ₁₆ (490)	3 ⁸ / ₁₆ ~ 3 15 ¹ / ₁₆ (10 ~ 100)	61.6 (28)	1100 (500)

AUSAVINA SELF-LOCKING TROLLEY


- Ausavina Self-Locking Trolley is ideal for transporting both small and large slabs (stone, granite, marble, etc.) in warehouses, workshops and construction sites.
- Rubber pads on the clamp plate and V-channel prevent contact damage and keep the slab securely centered on the Self Locking Trolley.
- The gripping force is evenly divided on both sides of the trolley, enhancing the ability securely tighten and hold the slab.

SLT13M6



Easy to take the handle rod out of the trolley.

Easy to adjust the handle rod length



Swivel casters allow the trolley to be easily oriented in any direction



2 pneumatic wheels and casters with brakes provide an easy and safe moving over rough terrain.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
SLT13M6	59 $\frac{3}{16}$ (1504)	20 $\frac{5}{16}$ (516)	20 $\frac{5}{16}$ (516)	$\frac{3}{8} \sim 3 \frac{15}{16}$ (10 ~ 100)	112.2 (51)	1100 (500)

AUSAVINA SAFETY SLAB DOLLY

- This dolly allows safe in-outdoor transportation with its lever extending slab side support.
- With a lever supporting the material from the base to the top, this dolly can move an object in a safe manner.
- Pneumatic tires are designed to withstand vibration and prevent breakage.



Model	SSD35
Length - In (mm)	35 7/16 (900)
Width - In (mm)	20 1/2 (520)
Height - In (mm)	64 15/16 (1650)
Slab Thickness - In (mm)	3 15/16 (100)
Net Weight - lbs (kg)	77 (35)
Work Load Limit - lbs (kg)	1430 (650)

SSD35 - Pneumatic Tires 13"

AUSAVINA SELF-LOCKING DOLLY

- Pneumatic tires withstand vibrations, prevent damage and provide easy transportation.
- Built-in self-gripping, compact design, rubber coated contact surfaces for safe in-outdoor operations.




Model	SLT60
Length - In (mm)	12 5/8 (320)
Width - In (mm)	11 1/2 (293)
Height - In (mm)	12 3/8 (314)
Grip Range - In (mm)	0 ~ 2 3/8 (0 ~ 60)
Net Weight - lbs (kg)	19.8 (9)
Work Load Limit - lbs (kg)	550 (250)


AUSAVINA TUG DOLLY

- These dollies with their compact structure, are well suited for working in narrow spaces or on rough surfaces.
- Made of aluminum for lightweight with a capacity of up to 990lbs (450kg).
- 4 large solid wheels provide sturdy support and make it easy to handle slabs.


AUSAVINA TUG DOLLY - ATD19



AUSAVINA TUG DOLLY - ATD25



AUSAVINA TUG DOLLY - ATD60




Model	Length In (mm)	Width In (mm)	Height In (mm)	Grip Range In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ATD19	24 1/16 (610)	12 7/8 (327)	12 1/16 (307)	0 ~ 2 7/8 (0 ~ 73)	34.1 (15.5)	990 (450)
ATD25	27 15/16 (710)	15 1/16 (382)	12 1/16 (307)	0 ~ 5 1/8 (0 ~ 130)	35.2 (16)	990 (450)
ATD60	60 (1524)	21 1/2 (546)	23 3/8 (588)	0 ~ 2 3/4 (0 ~ 70)	72.6 (33)	990 (450)

AUSAVINA EASY MOVING DOLLY

- The compact design makes it convenient to transport and store stone slabs in confined spaces, effectively optimizing time and labor costs. Constructed from high-grade steel for enhanced durability and sturdiness. Its foldable tube poles allow flexible placement of stone slabs both vertically and horizontally.


AEMD400



Can be placed in vertical and horizontal

CONVENIENT - SAFE

The stone slabs can be placed in vertical or horizontal with foldable tube poles. Rubber strips protect the slabs from damaging or chipping.



FLEXIBLE

Easy moving on uneven surfaces in different directions by a combination of pneumatic casters and swivel casters.


Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AEMD400	30 1/16 (762)	17 1/4 (438)	38 3/16 (970)	39.6 (18)	880 (400)

AUSAVINA EZ-PRO WINCH CART

- AEWC450-M2 is an effective tool for material slabs handling in any working place.
- Vertical moving mechanism features an electric winch and the cart is equipped with a remote control to enhance safety.
- All contact surfaces are rubber coated to secure stability and avoid slabs damage.
- This cart can handle the material slabs weighing up to 990 lbs (450 kg).




Control panel



Wireless remote



Lithium-ion battery easy to install



Safely lower, transport and lift large slabs

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AEWC450-M2	34 ⁵ / ₈ (880)	17 ¹ / ₁₆ (432)	67 ¹ / ₁₆ - 101 ⁵ / ₁₆ (1704 - 2574)	110 (50)	990 (450)

Battery Powered	Maximum Lifting Height - In (mm)	Maximum Stone Width - In (mm)	Maximum Stone Thickness - In (mm)
2x18V / 4Ah	40 ³ / ₁₆ (1020)	55 ¹ / ₈ (1400)	2 ³ / ₄ (70)

AUSAVINA V-CART

- Ausavina V-Cart is a utility cart designed for storing and transporting slabs/glass sheets easily. Its compact structure is designed with 4 heavy duty swivel casters for easy maneuvering in narrow areas. Ausavina V-Cart enables precise positioning of slabs in any direction for various applications. The rubber-stripped poles can be repositioned in the rubber-stripped base to meet the customers' needs. The rubber strip will protect the material from scratching and chipping. Its durable construction adds stability when handling heavier loads.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AVC3747	37 ³ / ₈ (950)	36 ¹ / ₄ (920)	47 ¹³ / ₁₆ (1214)	154 (70)	2200 (1000)

AUSAVINA QLI DRYWALL CART 039

- A compact design to fit confined spaces.
- Rubber strips protect the materials from sliding and chipping.
- Two swivel casters allow easy movement in any direction.
- Casters with safe brakes prevent the cart from moving.
- The optimized tilt angle ensures safe and efficient operation.





Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	W.L.L. lbs (kg)
AQDC039-CS-M2	39 ³ / ₄ (1010)	21 ¹ / ₄ (540)	47 ¹ / ₂ (1206)	36 ¹ / ₁₆ (915)	11 ⁹ / ₁₆ (293)	74.8 (34)	2200 (1000)

W.L.L. : Work Load Limit

AUSAVINA NESTING DUAL DRYWALL CART 049

- Designed for easy maneuvering and storing of stone slabs on both sides.
- The rubber strips on the base frame keep the slabs from slipping and chipping.
- The optimized tilt angle ensures safe and efficient operation.
- Creative design allows the carts to be quickly nested into a row when not in use.



FLEXIBLE FOR VARIOUS SLAB SIZES

Crossbar with two adjustable height levels help to store various slab sizes.



Swivel casters

CONVENIENT AND SPACE SAVING

Unique design allows the carts to be easily nested in a row, keeping your workspace tidy and space-saving when not in use.

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D1) In (mm)	(E1) In (mm)	(D2) In (mm)	(E2) In (mm)
ANDWC049-M2	49 ³ / ₄ (1263)	27 ¹¹ / ₁₆ (703)	47 ⁵ / ₈ (1210)	38 ⁷ / ₈ (988)	12 ³ / ₈ (315)	36 ⁹ / ₁₆ (928)	6 ¹ / ₈ (155)
Minimum Slab Size In (mm)		Maximum Slab Size In (mm)		Net Weight lbs (kg)		Work Load Limit lbs (kg)	
7 ⁷ / ₈ x 7 ⁷ / ₈ x ¹ / ₄ (200 x 200 x 6)		47 ¹ / ₄ x 94 ¹ / ₂ x 1 ³ / ₁₆ (1200 x 2400 x 30)		83.6 (38)		2200 (1000)	

AUSAVINA SLAB RACK DOLLY

- Designed for storing and transporting stone slabs or glass sheets easily and quickly.
- A solid base frame allows for dealing with bundle slabs.
- Six poles can be inserted into the base in various layouts to accommodate different slab sizes and can be neatly removed when not in use.
- A removable handle helps with traction and direction.
- The rubber strip on the base protects the material from scratching and chipping.



It can be folded easily for storage and transportation



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ASRD39	43 $\frac{5}{16}$ (1100)	25 $\frac{13}{16}$ (655)	48 $\frac{11}{16}$ (1237)	112.2 (51)	2200 (1000)

AUSAVINA FOLDING TROLLEY FRAME

- A compact design that fits through any doorway while ensuring maximum stability. Both the A-Frame and the base are fully lined with rubber strips to protect slabs from chipping and slipping.
- Swivel casters with brakes make it easy to maneuver in any directions.



It can be folded easily for storage and transportation



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AFTF4332	43 $\frac{5}{16}$ (1100)	23 $\frac{5}{8}$ (600)	40 $\frac{9}{16}$ (1031)	85.8 (39)	880 (400)


AUSAVINA FLEXIBLE CARRY CART

- Ausavina Flexible Carry Cart is designed for smooth, safe, and versatile slab handling. This cart combines both transport and storage into a compact, space-saving design that effortlessly adapts to your evolving workflow.




VERSATILE

Features rubber-coated tube poles with multiple slots, allowing materials to be handled upright or flat and stored neatly when not in use.



EASY MOVEMENT

Four swivel casters with brakes ensure safe, effortless, and controlled mobility.



PROTECTIVE

The non-slip rubber top surface protects materials from damage, while the retractable pull handle offers both convenience and neat storage.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AFCC50	53 1/16 (1348)	29 15/16 (760)	51 5/8 (1311)	194.4 (88.2)	3300 (1500)

AUSAVINA SMART SLAB BUGGY

- Ideal compact buggy for moving slabs in confined spaces.
- 2 large wheels allow for easy movement on uneven surfaces and two casters with brakes provide smooth movement in multiple directions while ensuring stationary positioning when needed.
- For additional safety the buggy has a bar fixed on one side in the middle of the frame to keep slabs steady and plenty of rubber strips to avoid contact damage.




Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ASSBG4736P	46 ⁵ / ₈ (1184)	24 ¹³ / ₁₆ (630)	45 ¹¹ / ₁₆ (1160)	83.6 (38)	1155 (525)
ASSBG4736S	45 ¹¹ / ₁₆ (1160)	23 ¹⁵ / ₁₆ (609)	45 ¹ / ₂ (1155)	92.4 (42)	1155 (525)

P= Pneumatic Back Tires / S = Solid Back Tires

AUSAVINA DOUBLE SIDED SLAB BUGGY

- The Slab Buggy features a large weight for maximum security for materials, all within a compact design.
- Pneumatic wheels easily move on rough surfaces.
- Casters with safety brakes allow for easy movement in multiple directions and ensure stationary positioning when needed.
- Rubber strips on the frame protect and prevent damage to the stone slab.




Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
DSBG1320P	53 1 ¹ / ₁₆ (1363)	32 5 ¹ / ₁₆ (820)	47 1 ¹ / ₁₆ (1195)	36 1 ¹ / ₈ (917)	6 3 ¹ / ₄ (159)	143 (65)	880 (400) Per Side 1760 (800) Total
DSBG1320S	53 1 ¹ / ₁₆ (1363)	31 15 ¹ / ₁₆ (812)	45 15 ¹ / ₁₆ (1167)	36 1 ¹ / ₈ (917)	6 3 ¹ / ₄ (159)	169.4 (77)	1320 (600) Per Side 2640 (1200) Total
EDSBG1320P	42 3 ¹ / ₈ (1076)	29 15 ¹ / ₁₆ (760)	45 15 ¹ / ₁₆ (1168)	36 3 ¹ / ₁₆ (919)	6 5 ¹ / ₁₆ (160)	101.2 (46)	660 (300) Per Side 1320 (600) Total
EDSBG1320S	42 3 ¹ / ₈ (1076)	29 1 ¹ / ₈ (740)	46 1 ¹ / ₄ (1175)	36 3 ¹ / ₁₆ (919)	6 5 ¹ / ₁₆ (160)	107.8 (49)	880 (400) Per Side 1760 (800) Total

* Solid Rubber Tire (S) * Pneumatic tires (P)

AUSAVINA DOUBLE SIDED SLAB BUGGY

- Designed to transport slabs in warehouses, especially in confined spaces with maximum stability.
- Equipped with two large wheels for easy movement on uneven surfaces (especially P models) and two casters with brakes for smooth movement in multiple directions, as well as stationary positioning when needed.
- For added safety, the 2640 models feature four bars fixed on both sides in the middle of the frame to secure slabs, along with plenty of rubber strips to prevent any contact damage.




Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
DSBG2640P	53 11⁄16 (1363)	30 13⁄16 (782)	45 13⁄16 (1164)	36 1⁄16 (916)	6 1⁄2 (165)	198 (90)	1320 (600) Per Side 2640 (1200) Total
DSBG2640S	53 11⁄16 (1363)	31 3⁄4 (806)	46 1⁄8 (1172)	36 1⁄16 (916)	6 1⁄2 (165)	222.2 (101)	1320 (600) Per Side 2640 (1200) Total

* Solid Rubber Tire (S) * Pneumatic tires (P)


AUSAVINA SLAB BUGGY

- The Slab Buggy is made of steel for sturdy and durable. The structure of two A-Frames parallel on both sides to transport stone slabs firmly and securely.
- Equipped with two large wheels for easy movement on uneven surfaces (easier with pneumatic tires) and two casters with brakes for smooth movement in multiple directions, as well as stationary positioning when needed.
- For additional safety, Model 2640 features two bars fixed on one side in the middle of the frame to keep slabs steady, along with plenty of rubber strips to avoid contact damage, (SBG800P/S) models also include two ratchet straps for enhanced stability.

SBG800



SBG2640



Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
SBG800S	48 ¹³ / ₁₆ (1240)	26 ¹¹ / ₁₆ (678)	46 ¹ / ₈ (1171)	36 ⁵ / ₈ (930)	7 ¹ / ₄ (184)	132 (60)	2200 (1000)
SBG800P	48 ¹³ / ₁₆ (1240)	26 ¹¹ / ₁₆ (678)	47 ³ / ₁₆ (1199)	36 ⁵ / ₈ (930)	7 ¹ / ₄ (184)	107.8 (49)	1100 (500)
SBG2640S	47 ⁵ / ₈ (1210)	28 ³ / ₈ (720)	46 ¹⁵ / ₁₆ (1192)	36 ³ / ₄ (934)	7 ³ / ₁₆ (183)	151.8 (69)	2640 (1200)
SBG2640P	49 ⁵ / ₈ (1260)	28 ³ / ₈ (720)	46 ⁷ / ₈ (1190)	36 ³ / ₄ (934)	7 ³ / ₁₆ (183)	132 (60)	2640 (1200)

* Solid Rubber Tire (S) * Pneumatic tires (P)

AUSAVINA QLI SLAB BUGGY

- A simple and compact design for transporting stone slabs and other sheet materials across factories or construction sites. Swivel casters with locking brakes are offset outside the steel frame for added stability. Pneumatic tires allow easy transport on rough or any surfaces. Rubber strips on the A-Frame and the base protect the materials from chipping and damage.

AUSAVINA QLI SLAB BUGGY

AQSBG1320



AUSAVINA QLI DOUBLE SIDED SLAB BUGGY

AQDSBG1320



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AQSBG1320	49 5⁄8 (1260)	24 1⁄16 (610)	45 3⁄8 (1152)	79.2 (36)	1320 (600)
AQDSBG1320	52 5⁄16 (1328)	31 5⁄16 (796)	44 15⁄16 (1141)	121 (55)	1320 (600)

AUSAVINA UNIVERSAL SLAB BUGGY

- These buggies are compact enough to pass through standard-sized doors, yet strong enough to easily and safely move slab weighing up to 5500 lbs (2500 kg).
- Four high-quality swivel casters with brakes allow quick and easy maneuvering.
- Securing arms are equipped to protect slabs during operation or to hold outer slabs in place when picking up any inner ones.

USB6WM



USB6WL



Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
USB6WM	59 1/16 (1500)	29 1/8 (740)	58 11/16 (1490)	48 13/16 (1236)	8 1/8 (207)	231 (105)	5500 (2500)
USB6WL	70 7/8 (1800)	29 1/8 (740)	67 11/16 (1720)	58 9/16 (1487)	7 7/8 (200)	270.6 (123)	5500 (2500)

AUSAVINA FLEXIBLE TRANSPORT CART


- AFTC5947 is a simple and solid structure to store and transport materials up to 352 lbs (160 kg).
- Rubber strips protect the materials from scratching and falling.
- Components and parts are detachable to save storage space and easy transportation.



Swivel casters with safety brakes for easy maneuvering in any direction.



Durable and lightweight **aluminum alloy frame** with compact design.



Crossbar can be adjusted upward or downward for flexible handling various slab sizes.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AFTC5947	62 ½ (1588)	23 ⅝ (600)	54 ⅝ (1380)	79.2 (36)	352 (160)

AUSAVINA OVERSIZED GLASS TRANSPORT CART


- The Oversized Glass Transport Cart is able to assemble and disassemble easily for packing and transporting to desired areas.



Used to transport and store various glass sheet sizes, especially for large glass doors.



Safety brake
Swivel casters with safety brakes increase security to move in any direction.



2 safety bars per each side secure glass sheets during transportation avoiding to slip.

Model	Length In (mm)	Width In (mm)	Height In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Work Load Limit - lbs (kg)
AOGTC11879	119 1/16 (3024)	43 1/16 (1110)	95 3/8 (2422)	79 1/16 (2008)	10 9/16 (268)	649 (295)	3300 (1500)

AUSAVINA HEAVY DUTY MULTI-UTILITY TRANSPORT TRAILER

- A unique trailer to store and transport stone slabs or other flat materials around warehouses and factories.
- Applicable for many material such as stone, glass, porcelain, marble, steel, wood, etc in different sizes.



MODERN DESIGN

U-Frames can be removed and repositioned to suit the number and sizes of slabs.



SAFE

Versatile and sturdy casters with brakes for safely maneuvering large material slabs in any work area.




EFFICIENT

Integrated with the handle to easily pull or push the trailer by manual or forklift truck.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Capacity Between U-Frame - lbs (kg)	Work Load Limit lbs (kg)
AMUT119	117 3/16 (2977)	42 5/16 (1075)	63 3/16 (1605)	635.8 (289)	3300 (1500)	8800 (4000)


AUSAVINA HEAVY MULTI-PURPOSE TRANSPORT TRAILER

- A unique trailer to store and transport stone slabs or other flat materials around warehouses and factories.
- Applicable for many material such as stone, glass, porcelain, marble, steel, wood, etc in different sizes.



FLEXIBLE

Easy to adjust the distance between two A-Frames to suit different material slab sizes.



PRODUCTIVE

Versatile and solid casters with brakes to maneuver large material slabs in any working area safely.



CONVENIENT


Integrated with the handle to easily pull or push the trailer by manual or forklift truck.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Capacity Between Poles - lbs (kg)	Work Load Limit lbs (kg)
AMPT9743	136 ¾ (3473)	43 ⅙ (1100)	67 ⅙ (1709)	776.6 (353)	3300 (1500)	8800 (4000)


AUSAVINA FLAT STACKING CART

- Ideal cart for storing and transporting thin material such as porcelain slabs at a construction site or in a warehouse.
- With smart design and high capacity, it helps to optimize your working space and increase productivity.

AFSC060



Stackable for optimizing space when not in use or loading slabs



CONVENIENT AND SPACE SAVING

The carts can easily be stacked on top for your workplace tidier when storing or loading slabs.



HIGH PROTECTION

Rubber strips covered on the frame surface protect the slabs or sheets from cracking or chipping off during moving.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AFSC060	104 7/16 (2653)	59 1/16 (1500)	33 1/8 (841)	187 (85)	2200 (1000)

AUSAVINA STACKING SINGLE SIDED A-FRAME

- Ausavina Stacking Single Sided A-Frame is a practical, space-saving solution for safe, efficient glass storage and transport in workshops, warehouses, and construction sites.



SPACE-SAVING

Designed for quick assembly and disassembly, this A-Frame can also be stacked when not in use to efficiently maximize your workspace.





HIGH PROTECTION

Rubber strips prevent slipping and impact damage, while a 12.6 in (321 mm) storage space and ratchet securing bars allow for safe, efficient handling of more slabs.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ASSA48	60 ³ / ₁₆ (1528)	29 ¹ / ₄ (743)	48 ¹⁵ / ₁₆ (1243)	139 (63.2)	2200 (1000)

AUSAVINA NESTING SINGLE SIDED CART

- Excellent equipment for storing and transporting large slabs in warehouses, factories or construction sites especially in narrow space.
- The device is made of steel and can be easily assemble and disassemble for packing and transporting to desired areas.



Swivel casters



SIMPLE AND SPACE OPTIMIZATION

Unique design that helps the carts can be folded and nested easily to make your workplace tidy when not in use.





MORE SAFETY

The high-quality rubber strip and the ratchet securing bars will protect the slabs perfectly from damage during moving.

Model	Length In (mm)	Width In (mm)	Height In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Work Load Limit - lbs (kg)
NSC6432	64 $\frac{7}{16}$ (1637)	31 $\frac{1}{4}$ (793)	62 $\frac{1}{16}$ (1575)	45 $\frac{3}{16}$ (1147)	14 $\frac{1}{2}$ (368)	195.8 (89)	2200 (1000)

AUSAVINA HEAVY DUTY FOLDING ONE STOP A-FRAME

- Designed for transporting and storing stone slabs in warehouses, factories or construction sites.
- The A-Frames are connected by the crossbar for ensuring a rigid structure.



FLEXIBLE FOR VARIOUS SLAB SIZES

Support bars with two adjustable height levels help to store various slab sizes.



Stackable for optimizing space when not in use

CONVENIENT AND SPACE SAVING

Simple design for easy to use, fold, stackable to save space and convenient for transporting with only one package.

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)
AHFOSA11872	118 1/8 (3000)	43 5/16 (1100)	76 5/8 (1947)	71 3/16 (1808)	9 11/16 (246)

Model	Net Weight lbs (kg)	Work Load Limit Per Side - lbs (kg)	Work Load Limit Both Sides - lbs (kg)
AHFOSA11872	363 (165)	8800 (4000)	17600 (8000)

AUSAVINA FOLDING ONE-STOP A-FRAME

- Designed for storing and transporting stone slabs in warehouses, factories and construction sites.
- Made of rigid steel structure to replace wood storage frame for durability and cost-saving.
- Lightweight structure with high bearing capacity for increasing stability and productivity.

FOSA11872-AC

* Minimum slab size:
78 3/4" x 23 5/8" (2000 x 600 mm)

* Maximum slab size:
135 1/16" x 82 1 1/16" (3430 x 2100 mm)



SPACE-SAVING

Convenient design to use, fold and stackable to optimize storing area and transport with only one package.



SAFE

Rubber strips on the A-Frame and four stoppers fix stone slabs safely when transporting.



INNOVATIVE


The base frame has plastic strips to prevent scratching for the floor when moving the frame with a forklift truck.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	W.L.L* Per Side lbs (kg)	W.L.L* Both Sides lbs (kg)
FOSA11872-AC	137 5/16 (3487)	39 3/8 (1000)	77 3/16 (1960)	354.2 (161)	5500 (2500)	11000 (5000)

*: Work load limit

AUSAVINA FOLDING ONE-STOP A-FRAME

- Designed for transporting and storing stone slabs in warehouses, factories or construction sites.
- The A-Frames are connected by the crossbar for ensuring a rigid structure.



FLEXIBLE FOR VARIOUS SLAB SIZES

Support bars with two adjustable height levels help to store various slab sizes.



HIGH PROTECTION


Rubber strips covered on the frame surface protects the slabs or sheets from cracking or chipping off during moving.

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)
FOSA7547	73 ⁵ / ₈ (1870)	43 ⁵ / ₁₆ (1100)	60 ³ / ₄ (1531)	46 ³ / ₄ (1187)	13 ¹ / ₁₆ (332)	336.6 (153)
Minimum Slab Size In (mm)	Maximum Slab Size In (mm)	W.L.L with Casters - lbs (kg)		W.L.L Per Side W/o Casters - lbs (kg)		Stationary W/o Casters - lbs (kg)
7 ⁷ / ₈ x 11 ¹³ / ₁₆ (200 x 300)	59 ¹ / ₁₆ x 94 ¹ / ₂ (1500 x 2400)	4400 (2000)		8800 (4000)		17600 (8000)

AUSAVINA FOLDING ONE STOP A-FRAME

- Designed for transporting and storing stone slabs in warehouses, factories or construction sites.
- The A-Frames are connected by the crossbar for ensuring a rigid structure.

FOSA8759



FLEXIBLE FOR VARIOUS SLAB SIZES

Support bars with two adjustable height levels help to store various slab sizes.



HIGH PROTECTION

Rubber strips covered on the frame surface protects the slabs or sheets from cracking or chipping off during moving.

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)
FOSA8759	86 15/16 (2208)	43 5/16 (1100)	72 1/16 (1831)	58 9/16 (1487)	12 15/16 (329)	377.3 (171.5)

Minimum Slab Size In (mm)	Maximum Slab Size In (mm)	Capacity with Casters - lbs (kg)	Capacity with Stationary (One Side) lbs (kg)	Stationary W/o Casters - lbs (kg)
15 3/4 x 7 7/8 x 3/8 (400 x 200 x 10)	106 5/16 x 70 1/4 x 1 9/16 (2700 x 1785 x 40)	4400 (2000)	8800 (4000)	17600 (8000)

AUSAVINA DEMOUNTABLE FRAME

- Designed to store and transport stone slabs or other sheet materials in warehouses, construction sites at a safe distance from the ground. Rubber strips coated on the base frame support to prevent slipping and protect against contact damage.



*: Work load limit

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	W.L.L* with Casters - lbs (kg)	Stationary W/o Casters - lbs (kg)	Lifting with Eyelets - lbs (kg)
ADF4932	54 ½ (1385)	39 ¾ (995)	56 ¾ (1432)	32 ¾ (827)	12 ½ (308)	254.1 (115.5)	2200 (1000)	4400 (2000)	2200 (1000)



AUSAVINA ONE STOP HIGH A-FRAME

- The Ausavina One Stop High A-Frame is designed to store and transport stone slabs or glass sheets at a safe distance from the ground. Its base has forklift slots on the two longest sides and plenty of rubber strips to prevent material from chipping off. Suitable to work with both glass and stone slabs. Easy to disassemble and re-assemble for shipping or storage. Has 4 casters for easy movement, two with brake to lock the frame steady to the ground when needed.




Note: Distribute Slabs/Glass Sheets Equally on Both Sides.

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Capacity with Casters - lbs (kg)	Stationary W/o Casters - lbs (kg)
OSHA7236	65 ¾ (1660)	43 ¾ (1100)	62 ½ (1598)	35 ¾ (908)	17 ½ (433)	314.6 (143)	4400 (2000)	5500 (2500)

AUSAVINA ONE STOP SINGLE SIDED A-FRAME



- SSA7247-M3 is a single sided A-Frame. Its base has forklift slots on 2 longest sides. It has plenty of rubber strips and two ratchet securing bars to keep slabs steady and safe. Suitable to work with both glass and stone slabs. Easy to disassemble and reassemble for shipping or storage.




Minimum slab size: 7 7/8" - 11 13/16" (200 mm x 300 mm)
Maximum slab size: 59 1/16" - 94 1/2" (1500 mm x 2400 mm)

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Capacity with Casters - lbs (kg)	Stationary W/o Casters - lbs (kg)
SSA7247-M3	73 15/16 (1878)	25 9/16 (650)	61 9/16 (1563)	46 9/16 (1183)	11 3/16 (284)	231 (105)	4400 (2000)	15400 (7000)


AUSAVINA SMART ONE STOP A-FRAME

- A very safe Smart One Stop A-Frame to move slabs, it has plenty of rubber strips and ratchet securing bars to hold loads steady and protect slab from damage or scratches. The base has wide slots for simple forklift use. Equipped with casters for easy movement, including two with brake to securely lock the frame in place when needed. Fully dismountable for convenient transport or storage.



Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Capacity with Casters - lbs (kg)	Stationary W/o Casters - lbs (kg)
SOSA7247	74 1/2 (1892)	45 1/4 (1150)	64 1/16 (1626)	46 1 1/16 (1186)	13 3/8 (340)	279.4 (127)	3300 (1500)	11000 (5000)
SOSA7263	74 1/2 (1892)	45 1/4 (1150)	79 3/4 (2025)	62 1/8 (1578)	13 15/16 (354)	301.4 (137)	3300 (1500)	11000 (5000)
SOSA8763	90 1/4 (2292)	45 1/4 (1150)	79 1/2 (2019)	62 9/16 (1589)	11 9/16 (294)	363 (165)	3300 (1500)	11000 (5000)
SOSA9679	96 7/8 (2460)	47 1/4 (1200)	95 1/16 (2428)	78 1/16 (1982)	13 7/16 (342)	393.8 (179)	3300 (1500)	11000 (5000)

- This Pro version A-Frame features 4 safety bars, 4 ratchet securing bars with straps and special rubber strips for max slab protection during transport. Suitable for use with both glass and stone slabs. The upper bar of the frame has eyelets for crane lifting, the base has slots for simple forklift use. Has 2 casters with brake to lock the frame steady to the ground when needed. Four removable casters help maximize efficiency work and increase productivity.



NEW IMPROVEMENT



NEW SOLUTION

New solution stores small slabs easily with support bar.



FLEXIBLE FOR VARIOUS SLAB SIZES

Support bars with two adjustable height levels help to store various slab sizes.

Note: Distribute Slabs/Glass Sheets Equally on Both Sides.

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)
OSA7247PRO-M3	73 15⁄16 (1878)	43 5⁄16 (1100)	62 15⁄16 (1600)	46 3⁄4 (1187)	13 5⁄16 (338)
OSA7263PRO-M3	73 15⁄16 (1878)	43 5⁄16 (1100)	78 3⁄4 (2000)	61 13⁄16 (1570)	13 15⁄16 (355)
OSA8763PRO-M3	88 1⁄2 (2248)	43 7⁄8 (1114)	78 1⁄2 (1994)	61 5⁄8 (1565)	11 7⁄8 (302)


Model	Net Weight lbs (kg)	Lifting with Eyelets lbs (kg)	Capacity with Casters lbs (kg)	Stationary W/o Casters lbs (kg)
OSA7247PRO-M3	345.4 (157)	5500 (2500)	4400 (2000)	30800 (14000)
OSA7263PRO-M3	363 (165)	5500 (2500)	4400 (2000)	30800 (14000)
OSA8763PRO-M3	369.6 (168)	5500 (2500)	4400 (2000)	30800 (14000)

* : Removing casters



AUSAVINA ONE STOP A-FRAME

- The heavy-duty A-frame is ideal for storing and transporting stone slabs, sheets and blocks with integrated forklift slots.
- Rubber strips protect slabs from cracking or chipping. Additional stability provided by ratchet securing bars.
- Its components are detachable to facilitate disassembling, storage, reassembling.



NEW IMPROVEMENT



NEW SOLUTION

New solution stores small slabs easily with support bar.



FLEXIBLE FOR VARIOUS SLAB SIZES

Support bars with two adjustable height levels help to store various slab sizes.

Note: Distribute Slabs/Glass Sheets Equally on Both Sides.

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Lifting with Eyelets - lbs (kg)	W.L.L. with Casters - lbs (kg)	Stationary w/o Casters - lbs (kg)
OSA7247-M3	73 15/16 (1878)	43 5/16 (1100)	63 1/16 (1601)	46 3/4 (1187)	13 5/16 (338)	303.6 (138)	5500 (2500)	4400 (2000)	30800 (14000)
OSA7263-M3	73 15/16 (1878)	43 5/16 (1100)	78 3/4 (2000)	61 13/16 (1570)	13 15/16 (355)	334.4 (152)	5500 (2500)	4400 (2000)	30800 (14000)
OSA7275-M3	73 15/16 (1878)	43 5/16 (1100)	90 9/16 (2300)	73 1/2 (1867)	12 13/16 (326)	341 (155)	5500 (2500)	4400 (2000)	30800 (14000)
OSA7286-M3	73 15/16 (1878)	43 5/16 (1100)	103 7/16 (2628)	86 7/16 (2195)	11 3/4 (299)	370.7 (168.5)	5500 (2500)	4400 (2000)	30800 (14000)
OSA8763-M3	88 1/2 (2248)	43 5/16 (1100)	78 1/2 (1994)	62 13/16 (1596)	11 7/8 (302)	369.6 (168)	5500 (2500)	4400 (2000)	30800 (14000)
OSA9679-M3	96 7/8 (2460)	47 1/4 (1200)	94 5/16 (2396)	77 5/8 (1972)	13 1/2 (343)	453.2 (206)	5500 (2500)	4400 (2000)	30800 (14000)


****:** Work load limit

***:** Removing casters

- The heavy-duty A-frame is ideal for storing and transporting stone slabs, sheets and blocks with integrated forklift slots.
- Rubber strips protect slabs from cracking or chipping. Additional stability provided by ratchet securing bars.
- Its components are detachable to facilitate disassembling, storage, reassembling.



Note: Distribute Slabs/Glass Sheets Equally on Both Sides.



Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Lifting with Eyelets - lbs (kg)	W.L.L. with Casters - lbs (kg)	Stationary W/o Casters - lbs (kg)
OSA6135	62 15/16 (1598)	38 5/16 (973)	51 1/16 (1296)	35 1/16 (890)	11 7/16 (290)	261.8 (119)	5500 (2500)	4400 (2000)	17600 (8000)

****:** Work load limit ***:** Removing casters




AUSAVINA BI-LEVEL A-FRAME

- This Bi-Level A-Frame is designed for large, heavy slab transportation and storage; several crossbars provide max stability. The superior design includes 2 levels, especially the upper level can be folded up when moving large slabs. Plenty of rubber strips and ratchet securing bars to keep slabs steady and safe. Suitable to work with fragile slabs. Features 4 casters for easy movement, including two with brakes to keep the frame securely in place when needed. All four casters are to removable to enhance versatility and boost productivity.



Technical Specification


Upper level loading capacity per side: 1760 lbs (800 kg)
Stationary without Casters: 30800 lbs (14000 kg)
Capacity with Casters: 4400 lbs (2000 kg)



Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	Net Weight lbs (kg)
OSA7267-2T-M2	73 15/16 (1878)	43 5/16 (1100)	85 7/8 (2182)	495 (225)

AUSAVINA ONE STOP A-FRAME

- A very safe One Stop A-Frame to move slabs, it has plenty of rubber strips and ratchet securing bars to hold loads steady. Has 4 casters for easy movement, two maneuvered by the pulling handle. Two eyelets on the top bar and wide slots in the base fit perfectly for lifting the frame with an overhead crane or forklift truck. Fully dismantlable for easy transport or storage. Reasonably arranged A-frames provide high rigidity and maximum efficiency when handling large materials.



NEW IMPROVEMENT

NEW SOLUTION

New solution stores small slabs easily with support bar.

FLEXIBLE FOR VARIOUS SLAB SIZES

Support bars with two adjustable height levels help to store various slab sizes.

Note: Distribute Slabs/Glass Sheets Equally on Both Sides.


Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)
OSA9458-M3	94 1/2 (2400)	43 5/16 (1100)	72 1/16 (1830)	58 7/16 (1484)	12 1/8 (308)	424.6 (193)

Minimum Slab Size In (mm)	Maximum Slab Size In (mm)	Lifting with Eyelets - lbs (kg)	Capacity with Casters - lbs (kg)	Stationary W/o Casters - lbs (kg)
7 7/8 x 11 13/16 (200 x 300)	70 7/8 x 118 1/8 (1800 x 3000)	5500 (2500)	4400 (2000)	8800 (4000)



AUSAVINA ONE STOP A-FRAME

- An ideal A-Frame for stone and glass slab transportation in any workplace. Plenty of rubber strips and ratchet securing bars to keep slabs steady and safe. Usable space inside standing parts of the frame to store tools and accessories. Has 4 casters for easy movement, two with brake to lock the frame steady to the ground when needed. Four removable casters to maximize flexibility and increase productivity. A-Frame has base slots and upper bar eyelets to lift it with a fork lift truck or an overhead crane.



Note: Distribute Slabs/Glass Sheets Equally on Both Sides.

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)
OSA9463-M2	96 ⁷ / ₈ (2460)	43 ⁵ / ₁₆ (1100)	82 ⁵ / ₁₆ (2090)	64 ⁵ / ₁₆ (1634)	13 ⁵ / ₁₆ (338)


Model	Net Weight lbs (kg)	Lifting with Eyelets - lbs (kg)	Capacity with Casters - lbs (kg)	Stationary * W/o Casters - lbs (kg)
OSA9463-M2	473 (215)	5500 (2500)	4400 (2000)	30800 (14000)

*: Removing casters

AUSAVINA MULTI ADJUSTABLE DROPSIDE TRUCK A-FRAME


- Designed to combine with the truck in maneuvering the glass sheets and large packed glass door.

AMDST9076



CONVENIENT

Easily combined with different types of trucks for saving time to transport many large sizes of material slabs.




FLEXIBLE

Flexibly adjust the frame to fit with the truck or material slab sizes.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Work Load Limit Per Side - lbs (kg)	Net Weight lbs (kg)
AMDST9076	80 5/16 - 90 5/16 (2040-2300)	79 1/2 - 94 1/2 (2020 - 2400)	90 9/16 - 100 3/8 (2300 - 2550)	1540 (700)	1034 (470)

AUSAVINA ADJUSTABLE DROPSIDE TRUCK A-FRAME

- Designed for integration with transport trucks, the frame enhances safety and efficiency when maneuvering large packaged glass doors or large-sized material.



FLEXIBLE

Adjustable width fits different trucks and extendable length with optional extension frames allow for custom configurations to accommodate diverse slab dimensions.



SAFE

Durable steel construction ensures safe and stable transport, while rubber strips on contact surfaces protect slab from scratches and damage.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ADTA7881	78 ¾ (2000)	83 ⅞ - 98 ⅞ (2120 - 2500)	81 ¾ (2076)	686.4 (312)	1540 (700) per Side 3080 (1400) both Side
Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	
ADTA3981E	39 ¾ (1000)	83 ⅞ - 98 ⅞ (2120 - 2500)	81 ¾ (2076)	382.8 (174)	

AUSAVINA HEAVY DUTY DISPLAY STAND RACK

- Unique design for storing and displaying stone slabs in the warehouse or exhibition.
- A high work load limit helps to increase productivity.
- Suitable for a variety of materials of different sizes.



* Minimum slab size placed on the display frame:
70 7/8" x 70 7/8" x 1/4" (1800 x 1800 x 6 mm)

* Maximum slab size placed on the display frame:
98 7/16" x 137 13/16" x 1 9/16" (2500 x 3500 x 40 mm)



CONVENIENCE

Hook bar can be adjusted to fix slabs firmly and safely.



SAFE

The A-Frame design helps slabs lean against the frame firmly.



EFFECTIVE

The frame is made of steel for rigidity, high stability and large load capacity.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Capacity of A-frame lbs (kg)	Capacity of Display Frame lbs (kg)
AHDSR078	98 7/16 (2500)	49 7/8 (1267)	90 3/16 (2300)	374 (170)	17600 (8000)	2300 (1050)

AUSAVINA TRIPLE SIDE FOLDING TRUCK A-FRAME

- Designed to store slabs within warehouses, factories and display areas.
- The frame is made of steel to ensure high rigidity and high load capacity in operation process.



* Minimum slab size:
7 ⁷/₁₆" x 15 ³/₄" (200 x 400 mm)


* Maximum slab size:
66 ¹⁵/₁₆" x 102 ³/₈" (1700 x 2600 mm)



Safety bars
keep slabs
stable

HIGH WORK LOAD LIMIT


A unique design with high hardness steel and three storage positions for work load limit up to 22000 lbs (10000 kg).



EXTEND AND SHORTEN

CONVENIENCE

Easy to extend and shorten for fitting many slab sizes from 14 ¹⁵/₁₆" - 79 ¹/₂" (380 mm - 2020 mm).



SAFE

Timber blocks on the base frame protect stone slabs from chipping and scratching.


Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit Mid Frame - lbs (kg)	Work Load Limit Per Side - lbs (kg)	Work Load Limit lbs (kg)
ATSFTA056	14 ¹⁵ / ₁₆ " ~ 79 ¹ / ₂ " (380 ~ 2020)	58 ³ / ₄ " (1480)	57 ⁵ / ₈ " (1463)	202.4 (92)	5500 (2500)	11000 (5000)	22000 (10000)

AUSAVINA FOLDING ADJUSTABLE GIANT A-FRAME

- FAGA078 is a solid design to store many stone slab sizes in warehouses, factories or exhibitions.
- Sturdy A-shape increases the efficiency and reliability of storing slabs.
- Simple structure to easily assemble and disassemble for packing and transporting.




* Minimum slab size:
23 5/8" x 66 15/16" (600 x 1700 mm)
* Maximum slab size:
88 9/16" x 141 3/4" (2250 x 3600 mm)



EFFECTIVE

Adjustable length crossbars for flexibly storing multiple sizes of slabs.



CONVENIENCE

The base frame can be tidily folded upward for convenient storage and transportation.


Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit Per Side - lbs (kg)	Work Load Limit Both Side - lbs (kg)
FAGA078	66 15/16 ~ 118 1/8 (1700 ~ 3000)	89 7/16 (2272)	78 1/8 (1985)	226.6 (103)	17500 (7950)	35000 (15900)

AUSAVINA SINGLE SIDED A-FRAME

- An effective tool to store and keep slabs safe. It has a compact design to suit every confined space. The timber block on base protects the stone slabs from chipping and scratching. Made of steel for high rigidity and high load capacity. A pair of frames has a load capacity of up to 16500 lbs (7500 kg).

SSAF060

SOLD IN PAIRS




W.L.L.: Work Load Limit

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight Per Pair - lbs (kg)	W.L.L. Per Pair lbs (kg)
SSAF060	30 ½ (775)	3 15/16 (100)	60 (1524)	58 7/16 (1484)	17 ¾ (451)	88 (40)	16500 (7500)

AUSAVINA SINGLE SIDED TRUCK A-FRAME

- Single Sided Truck A-Frame is designed for safe slab storage. The base has timber blocks as protection. Made of steel for high rigidity and load capacity. It can keep slabs in place in bundles of up to 16500 lbs (7500 kg). Its compact design fits confined spaces, helping to save valuable workspace.

SSTAF060




Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight Per Pair - lbs (kg)	W.L.L. Per Pair lbs (kg)
SSTAF060	30 ½ (775)	65 7/16 (1662)	59 3/8 (1502)	57 5/8 (1464)	17 13/16 (453)	93.5 (42.5)	16500 (7500)

W.L.L.: Work Load Limit

AUSAVINA STANDARD A-FRAME

- Standard A-Frames, sold in pairs, are designed for safe slab storage. A solid structure and maximum stability. An ideal choice if compared to other A-Frames usually available in the market.

SOLD IN PAIRS




NOTE Distribute Slabs Equally on Both Sides

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight Per Pair - lbs (kg)	Work Load Limit lbs (kg)
SAF060	58 15/16 (1497)	3 15/16 (100)	58 11/16 (1490)	57 7/8 (1451)	17 7/8 (454)	115.5 (52.5)	16500 (7500) Per Side 33000 (15000) Both Sides
ESAF060	58 15/16 (1497)	3 1/8 (80)	58 11/16 (1490)	57 5/16 (1456)	17 11/16 (450)	85.8 (39)	13200 (6000) Per Side 26400 (12000) Both Sides

AUSAVINA TRUCK A-FRAME

- Truck A-Frame is designed for safe slab storage with optimization of cost and productivity. Two A-Frames are connected with a crossbar for a sturdier structure. This crossbar can be disassembled for easy transport and storage. The timber block on the base frame protects slabs from damage.

TAF060




NOTE Distribute Slabs Equally on Both Sides

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
TAF060	59 13/16 (1520)	58 15/16 (1497)	58 11/16 (1490)	57 7/8 (1451)	17 15/16 (455)	125.4 (57)	16500 (7500) Per Side 33000 (15000) Both Sides

AUSAVINA HEAVY DUTY TRUCK A-FRAME

- Two A-Frames of TAF060H are connected by 4 crossbars giving max sturdiness to the whole structure. Timber blocks on the base help to minimize impact and protect slabs from scratches or cracks. The load capacity is up to 39600 lbs (18000 kg).




NOTE Distribute Slabs Equally on Both Sides

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
TAF060H	59 ¹³ / ₁₆ (1520)	58 ¹⁵ / ₁₆ (1497)	58 ¹³ / ₁₆ (1490)	57 ³ / ₈ (1451)	17 ¹⁵ / ₁₆ (455)	162.8 (74)	19800 (9000) Per Side 39600 (18000) Both Sides

AUSAVINA QLI STANDARD A-FRAME 060

- This sturdy and durable frames are designed for safe slab storage in any work place.
- The base has timber blocks to avoid contact damage.



Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AQSA060	59 ¹³ / ₁₆ (1500)	3 ³ / ₈ (80)	58 ¹³ / ₁₆ (1490)	57 ¹³ / ₁₆ (1450)	19 ⁵ / ₈ (499)	72.6 (33)	15400 (7000) Per Side 30800 (14000) Both Sides



AUSAVINA QLI TRUCK A-FRAME 060

- Qli Truck A-frame 060 is ideal for storing and keeping stone slabs tidy and organized in warehouses, factories or workshops. The base has timber blocks as protection, the standing frame and the crossbar form a sturdy frame. Made of steel for sturdiness and durability.

AUSAVINA QLI TRUCK A-FRAME 060



AUSAVINA QLI TRUCK A-FRAME SENI 060



Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AQTA060	58 ¾ (1480)	59 ⅙ (1500)	58 ⅙ (1490)	57 ⅙ (1448)	19 ½ (495)	80.3 (36.5)	17600 (8000) Per Side 35200 (16000) Both Sides
AQTAS060	59 ⅙ (1500)	59 ⅙ (1500)	58 ⅙ (1490)	57 ⅙ (1450)	19 ⅝ (499)	79.2 (36)	15400 (7000) Per Side 30800 (14000) Both Sides

AUSAVINA QLI TRUCK A-FRAME 074

- Qli Truck A-Frame 074 is ideal for storing and keeping stone slabs tidy and organized in warehouses, factories or workshops. The base includes timber blocks for protection, while the standing frame and combine to create a sturdy structure. Made of steel for sturdiness and durability.


AUSAVINA QLI TRUCK A-FRAME 074

AQTA074



AUSAVINA QLI TRUCK A-FRAME SENI 074

AQTAS074



Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AQTA074	58 ¼ (1480)	59 ⅙ (1500)	73 ⅙ (1872)	72 ⅛ (1832)	17 ⅙ (446)	96.8 (44)	17600 (8000) Per Side 35200 (16000) Both Sides
AQTAS074	59 ⅙ (1500)	59 ⅙ (1500)	73 ⅙ (1872)	72 ⅜ (1833)	17 ⅙ (446)	96.8 (44)	15400 (7000) Per Side 30800 (14000) Both Sides

AUSAVINA QLI FOLDING TRUCK A-FRAME 060

- The Ausavina Qli Folding Truck A-Frame 060 is designed for safe slab storage. The base has timber blocks as protection, the standing frame and the crossbar form a sturdy frame.

- Made of steel for sturdiness and durability.

Features: Foldable base to save storage space.


AUSAVINA QLI FOLDING TRUCK A-FRAME 060

AQFTA060



AUSAVINA QLI FOLDING TRUCK A-FRAME JUNI/SENI 060

AQFTAJ060/AQFTAS060



Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AQFTA060	59 1/16 (1500)	59 1/16 (1500)	58 13/16 (1490)	57 1/16 (1448)	19 1/2 (495)	80.3 (36.5)	17600 (8000) Per Side 35200 (16000) Both Sides
AQFTAS060	59 1/16 (1500)	59 1/16 (1500)	58 13/16 (1490)	57 1/16 (1450)	19 5/8 (498)	83.6 (38)	15400 (7000) Per Side 30800 (14000) Both Sides
AQFTAJ060	59 1/16 (1500)	59 1/16 (1500)	58 13/16 (1490)	57 1/16 (1448)	19 5/8 (498)	64.9 (29.5)	12400 (5636) Per Side 24800 (11272) Both Sides

AUSAVINA QLI FOLDING TRUCK A-FRAME 074

- Ausavina Qli Folding Truck A-Frame 074 is ideal for storing and keeping stone slabs tidy and organized in warehouses, factories or workshops. The base has timber blocks as protection, the standing frame and the crossbar form a sturdy frame. Made of steel for sturdiness and durability.

Features: Foldable base to save storage space.


AUSAVINA QLI FOLDING TRUCK A-FRAME 074

AQFTA074



AUSAVINA QLI FOLDING TRUCK A-FRAME SENI/JUNI 074

AQFTAS074/AQFTAJ074





Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AQFTA074	58 ¾ (1480)	59 ⅓ (1500)	73 ⅓ (1872)	72 ⅓ (1832)	17 ⅞ (446)	93.5 (42.5)	17600 (8000) Per Side 35200 (16000) Both Sides
AQFTAS074	59 ⅓ (1500)	59 ⅓ (1500)	73 ⅓ (1872)	72 ⅓ (1833)	17 ⅞ (446)	97.9 (44.5)	15400 (7000) Per Side 30800 (14000) Both Sides
AQFTAJ074	59 ⅓ (1500)	59 ⅓ (1500)	73 ⅓ (1872)	72 ⅓ (1833)	17 ⅞ (446)	78.1 (35.5)	12400 (5636) Per Side 24800 (11272) Both Sides

AUSAVINA EASY LOAD A-FRAME

- AEL060 is designed for safe slab storage in any workplace.
- Timber blocks on the base help to minimize impact and protect slabs from scratches or cracks.
- A safer and more economical alternative than wood A-Frames.

AEL060




Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AEL060	59 1/16 (1500)	59 1/16 (1500)	58 1 1/16 (1490)	55 3/8 (1406)	19 1/2 (495)	114.4 (52)	6000 (2727) Per Side 12000 (5454) Both Sides

AUSAVINA ADJUSTABLE GIANT TRUCK A-FRAME


- Designed to store heavy-duty stone slabs in warehouses, factories and display areas.
- The frame is made of steel to ensure a high load capacity and rigidity during operation.

AGTA096/AFGTA096



* Minimum slab size:
55 1/8" x 7 7/8" x 3/8" (1400 x 200 x 10 mm)

* Maximum slab size:
118 1/8" x 106 5/16" x 3 15/16" (3000 x 2700 x 100 mm)



Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	(D) In (mm)	(E) In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AGTA096	70 7/8 (1800)	54 1/2 - 94 13/16 (1384 - 2408)	96 (2437)	94 1/2 (2400)	18 1/16 (458)	246.4 (112)	17600 (8000) Per Side 35200 (16000) Both sides
AFGTA096	78 3/4 (2000)	54 1/2 - 94 13/16 (1384 - 2408)	96 (2437)	94 1/2 (2400)	21 7/8 (556)	275 (125)	17600 (8000) Per Side 35200 (16000) Both sides

AUSAVINA HEAVY DUTY SINGLE SIDE A-FRAME


- Designed to organize large stone slabs in warehouses, factories and construction sites.
- Made of high-quality steel to ensure safe and efficient storage of heavy stone slabs.

AHSSA100



EFFICIENT STORAGE

A-Frame design features a reliable angle, ensuring stone slabs are placed safely and securely on the frame.



MAXIMUM PROTECTION

Timber blocks on the base and rubber strips on the A-Frame protect slabs against sliding or getting damaged.



HIGH LOAD CAPACITY


Rigid structure with a high work load limit of up to 10000kg, making it suitable for storing large-sized material slabs.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AHSSA100	121 1/16 (3075)	59 1/16 (1500)	100 (2540)	574.2 (261)	22000 (10000)

AUSAVINA HEAVY DUTY DOUBLE SIDE A-FRAME

- Designed to organize large stone slabs in warehouses, factories, exhibitions, etc.
- The frame is made of robust steel, ensuring it can safely handle large and heavy slabs.

AHDSA100



OPTIMAL SAFETY

Timber blocks on the base and rubber strips along the A-Frame protect slabs from sliding or getting damaged.



FLEXIBLE STORAGE

It supports robust weight, making it ideal for storing stone, glass or other large materials.



SPACE-SAVING SOLUTION

A sturdy structure optimizes space, providing secure storage on both sides for saving working areas.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AHDSA100	121 1/16 (3075)	78 3/4 (2000)	100 (2540)	651.2 (296)	22000 (10000) Per Side 44000 (20000) Both Sides

AUSAVINA UNIVERSAL A-FRAME

- Efficiently store slabs of various sizes to maximize warehouse space.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Work Load Limit Per Set of Securing Bars - lbs (kg)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
UAF10-1.5T	94 ¹³ / ₁₆ (2408)	69 ¹ / ₈ (1756)	67 ¹⁵ / ₁₆ (1725)	3300 (1500)	261.8 (119)	22000 (10000)
UAF15-2.5T	94 ¹³ / ₁₆ (2408)	69 ¹ / ₈ (1756)	68 ¹³ / ₁₆ (1745)	5500 (2500)	299.2 (136)	33000 (15000)
UAF15-5T	94 ¹³ / ₁₆ (2408)	71 ¹ / ₈ (1806)	70 ¹ / ₄ (1785)	11000 (5000)	411.4 (187)	33000 (15000)
UAF15-10T	94 ¹³ / ₁₆ (2408)	71 ¹ / ₈ (1806)	70 ¹ / ₄ (1785)	22000 (10000)	446.6 (203)	33000 (15000)

AUSAVINA HEAVY-DUTY MULTI-MATERIAL BUNDLE RACK

- Integrated function of Single Side A-Frame, Double Side A-Frame and Bundle Slab Rack.
- Easy to adjust multiple working layouts to suit various requirements.



AHMCBR8970

AHMCBR8970-M2



Transport by Container

	A COMBINATION OF POLES AND SINGLE SIDE A-FRAME		A COMBINATION OF POLES AND DOUBLE SIDE A-FRAME		AS A SLAB BUNDLE RACK WITH POLES
--	--	--	--	--	----------------------------------

Safely transport slab bundles in containers as a slab bundle rack or as a combination of poles and single sided or double sided A-Frame.

Storage & Display in Warehouse

	STORAGE WITH SINGLE SIDE A-FRAME & POLES		STORAGE WITH DOUBLE SIDE A-FRAME & POLES		STORAGE AS BUNDLE SLAB RACK
--	--	--	--	--	-----------------------------

In warehouses, it can be structured as a slab bundle rack or as a combination of poles and double-sided or single-sided A-Frames for displaying and storing slab bundles.

Transport by Truck

Moreover, the product can store slabs as an A-Frame design while moving on the truck.

Stackable poles & A-Frame for effective storage and minimizing transportation costs.


Optimize Storage Space

Stackable to optimize storage space when not in use.

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)	Capacity Between 2 Poles - lbs (kg)
AHMCBR8970	89 3/8 (2270)	89 3/8 (2270)	78 1/4 (1987)	1216 (553)	44000 (20000)	12500 (5680)
AHMCBR8970-M2	89 3/8 (2270)	43 1/16 (1100)	63 1/16 (1601)	860.2 (391)	22000 (10000)	12500 (5680)

AUSAVINA DISPLAY SLIDING RACK

- Ausavina Display Sliding Rack features a versatile design with multiple parallel sliding rails, each holding a single slab. It is ideal for storing or showcasing materials of suitable sizes in showrooms and display areas.



CONVENIENCE

Sliding rails equipped with wheels glide smoothly in and out, allowing easy inspection and access to individual slabs without moving other slabs



EFFICIENCY

Extendable sliding rails accommodate different slab sizes, while upright storage ensures clear visibility and easy sample comparison

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)
ADSR83	50 13⁄16 (1290)	38 3⁄4 (985)	39 1⁄8 (993)	193.6 (88)

Model	Minimum Slab Dimensions - In (mm)	Maximum Slab Dimensions - In (mm)	Work Load Limit lbs (kg)
ADSR83	59 1⁄16 x 31 1⁄2 x 13⁄16 (1500 x 800 x 20)	31 1⁄2 x 7 7⁄8 x 1⁄4 (800 x 200 x 6)	1100 (500)


AUSAVINA BUNDLE SLAB RACK

- Bundle Slab Racks are ideal for storing bundles of stone slabs securely and efficiently.
- Each rack features sturdy 6 mm poles and protective wood strips on both bases to prevent cracking or damage.
- The upgraded BSR010-AC1 offers up to 26 mounting holes for adjustable pole placement, accommodating a wide range of slab sizes.

BSR010



BSR010-AC1



Base frames can link together easily by connection part.

FLEXIBLE - SOLID DESIGN

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair lbs (kg)	Work Load Limit - lbs (kg)	Poles Number Per Base	Holes Number Per Base
BSR010	118 3/4 (3015.5)	6 7/16 (164)	59 3/8 (1508)	510.4 (232)	22000 (10000)	4	7
BSR010-AC1	118 3/4 (3015.5)	6 7/16 (164)	59 3/8 (1508)	585.2 (266)	22000 (10000)	4	26

1* Work Load Limit Between Poles

AUSAVINA QLI UNIVERSAL BUNDLE SLAB RACK

- Designed to store and display stone slabs or bundle slabs within warehouses, factories and construction sites.
- The product is made of steel, so it is stable and sturdy. It consists mainly of a base frame and poles.
- Design holes continuously on the base frame.



SOLD IN PAIRS

Base frames can link together easily by connection part.

FLEXIBLE - SOLID DESIGN

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair lbs (kg)	Work Load Limit - lbs (kg)	Poles Number Per Base	Holes Number Per Base
AQUBSR010-PRO	118 ¾ (3016)	6 ¼ (158)	59 ¾ (1504)	407 (185)	12500 (5680)	4	33

1* Maximum Weight Load Limit Between Poles

AUSAVINA RHINO SLAB RACK

- Rhino Slab Racks are the ideal tool for storing and display multiple slabs of different sizes and thicknesses in various workplaces.
- Models R have rubber strips on poles to keep the slabs leaning safely and protect slabs from damage.
- All Rhino Slab Racks have rubber strips on the bases.



^{1*} Maximum Weight Load Limit Between Poles

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair lbs (kg)	Work Load Limit - lbs (kg)	Poles Number Per Base	Holes Number Per Base
RSR010	119 1/8 (3026)	7 9/16 (192)	59 3/16 (1504)	600.6 (273)	6000 (2727)	10	28

AUSAVINA SLAB RACK

- An innovative model to store and organize slabs in confined spaces such as warehouses, factories and construction sites.
- Rubber caps on the top of each pole ensure security for both operators and materials.



^{1*} Maximum Weight Load Limit Between Poles

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair lbs (kg)	Work Load Limit - lbs (kg)	Poles Number Per Base	Holes Number Per Base
SRK010	118 3/4 (3016)	6 7/16 (164)	58 7/8 (1496)	616 (280)	6000 (2727)	10	11

AUSAVINA QLI UNIVERSAL SLAB RACK

- Designed to store and display stone slabs or bundle slabs within warehouses, factories and construction sites.
- The product is made of steel, so it is stable and sturdy. It consists mainly of a base frame and poles.
- Design holes continuously on the base frame.



SOLD IN PAIRS

Base frames can link together easily by connection part.

FLEXIBLE - SOLID DESIGN

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair lbs (kg)	Work Load Limit - lbs (kg)	Poles Number Per Base	Holes Number Per Base
AQUSR010-PRO	118 ¾ (3016)	5 ½ (140)	59 ¼ (1505)	550 (250)	5940 (2700)	10	51

1* Maximum Weight Load Limit Between Poles

AUSAVINA REMNANT SLAB RACK

- Remnant Slab Racks are designed to store leftover pieces of stone. It is compact, flexible and adjustable with a sturdy steel structure.
- Each base has 10 poles and 14 or 15 holes to optimize storage efficiency.

The Rack comes with 20 poles.

RES27



RES34



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight Per Pair lbs (kg)	Work Load Limit - lbs (kg)	Poles Number Per Base	Holes Number Per Base
RES27	118 ½ (2998)	4 ⅝ (110)	28 ½ (712)	140.8 (64)	2200 (1000)	10	15
RES34	117 ⅝ (2996)	6 ⅝ (160)	35 ⅞ (911)	156.2 (71)	2200 (1000)	10	14

*** Maximum Weight Load Limit Between Poles**



AUSAVINA SPARE POLES

AUSAVINA SLAB RACK POLES - AUSAVINA RHINO SLAB RACK POLES

SRK010-POLE

RSR010-POLE

Poles without rubber





Dimensions	Capacity ^{1*}
1 15/16" x 1 15/16" x 31 1/2" 50 mm x 50 mm x 800 mm	12100 lbs (5500 kg)
1 15/16" x 1 15/16" x 47 1/4" 50 mm x 50 mm x 1200 mm	7700 lbs (3500 kg)
1 15/16" x 1 15/16" x 59 1/8" 50 mm x 50 mm x 1500 mm	6000 lbs (2727 kg)
1 15/16" x 1 15/16" x 70 7/8" 50 mm x 50 mm x 1800 mm	4840 lbs (2200 kg)

AUSAVINA BUNDLE SLAB RACK POLES

BSR010-POLE



Poles without rubber



Dimensions	Capacity ^{1*}
3 15/16" x 1 15/16" x 59 1/8" 100 mm x 50 mm x 1500 mm	22000 lbs (10000 kg)
3 15/16" x 1 15/16" x 78 3/4" 100 mm x 50 mm x 2000 mm	13200 lbs (6000 kg)

AUSAVINA REMNANT SLAB RACK POLES

RES27-POLE, RES34-POLE



Dimensions	Capacity ^{1*}
1 1/8" x 27 9/16" 27 mm x 700 mm	2200 lbs (1000 kg)
1 5/16" x 35 7/16" 34 mm x 900 mm	2200 lbs (1000 kg)

^{1*} Maximum Weight Capacity Between Poles

AUSAVINA AIR POLISHING MACHINE

- An air polishing machine is used for polishing the surface of slab edges powered by compressed air.
- The machine can polish slabs at two different angles: 90-degree and 45-degree.
- Compact design and use of air motor shall ensure easy and safe operations.
- Combined with flex polishing pads to helps users save effort and time.

APM80M1



APM80M2




Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)
APM80M1	15 ³ / ₈ (390)	9 ³ / ₁₆ (234)	8 ¹³ / ₁₆ (224)	20.9 (9.5)
APM80M2	12 ³ / ₁₆ (310)	7 ¹ / ₁₆ (180)	6 ⁵ / ₈ (169)	20.9 (9.5)

Air Motor		Water Pump		
Max. pad size	3 ¹⁵ / ₁₆ " (100 mm)	Phase		1
Max. speed	4500 (rpm.)	Frequency		50-60 Hz
Air pressure	6 ~ 8 bar	Power	USA	INTERNATIONAL
Power	0.43 HP		110V/50W	220V/50W

- Stone Saw (MODSI) features a single phase 3 HP motor or three phase 5 HP motor to cut natural and artificial stones smoothly evenly and precisely. Depend on cutting edges either 90-degree vertical or 45-degree tilt, the operator easily adjusts the saw head in a proper manner. The height of the cutting head block can be adjusted. It is incorporated with wheels and rollers for easy moving. One side bench with rollers and 2 support arms with stops is included.
- Bolted down cast aluminum working tables system enhance safety.

AUSAVINA STONE SAW MODSI



Model	Length In (mm)		Width In (mm)		Height In (mm)	Net Weight lbs (kg)
MODSI	62 3⁄8 (1585)		76 3⁄4 (1950)		56 5⁄8 (1439)	374 (170)

MODSI - 1P (1 Phase)	Size				Motor Parameter	USA	INTERNATIONAL
	Inches		Millimeters				
Blade Diameter	10	11 13⁄16"	254 mm	300 mm	Power	2 kW	2.2 kW
Cutting Depth At 90°	1 15⁄16"	2 3⁄8"	50 mm	60 mm	Voltage	110 V	220 V
Cutting Depth At 45°	1 5⁄16"	1 3⁄16"	25 mm	30 mm	Frequency	60 Hz	50 Hz
					Phases	1	1
					Speed	3400 rpm.	2800 rpm.
Cutting Length	41 5⁄16" (1050 mm)				Water Pump Power	110V/50W	220V/50W

MODSI - 3P (3 Phase)	Size						Motor Parameter	USA	INTERNATIONAL
	Inches			Millimeters					
Blade Diameter	10	11 13⁄16"	13 3⁄4"	254 mm	300 mm	350 mm	Power	3.7 kW	3.7 kW
Cutting Depth At 90°	1 15⁄16"	2 3⁄8"	3 1⁄8"	50 mm	60 mm	80 mm	Voltage	220 V	380 V
Cutting Depth At 45°	1 15⁄16"	1 3⁄16"	1 9⁄16"	25 mm	30 mm	40 mm	Frequency	60 Hz	50 Hz
							Phases	3	3
							Speed	3400 rpm.	2800 rpm.
Cutting Length	41 5⁄16" (1050 mm)						Water Pump Power	110V/50W	220V/50W

- Ausavina Stone Saw MODS2 is an efficient tool for cutting natural and artificial stones smoothly, correctly and perfectly. On one side, the saw has a roller conveyor which makes for easy loading, while on the other side, the adjustable stops make exact parallel cuts. Two side benches with rollers and 2 support arms with stops are included.

- The MODS2 features a single phase 3 HP motor or three - phase 5 HP motor.

AUSAVINA STONE SAW MODS2



45° cutting



90° cutting



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)
MODS2	83 1/16 (2110)	82 15/16 (2108)	63 7/16 (1612)	594 (270)

MODS2 - 1P (1 Phase)	Size				Motor Parameter	USA	INTERNATIONAL
	Inches		Millimeters				
Blade Diameter	10	11 13⁄16"	254 mm	300 mm	Power	2 kW	2.2 kW
Cutting Depth At 90°	1 15⁄16"	2 3⁄8"	50 mm	60 mm	Voltage	110 V	220 V
Cutting Depth At 45°	1 5⁄16"	1 3⁄16"	25 mm	30 mm	Frequency	60 Hz	50 Hz
Cutting Length	61 1⁄16" (1550 mm)				Phases	1	1
					Speed	3400 rpm.	2800 rpm.
					Water Pump Power	110V/50W	220V/50W

MODS2 - 3P (3 Phase)	Size						Motor Parameter	USA	INTERNATIONAL
	Inches			Millimeters					
Blade Diameter	10	11 13⁄16"	13 3⁄4"	254 mm	300 mm	350 mm	Power	3.7 kW	3.7 kW
Cutting Depth At 90°	1 15⁄16"	2 3⁄8"	3 1⁄8"	50 mm	60 mm	80 mm	Voltage	220 V	380 V
Cutting Depth At 45°	1 5⁄16"	1 3⁄16"	1 1⁄16"	25 mm	30 mm	40 mm	Frequency	60 Hz	50 Hz
Cutting Length	61 1⁄16" (1550 mm)						Phases	3	3
							Speed	3400 rpm.	2800 rpm.
							Water Pump Power	110V/50W	220V/50W

AUSAVINA RAIL MACHINE 5 IN 1

- Ausavina Rail Machine 5 in 1 is designed for multi-purposes such as cutting and grinding slabs smoothly, correctly and perfectly.
- Several accessories can be flexibly attached to allow 5 main functions.

ARM5-1



The cutting machine excluded

Edge polishing



Cut the edge of a 45° angle



Cut perfectly straight line



Cut glass smoothly with equipped glass cutter




Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)
ARM5-1	78 ¾ (2000)	7 15/16 (202)	10 5/16 (262)	55.66 (25.3)

Pneumatic Motor		Water Pump	
Pad size	Ø100 mm	Power	50W
Air pressure	6 ~ 8 bar	Phase	1
Rotation speed	4500 rpm	Voltage	110V 220V
Power	0.43HP	Frequency	60Hz 50Hz

AUSAVINA COLUMN ARTICULATE CRANE (JIB CRANE)


- Operating in confined spaces and around impediments, this product can provide simple and economical solutions to these difficulties. It can be combined with the Little Giant Lifter, Auto Lock Cable Lifter, Arcturus Lifter, Scissor Clamp and Stone Vacuum Lifter. A simple and convenient structure helps to optimize working time and efficiency.



Model	Length (A) In (mm)	Height (B) In (mm)	Height (C) In (mm)	Net Weight lbs (kg)	Maximum Reach (D) - In (mm)	Rotated Angle	Work Load Limit lbs (kg)
CAC50-6M	262 ³ / ₈ (6665)	161 ⁵ / ₈ (4105)	130 ¹ / ₁₆ (3304)	4276.8 (1944)	236 ¹ / ₄ (6000)	290°	1100 (500)

AUSAVINA MORTAR MIXER

- Ausavina Mortar Mixer M2 is designed to mix the materials such as sand, cement, stone, etc. to become a mixture in a short time. Compact and portable design combined with solid wheels provide an easy maneuvering from one place to another, as well as movement through narrow spaces with just one person. This mixer M2 helps improve productivity and reduce labor cost effectively.




Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	Net Weight lbs (kg)
AMX100M2	32 3⁄8 (823)	27 1⁄2 (699)	46 13⁄16 (1186)	303.6 (138)

Motor Parameters		The average mixing time: 3 minutes With overload protection devices	
Horse power	2 HP	Barrel capacity - Gallon (Liters)	26 (100)
Voltage	220V /110V	Barrel diameter - Inches (mm)	25 1⁄2 (648)
Frequency	50 Hz/60Hz	Speed (rpm)	29
Phase	1		


AUSAVINA DEHYDRATOR (SLUDGE FILTER)

- Ausavina Dehydrator (Sludge Filter) is a filtration system for the fast collection and trapping of the abrasive sludge produced by machining and finishing marble, granite and other stones.
- Dehydrator (Sludge Filter) is an economical one step method in separating and dewatering sludge and slurries.
- Dehydrator is constructed of Stainless Steel and consists of four basic components: pump, mud holding tank, filter bags and filtered water pan.
- Dehydrator (Sludge Filter) has no moving parts and requires minimal maintenance.



L/M: Liter/Min M³/H: Meter/hour M: Meter H: Height Q: Flow Rate

Model	Length In (mm)	Width In (mm)	Height In (mm)
ADE089	95 13/16 (2433)	27 9/16 (700)	91 3/4 (2330)
Net Weight - lbs (kg)	468.6 (213)		
Float Switch	Automatic		
Bag Dimension	13 3/4 x 47 1/4" (350 x 1200 mm)		
Material	Stainless Steel		
Valves	2 Inch BSP Brass Nickel Plated		
Filter Capacity 25 % Sludge In The Water	3m³ / 1 hour		



AUSAVINA COLLAPSIBLE DUMPSTER (TILT DUMPSTER)

- A "must have" item for your workplace. Practical to use and effective to keep your environment clean.
- Built of steel and heavy gauge sheets for last long.
- Tilting is by handy lever for safe use.
- Forklift engagement by heavy duty channel pockets with safety pin when at full load.
- Has 4 heavy duty casters for easy moving, two with brake to lock the dumpster steady to the ground when needed.

CD70



CD102




Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Volume ft³ (m³)	Work Load Limit lbs (kg)
CD70	59 5/16 (1506)	47 7/8 (1216)	40 9/16 (1030)	534.6 (243)	25 (0.705)	2640 (1200)
CD102	63 3/4 (1620)	50 15/16 (1295)	45 7/16 (1154)	719.4 (327)	35.4 (1)	3300 (1500)


AUSAVINA DROP BOTTOM DUMPSTER

- Ausavina Drop Bottom Dumpster is a useful solution to keep your area neat and clean.
- The bottom gate opening system allows you to dump the waste in a second.
- When the dumpster touches the ground, the tail gates close automatically.
- The unit can be lifted either by a hoist or forklift.
- The Dumpster construction allows to separate each component, side and bottom for easy packing and transporting to another place if necessary.

DBD100




DBD150



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Volume ft³ (m³)	Work Load Limit lbs (kg)
DBD100	51 3⁄8 (1305)	45 1⁄4 (1150)	50 1⁄16 (1271)	442.2 (201)	35.4 (1)	3300 (1500)
DBD150	64 15⁄16 (1650)	51 3⁄8 (1305)	50 1⁄16 (1271)	583 (265)	53 (1.5)	4400 (2000)

AUSAVINA SLUDGE DEHYDRATOR MACHINE

- Designed to separate sludge from water and purify rock debris when polishing, cutting,...
- ASDM114 is an effective solution to protect the environment.
- Easy and quick to assemble and disassemble.



ECO-FRIENDLY

Minimize smell and noise, smooth discharging and stable operation.



AUTOMATIC PUMP SYSTEM

Automatically pump sludge water into the tank whenever it completely flows into the filter system to save time and increase productivity.



CONVENIENT
The water tray with casters is removable for easy cleaning.

HIGH- EFFECTIVE

Bag filter able to keep and separate sludge seed size larger than 80 micrometers out of water.

Model	Length (A) In (mm)	Width (B) In (mm)	Height (C) In (mm)	Net Weight lbs (kg)	Maximum Filter Capacity	Power Requirement 3 phase	
ASDM114	108 1/16 (2757)	38 15/16 (990)	66 7/8 (1699)	913 (415)	8 m³/h	220V/60hz	380V/50hz

AUSAVINA EZ-PRO LEVEL EXTENDER



- Ausavina EZ-Pro Level Extender is especially made for accurate precision support when wall paneling tiles detached from ground. Shafts are made of stainless steel and bar is made of aluminum to be lightweight and durable.



Simple to adjust vertical level handles




Aluminum bar supports the tiles during paneling process

Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
AELE7811	78 ¾ (2000)	8 ⅞ (206)	15 ⅞ (403)	7.04 (3.2)	308 (140)

AUSAVINA BUNDLE SECURING BAR

- ABSB180 is designed to enhance safety during moving bundle slabs when combined with clamp devices. It's a smart tool to increase productivity. Simple design, easy-to-use, lightweight and fast operation. The two ends of the Bundle Securing Bar are covered by rubbers to protect the slabs against chipping and scratching.



Model	ABSB180
Length In (mm)	47 ¼ ~ 70 ⅞ (1200~1800)
Width In (mm)	2 ⅛ (52)
Height In (mm)	8 ⅞ (215)
Net Weight lbs (kg)	25.3 (11.5) Per Pair

AUSAVINA DRILLING GUIDE M2

DGM2

- Drilling Guide is specifically developed to drill slabs quickly, exactly and securely.
- Made of aluminum for lightweight and easy-to-drill desired positions.
- Two suction cups hold slabs firmly to avoid wobbling during drilling operations.
- The drill holder and head can slide up & down smoothly and precisely for a properly defined location drilled.

Note *Drill is not included.*



AUSAVINA DRILLING GUIDE M3

DGM3

- Drilling Guide is specifically developed to drill granite slabs quickly, exactly and securely.
- The three suction cups are designed to secure DGM3 firmly on a slab to prevent from moving or shaking.
- Drilling guide body is made of aluminum for lightweight and easy to use.
- Firm and accurate drilling jig enables higher capacity for effective operations.

Note *Drill is not included.*



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Drill Fitting Diameter With And Without Collar - In (mm)
DGM2	20 1/2 (520)	8 7/8 (225)	16 1/8 (407)	15.4 (7)	1 11/16 - 2 1/16 (43 - 53)
DGM3	15 9/16 (395)	15 15/16 (406)	15 13/16 (402)	17.6 (8)	1 11/16 - 2 1/16 (43 - 53)

AUSAVINA MULTI SLAB SAFEGUARD SLING

- Multi Slab Safeguard Sling is combined with lifters to transport many slabs at the same time.
- The rubber pads on the clamp plates increase the gripping force and keep the material from damaging and scratching.
- The device is designed with protection features to ensure safety and productivity.



AMSS160



AMSS85



ABL150A




AFL65A



ASVL50A-M2

COMBINED WITH MANY DIFFERENT LIFTER MODELS



SIMPLE DESIGN - SAFE - EASY TO USE

Model	Length - In (mm)	Width - In (mm)	Height - In (mm)	Net Weight - lbs (kg)
AMSS85	6 ⁷ / ₈ (175)	7 ⁷ / ₈ (200)	6 ¹³ / ₁₆ (173)	6.6 (3)
AMSS160	9 ¹³ / ₁₆ (250)	7 ⁷ / ₈ (200)	6 ¹³ / ₁₆ (173)	7.7 (3.5)

Model	Grip Range - In (mm)	Applicable Lifter Models
AMSS85	⁹ / ₁₆ - 3 ³ / ₈ (15 - 85)	ALG, AFL65, AFL65A, ASL30A, ASVL, APL20, APL20-M2
AMSS160	¹⁵ / ₁₆ - 6 ⁵ / ₁₆ (25 - 160)	ABL150, ABL150A

AUSAVINA SAFETY CORNER SLAB RACK WEDGE

- Made out of high-quality plastic, the unique tool to use along with a variety ranges of slab racks for high safety. Compact design for easy carry or storage.

ASCSRW



Easy to lean the stone slabs onto the rack within a safe angle during operation without observation.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Type of Pole in (mm)
ASCSRW5.5	7 ¹³ / ₁₆ (198.5)	3 ⁹ / ₁₆ (90)	7 ⁵ / ₁₆ (186)	0.68 (0.31)	1 ¹⁵ / ₁₆ - 1 ¹⁵ / ₁₆ (50 - 50)
ASCSRW4.8	8 ¹⁵ / ₁₆ (228)	3 ⁹ / ₁₆ (90)	7 ⁵ / ₁₆ (186)	0.72 (0.33)	1 ⁹ / ₁₆ - 3 ¹ / ₈ (40 - 80)
ASCSRW5.10	9 ¹³ / ₁₆ (248.5)	3 ⁹ / ₁₆ (90)	7 ⁵ / ₁₆ (186)	0.75 (0.34)	1 ¹⁵ / ₁₆ - 3 ¹⁵ / ₁₆ (50 - 100)

AUSAVINA SLAB WEDGE



- Very useful handy tool to keep little gaps between slab edges. Avoid damage and enhance safety.




Model	Length - In (mm)	Width - In (mm)	Height - In (mm)	Net Weight - lbs (kg)
SW63	4 ³ / ₄ (120)	2 ¹ / ₂ (63)	10 ¹ / ₁₆ (255)	0.88 (0.4)


AUSAVINA SWIVEL HOOK

- These Hooks are included in some Ausavina lifter models. Connect Ausavina lifters and / or booms to allow 360° slab rotation.


ASH52.40



ASH37.45




ASH81.57



Model	Length In (mm)	Width In (mm)	Height In (mm)	Net Weight lbs (kg)	Work Load Limit lbs (kg)
ASH52.40	3 1/8 (79)	1 (25)	7 5/16 (186)	1.76 (0.8)	2200 (1000)
ASH37.45	4 1/16 (103)	1 7/8 (47)	8 9/16 (218)	4.18 (1.9)	4400 (2000)
ASH81.57	4 11/16 (119)	1 5/8 (41)	11 7/16 (290)	6.6 (3)	4400 (2000)

AUSAVINA SWIVEL SHACKLE

- These Shackles are included in some Ausavina lifter models. Connect Ausavina lifters and / or booms to allow 360° slab rotation.



SWS1500



SWS2500



Model	Length In (mm)	Width In (mm)	Height In (mm)	Loading Capacity lbs (kg)	Net Weight lbs (kg)
SWS1500	4 ½ (115)	1 ¼ (32)	7 13/16 (199)	3300 (1500)	3.1 (1.4)
SWS2500	5 ¼ (133)	1 5/8 (42)	11 ¼ (286)	5500 (2500)	6.6 (3)

AUSAVINA CABLE CONNECT SLING

- Cable Connect Sling extends lifting room when headroom is not an issue. Connects Ausavina lifters and / or booms.



Model	Length In (mm)	Width In (mm)	Height In (mm)	Cable diameter In (mm)	Net Weight lbs (kg)	Loading Capacity lbs (kg)
ASL017	16 13/16 (427)	3 3/8 (85)	3/4 (19)	3/8 (10)	2.64 (1.2)	3300 (1500)

AUSAVINA BOW SHACKLE

- Ausavina Bow Shackle is a tool for straight lifts where no rotation is needed. Connects any Ausavina lifter, boom, scissor clamp.



Model	ABS22
Length - In (mm)	5 ¹¹ / ₁₆ (144)
Width - In (mm)	1 ⁵ / ₈ (41)
Height - In (mm)	5 ⁵ / ₈ (143)
Net Weight - lbs (kg)	2.64 (1.2)
Loading Capacity - lbs (kg)	3300 (1500)

AUSAVINA STONEMASON SLEEVES

SOLD IN PAIRS



- Ausavina Stonemason Sleeves fit snugly around the wrist and upper sleeve area to prevent clothes from getting soaked during wet grinding.

Model	SMS019
Width - In (mm)	19 ⁵ / ₁₆ (490)
Height - In (mm)	6 ¹ / ₂ (165)
Net Weight - lbs (kg)	0.352 (0.16)

Customizable with any Company logo.

AUSAVINA STONE MASON APRON

A HEAVY DUTY APRON FOR ALL STONEMASONS.

- The quick snap straps are ideal for a quick and easy fit.
- Made of a double layer of the highest quality material for extra protection.
- Compact design, many compartments to store tools.
- Customizable with any Company logo.



Model	Width - In (mm)	Height - In (mm)	Net Weight - lbs (kg)
SMA048	35 ⁷ / ₁₆ (900)	47 ¹ / ₄ (1200)	1.32 (0.6)

EUROPE

	Austria
	Belarus
	Bulgaria
	Croatia
	Czech Republic
	Denmark
	Estonia
	France
	Germany
	Greece
	Hungary
	Iceland
	Ireland
	Isle of Man
	Italy
	Latvia
	Lithuania
	Macedonia
	Malta
	Moldova, Republic of
	Netherlands
	Norway
	Poland
	Portugal
	Romania
	Russian Federation
	Slovakia
	Slovenia
	Spain
	Sweden
	Switzerland
	Ukraine
	United Kingdom
	Albania
	Belgium
	Bosnia and Herzegovina
	Gibraltar
	Luxembourg
	San Marino
	Serbia and Montenegro
	Svalbard and Jan Mayen

OCEANIA

	
Australia	Fiji
	
French Polynesia	New Caledonia
	
New Zealand	

AMERICAS

							
Argentina	Brazil	Canada	Colombia	Chile	Ecuador	El Salvador	Guadeloupe
							
Mexico	Panama	Puerto Rico	United States	Bolivia	Dominica	Dominican Republic	Guatemala
							
Guyana	Honduras	Jamaica	Peru	Saint Kitts and Nevis	Trinidad and Tobago	Uruguay	Venezuela

AFRICA

								
Egypt	Kenya	Mauritius	Nigeria	South Africa	Zimbabwe	Algeria	Ghana	Libyan Arab Jamahiriya
								
Madagascar	Morocco	Namibia	Senegal	Seychelles	Swaziland	Togo	Tunisia	Zambia

ASIA

									
Bahrain	Brunei Darussalam	Cambodia	Cyprus	China	Georgia	Hong Kong	India	Indonesia	Israel
									
Japan	Jordan	Kazakhstan	Korea, Republic of	Laos	Malaysia	Palestinian Territory, Occupied	Philippines	Qatar	Saudi Arabia
									
Singapore	Turkey	Thailand	United Arab Emirates	Vietnam	Armenia	Bangladesh	Bhutan	Iran, Islamic Republic Of	Iraq
									
Kuwait	Lebanon	Macao	Maldives	Mongolia	Myanmar	Oman	Pakistan	Sri Lanka	Taiwan
									
							Uzbekistan		



AUSAVINA JSC

MATERIAL HANDLING SOLUTIONS



Contact us:

Address: No. 944/1 Nguyen Thi Minh Khai Street,
Tan Thang Quarter, Tan Dong Hiep Ward,
Ho Chi Minh City, Vietnam.

Tel: (+84) 902 505 544

Office: (+84) 274 373 9448

Email: sales@ausavina.com



Scan QR Website